

『社会的弱者への診療と支援 格差社会アメリカでの臨床実践指針』

Resources & References

原著 : Medical Management of Vulnerable and Underserved Patients: Principles, Practice, and Populations 2nd edition

Talmadge E. King, Margaret B. Wheeler eds.

※当資料は原著に掲載されている状態のままを再録しており、リンク切れ等で閲覧ができない場合があります。

第 1 章 脆弱な集団・健康格差・健康の衡平

RESOURCES

<http://www.cdc.gov/omh/AboutUs/disparities.htm>. Centers for Disease Control. Healthy People 2010: Goal of Eliminating Racial and Ethnic Health Disparities.

http://www.kaiseredu.org/topics_reflib.asp?id=329&parentid=67&rID=1. Kaiser Family Foundation. Race, Ethnicity and Health Care: The Basics.

<http://www.macses.ucsf.edu/>. MacArthur Foundation Research Network on Socioeconomic Status and Health.

<http://www.sph.umich.edu/miih/index2.html>. The Michigan Initiative on Inequalities in Health.

<http://www.ucsf.edu/csdf/>. The UCSF Center on Social Disparities in Health.

REFERENCES

1. Mathews TJ, MacDorman MF. Infant mortality statistics from the 2010 period linked

birth/infant death data set. *National Vital Statistics Reports*, vol 62, no 8. Hyattsville, MD: National Center for Health Statistics, 2013. Available at: http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_08.pdf.

2. Gwatkin DR, Rutstein S, Johnson K et al. *Socio-Economic Differences in Health, Nutrition, and Population Within Developing Countries: An Overview*. The World Bank, September 2007. Available at <http://siteresources.worldbank.org/INTPAH/Resources/IndicatorsOverview.pdf>.

3. Starfield B. Improving equity in health: a research agenda. *Int J Health Serv* 2001;31:545.

4. Braveman P. Health disparities and health equity: concepts and measurement. *Annu Rev Public Health* 2006;27:167–194.

5. Braveman P, Kumanyika S, Fielding J, LaVeist T, Borrell L, Manderscheid R, Troutman A. Health disparities and health equity: The issue is justice. *Am J Public Health* 2011;101(S1):S149-S155.

6. Braveman P. What are health disparities and health equity? We need to be clear. *Public Health Rep* 2014;129(2):5-8.

7. Fiscella K, Williams D. Health disparities based on socioeconomic disparities: Implications for urban health care. *Am J Acad Med* 2004;79(12):1139.

8. Braveman P, Cubbin C, Egerter S, Williams DR, Pamuk E. Socioeconomic disparities in health in the United States: What the patterns tell us. *Am J Public Health* 2010;100(S1):S186-S196.

9. Mackenbach J, Kulhanova I, Menvielle G, et al. Trends in inequalities in premature mortality: A study of 3.2 million deaths in 13 European countries. *J Epidemiol Community Health* 2014; 2015;69(3):207-17.

10. Adler NE, Stewart J, eds. *The Biology of Disadvantage: Socioeconomic Status and Health*. Hoboken, NJ: John Wiley & Sons, 2010.

11. Braveman P, Egerter S, Williams D: Social determinants of health – coming of age. *Annu Rev Public Health* 2011;32:381-398.
12. LaVeist TA, Thorpe RJ Jr, Galarraga JE, Bower KM, Gary-Webb TL. Environmental and socio-economic factors as contributors to racial disparities in diabetes prevalence. *J Gen Intern Med* 2009;24(10):1144-1148.
13. Wilson-Frederick SM, Thorpe RJ Jr, Bell CN, Bleich SN, Ford JG, LaVeist TA. Examination of race disparities in physical inactivity among adults of similar social context. *Ethn Dis* 2014;24(3):363-369.
14. Thorpe RJ Jr, Bell CN, Kennedy-Hendricks A, et al. Disentangling race and social context in understanding disparities in chronic conditions among men. *J Urban Health* 2015;92(1):83-92.
15. Marmot M, Rose G, Shipley M, et al. Employment grade and coronary heart disease in British civil servants. *J Epidemiol Commun Health* 1978;32:244.
16. Marmot MG, Shipley MJ. Do socioeconomic differences in mortality persist after retirement? 25 year follow up of civil servants from the first Whitehall study. *BMJ* 1996;313(7066):1177-1180.
17. Wilkinson RG, Pickett KE. Income inequality and population health: a review and explanation of the evidence. *Soc Sci Med* 2006;62:1768-1784.
18. Smith J. Healthy bodies and thick wallets: The dual relation between health and economic status. *J Econ Perspect* 1999;13(2):145-167.
19. Burchard EG, Ziv E, Coyle N, et al. The importance of race and ethnic background in biomedical research and clinical practice. *N Engl J Med* 2003;348:1170.
20. Freeman H. Commentary on the meaning of race in science and society. *Cancer Epidemiol Biomarkers Prev* 2003;12:232s.
21. Palaniappan L, Wang Y, Fortmann S. Coronary heart disease mortality for six ethnic groups in California, 1990–2000. *Ann Epidemiol* 2004;14:499.

22. Isaacs S, Schroeder S. Class: The ignored determinant of the nation's health. *N Engl J Med* 2004;351:1137.
23. Williams DR, Jackson PB. Social sources of racial disparities in health. *Health Affairs* 2005;24:325.
24. Docteur E, Berenson RA. In pursuit of health equity: Comparing US and EU approaches to eliminating disparities. Robert Wood Johnson Foundation and Urban Institute, June 2014. Available at http://www.rwjf.org/content/dam/farm/reports/issue_briefs/2014/rwjf414060
25. McGinnis J, Foege W. Actual causes of death in the United States. *JAMA* 1993;270:2207.
26. Hertzman C. Population health and human development. In: Keating DP, Hertzman C, eds. *Developmental Health and the Wealth of Nations: Social, Biological, and Educational Dynamics*. New York, NY: Guildford Press; 1999:21.
27. House JS, Williams DR. Understanding and reducing socioeconomic and racial/ethnic disparities in health. In: Smedley BD, Syme L, eds. *Promoting Health: Intervention Strategies from Social and Behavioral Research*. Washington, DC: National Academics Press; 2001:81.
28. Krieger N. Embodying inequality: A review of concepts, measures, and methods for studying health consequences of discrimination. *Int J Health Serv* 1999;29:295.
29. Williams DR. Race and health: Basic questions, emerging directions. *Ann Epidemiol* 1997;7:322.
30. Kawachi I, Berkman L. Social cohesion, social capital, and health. In: Berkman LF, Kawachi I, eds. *Social Epidemiology*. New York: Oxford University Press; 2000:174.
31. Cohen DA, Mason K, Bedimo A, Scribner R, Basolo V, Farley TA. Neighborhood physical conditions and health. *Am J Public Health* 2003;93:467.
32. Krebs-Smith S, Cook A, Subar AF, Cleveland L, Friday J. U.S. adults' fruit and

vegetable intakes, 1989 to 1991: A revised baseline for the Healthy People 2000 objective. *Am J Public Health*. 1995;85:1623.

33. McEwen B. Protective and damaging effects of stress mediators. *N Engl J Med* 1998;338:171.

34. Seeman T. Racial/ethnic and socioeconomic disparities in health: How socioeconomic status gets “under the skin.” National Press Club, Washington, DC, 2004. Accessed February 10, 2004. Available at <http://www.macses.ucsf.edu/News/Teresa%20Seemantranscript.pdf>.

35. Seeman T, McEwen B, Rowe J, et al. Allostatic load as a marker of cumulative biological risk: McArthur studies of successful aging. *PNAS* 2001;98:4770.

36. Karlamangla AS, Singer BH, McEwen BS, Rowe JW, Seeman TE. Allostatic load as a predictor of functional decline: MacArthur Studies of Successful Aging. *J Clin Epidemiol* 2002;55(7):696.

37. Greiner BA, Krause N, Ragland D, et al. Occupational stressors and hypertension: A multi-method study using observer-based job analysis and self-reports in urban transit operators. *Soc Sci Med* 2004;59:1081.

38. Marks JS. Why Your Zip Code May Be More Important to Your Health Than Your Genetic Code. Huffington Post, 05/24/2009. Available at http://www.huffingtonpost.com/james-s-marks/why-your-zip-code-may-be_b_190650.html.

39. Singh G, Miller B. Health, life expectancy, and mortality patterns among immigrant populations in the United States. *Can J Pub Health* 2004;95:114.

40. Thomas D, Karagas M. Migrant studies. In: Schottenfeld D, Fraumeni JF, eds. *Cancer Epidemiology and Prevention*, 2nd ed. New York: Oxford University Press; 1996.

41. Eschbach K, Ostir GV, Patel KV, Markides KS, Goodwin JS. Neighborhood context and mortality among older Mexican Americans: Is there a barrio advantage? *Am J Pub Health* 2004;94:1807.

42. Peter F, Evans T. Ethical dimensions of health equity. In: Evans T, Whitehead M, Diderichsen F, et al, eds. *Challenging Inequalities in Health: From Ethics to Action*. New York, NY: Oxford University Press; 2001.
43. Rawls J. Justice as fairness. *Philos Pub Affairs* 1985;14:223.
44. World Health Organization Constitution of the World Health Organization; as adopted by the International Health Conference. June 19–22, 1946. Accessed August 21, 2005. Available at <http://www.ldb.org/iphw/whoconst.htm>.
45. Jones C. Levels of racism: A theoretic framework and a gardener's tale. *Am J Public Health* 2000;90(8):1212.
46. Chae DH, Lincoln KD, Adler NA, Syme LS. Do experiences of racial discrimination predict cardiovascular disease among African American Men? *Soc Sci Med* 2010;71(6):1182–1188.

第 2 章 医療ケア格差：概観

RESOURCES

<http://health-equity.pitt.edu/index.html>. Minority Health and Health Equity Archive

<http://www.ahrq.gov>. Agency for Health Research and Quality.

<http://www.amsa.org/hp/uhcres.cfm>. American Medical Students Association.

<http://nursingworld.org/readroom/rwjpaper.htm>. American Nurses Association.

<http://www.kff.org>. Kaiser Family Foundation Commission on Medicaid and the Uninsured.

<http://www.pnhp.org>. Physicians for a National Health Program.

<http://www.census.gov/hhes/www/hlthins/hlthins.html>. U.S. Census Bureau.

REFERENCES

1. Lohr K, ed. *Medicare: A Strategy for Quality Assurance*. Washington, DC: Institute of Medicine, National Academies Press, 1990.
2. Hippisley-Cox J, O'Hanlon S, Coupland C. Association of deprivation, ethnicity, and sex with quality indicators for diabetes: Population based survey of 53,000 patients in primary care. *BMJ* 2004;329:1267-1269.
3. Donabedian A. Evaluating the quality of medical care. *Milbank Q* 1966;44(Suppl):166-206.
4. Adler NE, Boyce WT, Chesney MA, Folkman S, Syme SL. Socioeconomic inequalities in health. No easy solution. *JAMA* 1993;269:3140-3145.
5. Andersen R, Aday LA. Access to medical care in the U.S.: Realized and potential. *Med Care* 1978;16:533-546.
6. Gelberg L, Andersen RM, Leake BD. The behavioral model for vulnerable populations: Application to medical care use and outcomes for homeless people. *Health Serv Res* 2000;34:1273-1302.
7. White RM. Unraveling the Tuskegee Study of Untreated Syphilis. *Arch Intern Med* 2000;160:585-598.
8. Corbie-Smith G, Thomas SB, Williams MV, Moody-Ayers S. Attitudes and beliefs of African Americans toward participation in medical research. *J Gen Intern Med* 1999;14:537-546.
9. Brandon DT, Isaac LA, LaVeist TA. The legacy of Tuskegee and trust in medical care: Is Tuskegee responsible for race differences in mistrust of medical care? *JAMA* 2005;293:951-956.
10. Do PC, Parry J, Mathers J, Richardson M. Monitoring the widening participation

initiative for access to medical school: Are present measures sufficient? *Med Educ* 2006;40:750-758.

11. U.S. Department of Health and Human Services HRaSA, National Center for Health Workforce Analysis. The U.S. Health Workforce Chartbook - Part I: Clinicians. 2013. Available at <http://bhpr.hrsa.gov/healthworkforce/supplydemand/usworkforce/chartbook/chartbookpart1.pdf>.
12. Cooper LA, Roter DL, Johnson RL, Ford DE, Steinwachs DM, Powe NR. Patient-centered communication, ratings of care, and concordance of patient and physician race. *Ann Intern Med* 2003;139:907-915.
13. Saha S, Komaromy M, Koepsell TD, Bindman AB. Patient-physician racial concordance and the perceived quality and use of health care. *Arch Intern Med* 1999;159:997-1004.
14. Freeman GK, Rai H, Walker JJ, Howie JG, Heaney DJ, Maxwell M. Non-English speakers consulting with the GP in their own language: A cross-sectional survey. *Br J Gen Pract* 2002;52:36-38.
15. Komaromy M, Grumbach K, Drake M, et al. The role of black and Hispanic physicians in providing health care for underserved populations. *N Engl J Med* 1996;334:1305-1310.
16. Hargraves JL, Hadley J. The contribution of insurance coverage and community resources to reducing racial/ethnic disparities in access to care. *Health Serv Res* 2003;38:809-829.
17. Hadley J. Sicker and poorer--the consequences of being uninsured: A review of the research on the relationship between health insurance, medical care use, health, work, and income. *Med Care Res Rev* 2003;60(2, Suppl):3S-75S; discussion 76S-112S.
18. Institute of Medicine. *Insuring America's Health*. Washington, DC: National Academies Press, 2004.

19. Harman JS, Manning WG, Lurie N, Christianson JB. Association between interruptions in Medicaid coverage and use of inpatient psychiatric services. *Psychiatr Serv* 2003;54:999-1005.
20. Dalton AR, Vamos EP, Harris MJ, et al. Impact of universal health insurance coverage on hypertension management: A cross-national study in the United States and England. *PloS One* 2014;9:e83705.
21. DeNavas-Walt C, Proctor B, Smith J. Income, Poverty, and Health Insurance Coverage in the United States: 2012. 2013; Current Population Reports. Available at <http://www.census.gov/prod/2013pubs/p60-245.pdf>. Accessed August 30, 2014.
22. Davis K, Stremikis K, Squires D, Schoen C. Mirror, mirror on the wall: How the performance of the U.S. health care system compares internationally. *The Commonwealth Fund*. June 2014. Available at http://www.commonwealthfund.org/~media/files/publications/fund-report/2014/jun/1755_davis_mirror_mirror_2014.pdf.
23. Agency for Healthcare Research and Quality. 2013 National Healthcare Disparities Report. 2014. Available at <http://www.ahrq.gov/research/findings/nhqrdr/nhdr13/2013nhdr.pdf>.
24. Bach PB, Pham HH, Schrag D, Tate RC, Hargraves JL. Primary care physicians who treat blacks and whites. *N Engl J Med* Aug 5 2004;351(6):575-584.
25. O'Neil SS, Lake T, Merrill A, Wilson A, Mann DA, Bartnyska LM. Racial disparities in hospitalizations for ambulatory care-sensitive conditions. *Am J Prev Med* 2010;38(4):381-388.
26. McWilliams JM, Meara E, Zaslavsky AM, Ayanian JZ. Differences in control of cardiovascular disease and diabetes by race, ethnicity, and education: U.S. trends from 1999 to 2006 and effects of Medicare coverage. *Annals Intern Med* 2009;150:505-515.
27. Steele RJ, Kostourou I, McClements P, et al. Effect of gender, age and deprivation on key performance indicators in a FOBT-based colorectal screening programme. *J Med Screen* 2010;17:68-74.

28. Norbury M, Fawkes N, Guthrie B. Impact of the GP contract on inequalities associated with influenza immunisation: a retrospective population-database analysis. *Br J Gen Pract* 2011;61:e379-385.
29. Todd KH, Deaton C, D'Adamo AP, Goe L. Ethnicity and analgesic practice. *Ann Emerg Med* 2000;35:11-16.
30. Todd KH, Samaroo N, Hoffman JR. Ethnicity as a risk factor for inadequate emergency department analgesia. *JAMA* 1993;269:1537-1539.
31. Kasiske BL, London W, Ellison MD. Race and socioeconomic factors influencing early placement on the kidney transplant waiting list. *J Am Soc Nephrol* 1998;9:2142-2147.
32. Young CJ, Gaston RS. Renal transplantation in black Americans. *N Engl J Med* 2000;343:1545-1552.
33. Conigliaro J, Whittle J, Good CB, et al. Understanding racial variation in the use of coronary revascularization procedures: the role of clinical factors. *Arch Intern Med* 2000;160:1329-1335.
34. Hannan EL, van Ryn M, Burke J, et al. Access to coronary artery bypass surgery by race/ethnicity and gender among patients who are appropriate for surgery. *Med Care* 1999;37:68-77.
35. Peterson ED, Shaw LK, DeLong ER, Pryor DB, Califf RM, Mark DB. Racial variation in the use of coronary-revascularization procedures. Are the differences real? Do they matter? *N Engl J Med* Feb 13 1997;336(7):480-486.
36. Ayanian JZ, Cleary PD, Weissman JS, Epstein AM. The effect of patients' preferences on racial differences in access to renal transplantation. *N Engl J Med* 1999;341:1661-1669.
37. Ayanian JZ, Udvarhelyi IS, Gatsonis CA, Pashos CL, Epstein AM. Racial differences in the use of revascularization procedures after coronary angiography. *JAMA* 1993;269:2642-2646.
38. Schneider EC, Leape LL, Weissman JS, Piana RN, Gatsonis C, Epstein AM. Racial

differences in cardiac revascularization rates: Does “overuse” explain higher rates among white patients? *Ann Intern Med* 2001;135:328-337.

39. Shahar E, Folsom AR, Romm FJ, et al. Patterns of aspirin use in middle-aged adults: The Atherosclerosis Risk in Communities (ARIC) Study. *Am Heart J* 1996;131:915-922.

40. Institute of Medicine. *Unequal Treatment*. Washington, DC: National Academies Press, 2003.

41. Institute of Medicine. *Unequal Treatment: What Health Care Providers Need to Know About Racial and Ethnic Disparities in Health Care*. 2002. Available at <http://www.iom.edu/Object.File/Master/4/175/0.pdf>. Accessed October 10, 2005.

42. Kai J, Beavan J, Faull C, Dodson L, Gill P, Beighton A. Professional uncertainty and disempowerment responding to ethnic diversity in health care: a qualitative study. *PLoS Medicine*. 2007;4:e323.

43. American College of Physicians. *Racial and Ethnic Disparities in Health Care*. American College of Physicians; 2003.

44. Wilson E, Grumbach K, Huebner J, Agrawal J, Bindman AB. Medical student, physician, and public perceptions of health care disparities. *Fam Med* 2004;36:715-721.

45. Millett C, Gray J, Saxena S, Netuveli G, Khunti K, Majeed A. Ethnic disparities in diabetes management and pay-for-performance in the UK: The Wandsworth Prospective Diabetes Study. *PLoS Med* 2007;4:e191.

46. HHS.gov/HealthCare: Affordable Care Act. Patient Protection and Affordable Care Act, Section by Section. Available at <http://www.hhs.gov/healthcare/rights/law/index.html>; <https://democrats.senate.gov/pdfs/reform/patient-protection-affordable-care-act-as-passed.pdf>. Accessed October 28, 2014.

47. Congressional Budget Office. Insurance Coverage Provisions of the Affordable Care Act—CBO’s April 2014 Baseline. April 2014. Available at <http://cbo.gov/sites/default/files/cbofiles/attachments/43900-2014-04-ACAtables2.pdf>.

48. Garfield R, Damico A.. The Coverage Gap: Uninsured Poor Adults in States that Do Not Expand Medicaid-An Update. The Kaiser Family Foundation October 23, 2015. Available at <http://kff.org/health-reform/issue-brief/the-coverage-gap-uninsured-poor-adults-in-states-that-do-not-expand-medicaid-an-update/>.
49. Barnato AE, Lucas FL, Staiger D, Wennberg DE, Chandra A. Hospital-level racial disparities in acute myocardial infarction treatment and outcomes. *Med Care* 2005;43:308-319.
50. Trivedi AN, Zaslavsky AM, Schneider EC, Ayanian JZ. Trends in the quality of care and racial disparities in Medicare managed care. *N Engl J Med* 2005;353:692-700.
51. Bindman AB, Chattopadhyay A, Osmond DH, Huen W, Bacchetti P. The impact of Medicaid managed care on hospitalizations for ambulatory care sensitive conditions. *Health Serv Res* 2005;40:19-38.
52. Mertz EA, Grumbach K. Identifying communities with low dentist supply in California. *J Public Health Dent* 2001;61:172-177.
53. UCSF Center for California Health Workforce Studies and the Office of Statewide Health Planning and Development. *Nurse practitioners, physician assistants and certified nurse midwives in California*. Sacramento, CA: Office of Statewide Health Planning and Development; 2000.
54. Zuckerman S, Williams AF, Stockley KE. Trends in Medicaid physician fees, 2003-2008. *Health Aff (Millwood)* 2009;28:w510-w519.
55. Decker SL. In 2011 nearly one-third of physicians said they would not accept new Medicaid patients, but rising fees may help. *Health Aff (Millwood)* 2012;31:1673-1679.
56. Barnett K, Mercer SW, Norbury M, Watt G, Wyke S, Guthrie B. Epidemiology of multimorbidity and implications for health care, research, and medical education: A cross-sectional study. *Lancet* 2012;380(9836):37-43.
57. van Doorslaer E, Masseria C, Koolman X, Group OHER. Inequalities in access to medical care by income in developed countries. *CMAJ* 2006;174:177-183.

58. Sehgal AR. Impact of quality improvement efforts on race and sex disparities in hemodialysis. *JAMA* 2003;289:996-1000.
59. Doran T, Fullwood C, Kontopantelis E, Reeves D. Effect of financial incentives on inequalities in the delivery of primary clinical care in England: Analysis of clinical activity indicators for the quality and outcomes framework. *Lancet* 2008;372:728-736.
60. Alshamsan R, Lee JT, Majeed A, Netuveli G, Millett C. Effect of a UK pay-for-performance program on ethnic disparities in diabetes outcomes: interrupted time series analysis. *Ann Fam Med* 2012;10:228-234.

第3章 サービスが十分に行き届いていない患者の倫理的ケアにおける原則

RESOURCES

Beauchamp TL, Childress JF. *Principles of Biomedical Ethics*, 5th ed. New York, NY: Oxford University Press, 2001.

Lo B. *Resolving Ethical Dilemmas: A Guide for Clinicians*, 3rd ed. Baltimore, MD: Williams & Wilkins, 2005.

Meisel A. *The Right to Die*, 2nd ed. New York, NY: John Wiley & Sons, 1995.

Snyder L, Leffler C. Ethics and Humans Rights Committee of the American College of Physicians. Ethics manual: fifth edition. *Ann Intern Med* 2005;142:560–582.

Institute of Medical Ethics. <http://www.instituteofmedicaethics.org/website/>

The Hastings Center. <http://www.thehastingscenter.org>

Medical College of Wisconsin bioethics listserv.
<http://mailman.mcw.edu/mailman/listinfo/mcw-bioethics>

REFERENCES

1. Shultz MM. From informed consent to patient choice: a new protected interest. *Yale Law J* 1985;95:219-299.
2. Berg JW, Appelbaum PS, Lidz CW, Parker LS. *Informed Consent: Legal Theory and Clinical Practice*, 2nd ed. New York, NY: Oxford University Press, 2001.
3. Gordon DR, Paci E. Disclosure practices and cultural narratives: Understanding concealment and silence around cancer in Tuscany, Italy. *Soc Sci Med* 1997;44:1433-1452.
4. Surbone A. Truth telling to the patient. *JAMA* 1992;268:1661-1662.
5. Blackhall LJ, Murphy ST, Frank G, Michel V, Azen S. Ethnicity and attitudes toward patient autonomy. *JAMA* 1995;274:820-825.
6. Helft PR, Siegler M, Lantos J. The rise and fall of the futility movement. *N Engl J Med* 2000;343:293-296.
7. Kite S, Wilkinson S. Beyond futility: To what extent is the concept of futility useful in clinical decision-making about CPR? *Lancet Oncol* 2002;3:638-642.
8. Gostin LO. *Public Health Law: Power, Duty, Restraint*. Berkeley, CA: University of California Press, 2000.
9. Lo B. *Resolving Ethical Dilemmas: A Guide for Clinicians*. Philadelphia, PA: Lippincott Williams & Wilkins, 2005.
10. Bok S. *Lying: Moral Choices in Public and Private Life*. New York, NY: Pantheon Books, 1978.
11. Hall MA, Berenson RA. Ethical practice in managed care: a dose of realism. *Ann Intern Med* 1998;128:395-402.
12. Beauchamp TL, Childress JF. *Principles of Biomedical Ethics*. New York, NY: Oxford University Press, 2001.

13. Branch WT, Jr. The ethics of caring and medical education. *Acad Med* 2000;75:127-132.
14. Povar GJ, Blumen H, Daniel J, et al. Ethics in practice: Managed care and the changing health care environment: Medicine as a profession managed care ethics working group statement. *Ann Intern Med* 2004;141:131-136.
15. Jonsen AR. Watching the doctor. *N Engl J Med* 1983;308:1531-1535.
16. Schiff GD. A piece of my mind. Crossing boundaries—Violation or obligation? *JAMA* 2013;310:1233-1234.
17. Lo B, Dornbrand L, Dubler NN. HIPAA and patient care: The role for professional judgment. *JAMA* 2005;293:1766-17671.
18. Putsch RW, Pololi L. Distributive justice in American healthcare: Institutions, power, and the equitable care of patients. *Am J Manag Care* 2004;10(Spec No):SP45-SP53.
19. Wynia MK, Cummins DS, VanGeest JB, Wilson IB. Physician manipulation of reimbursement rules for patients: Between a rock and a hard place. *JAMA* 2000;283:1858-1865.
20. Werner RM, Alexander GC, Fagerlin A, Ubel PA. The “Hassle Factor”: What motivates physicians to manipulate reimbursement rules? *Arch Intern Med* 2002;162:1134-1139.
21. Morreim EH. Gaming the system. Dodging the rules, ruling the dodgers. *Arch Intern Med* 1991;151:443-447.
22. Kassirer JP. Managing care—Should we adopt a new ethic? *N Engl J Med* 1998;339:397-398.
23. Pellegrino ED, Thomasma DG. *For the Patient's Good: The Restoration of Beneficence in Health Care*. New York, NY: Oxford University Press, 1988.
24. Levinsky NG. The doctor's master. *N Engl J Med* 1984;311:1573-1575.
25. Pearson SD. Caring and cost: The challenge for physician advocacy. *Ann Intern Med*

2000;133:148-153.

26. Daniels N. Why saying no to patients in the United States is so hard. Cost containment, justice, and provider autonomy. *N Engl J Med* 1986;314:1380-1383.

27. Quill TE. Terri Schiavo—a tragedy compounded. *N Engl J Med* 2005;352:1630-1633.

28. Annas GJ. “Culture of life” politics at the bedside—The case of Terri Schiavo. *N Engl J Med* 2005;352:1710-1715.

29. Grisso T, Appelbaum P. *Assessing Competence to Consent to Treatment: A Guide for Physicians and Other Health Professionals*. New York, NY: Oxford University Press, 1998.

30. Lo B, Steinbrook R. Resuscitating advance directives. *Arch Intern Med* 2004;164:1501-1506.

31. Sabatino CP. The legal and functional status of the medical proxy: Suggestions for statutory reform. *J Law Med Ethics* 1999;27:52-68.

32. Kagawa-Singer M, Blackhall LJ. Negotiating cross-cultural issues at the end of life: “You got to go where he lives”. *JAMA* 2001;286:2993-3001.

33. Crawley LM, Marshall PA, Lo B, Koenig BA; End-of-Life Care Consensus P. Strategies for culturally effective end-of-life care. *Ann Intern Med* 2002;136:673-679.

34. Lo B, Quill T, Tulsky J. Discussing palliative care with patients. ACP-ASIM End-of-Life Care Consensus Panel. American College of Physicians-American Society of Internal Medicine. *Ann Intern Med* 1999;130:744-749.

35. Schneiderman LJ, Gilmer T, Teetzel HD, et al. Effect of ethics consultations on nonbeneficial life-sustaining treatments in the intensive care setting: A randomized controlled trial. *JAMA* 2003;290:1166-1172.

36. Lo B. Answers and questions about ethics consultations. *JAMA* 2003;290:1208-1210.

37. Orentlicher D, Pope TM, Rich BA. The changing legal climate for physician aid in dying.

JAMA 2014;311:1961-1962.

第4章 地域・コミュニティを視野に入れた活動とパートナーシップ

RESOURCES

www.ccph.info

Community Campus Partnerships for Health (CCPH): A nonprofit organization that promotes health through partnerships between communities and higher educational institutions.

<http://ctb.ku.edu/en/toolkits>

Community Tool Box: Maintained by the University of Kansas, this Web site provides over 7,000 pages of practical guidance on over 300 different topics related to community building.

www.environmentalhealth.org

Environmental Health Coalition: A grassroots organization dedicated to achieving environmental and social justice.

<http://naccho.org/toolbox/>

National Association of City and County Health Officials has many tools, courses, rubrics available outlining approaches to community engagement

<http://www.thecommunityguide.org/index.html>

Guide to Community Preventive Services

<http://www.rwjf.org/en/how-we-work/rel/tools-and-resources.html>

Robert Wood Johnson Foundation

Minkler M, ed. *Community Organizing and Building for Health and Welfare, 3rd ed.* New Brunswick, NJ: Rutgers University Press, 2012.

Rhyne R, et al. *Community-Oriented Primary Care: Health Care for the 21st Century.* Washington, DC: American Public Health Association, 1998.

REFERENCES

1. LaBonte R. Community, community development, and the forming of authentic partnerships: Some critical reflections. In Minkler M, ed. *Community Organizing and Community Building for Health and Welfare, 3rd ed.* New Brunswick, NJ: Rutgers University Press, 2012:97.
2. CDC/ATSDR Committee for Community Engagement. *Community Engagement: Definitions and Organizing Concepts from the Literature.* Centers for Disease Control. Accessed June 6, 2014. Available at <http://www.cdc.gov/phppo/pce/part1.htm>.
3. Environmental Health Coalition. Mission. Environmental Health Coalition, 2011. Accessed June 5, 2014. Available at <http://www.environmentalhealth.org/index.php/en/who-we-are/mission>.
4. Mullan F, Epstein L. Community-oriented primary care: New relevance in a changing world. *Am J Public Health* 2002;92:1748-1755.
5. Israel BA, Schulz AJ, Parker EA, Becker AB. Review of community-based research: Assessing partnership approaches to improve public health. *Annu Rev Public Health* 1998;19:173-202.
6. Israel BA, Schulz AJ, Parker EA, Becker AB. Critical issues in developing and following CBPR principles. In: Minkler M, Wallerstein N, eds. *Community-Based Participatory Research for Health: From Process to Outcomes, 2nd ed.* San Francisco, CA: Jossey-Bass, 2008:47-66.
7. Tervalon M, Murray-Garcia J. Cultural humility versus cultural competence: A critical

- distinction in defining physician training outcomes in multicultural education. *J Health Care Poor Underserved* 1998;9:117.
8. Freeman ER. Engaging a university: The CCHERS experience. *Metro Univ Int Forum* 2000;11:20.
 9. Seifer SD, Jermanns K, Lewis J. *Creating Community-Responsive Physicians: Concepts and Models for Service-Learning in Medical Education*. Washington, DC: American Association for Higher Education, 2000:2.
 10. CCPH Board of Directors. Position Statement on Authentic Partnerships. Community-Campus Partnerships for Health, 2013. Accessed May 16, 2014. Available at <https://ccph.memberclicks.net/principles-of-partnership>.
 11. Kretzmann J, McKnight J. *Building Communities from the Inside Out: A Path Toward Finding and Mobilizing a Community's Assets*. Chicago, IL: ACTA Publications, 1993.
 12. Hancock T, Minkler M. Community health assessment or healthy community assessment: Whose community? Whose health? Whose assessment? In: Minkler M, ed. *Community Organizing and Community Building for Health and Welfare*, 3rd ed. New Brunswick, NJ: Rutgers University Press, 2012;157.
 13. Hancock T, Duhl L. *Healthy Cities: Promoting Health in the Urban Context*. Copenhagen: WHO Europe, 1986.
 14. Martí-Costa S, Serrano-García I. Needs assessment and community development: an ideological perspective. *Prev Hum Serv* 1983;2:75.
 15. Krueger RA. *Focus Groups: A Practical Guide for Applied Research*. Thousand Oaks, CA: Sage, 2002.
 16. Morgan DL, Krueger RA. *The Focus Group Kit*. Thousand Oaks, CA: Sage, 1997.
 17. Berkowitz B. Conducting focus groups. In: KU Work Group for Community Health and Development, University of Kansas: The Community Tool Box, 2014. Accessed June 5, 2014. Available at <http://ctb.ku.edu/en/table-of-contents/assessment/assessing-community->

needs-and-resources/conduct-focus-groups/main.

18. Fink A. *The Survey Kit*. Thousand Oaks, CA: Sage, 1997.

19. Hampton C, Vilela M. Conducting surveys. In: KU Work Group for Community Health and Development, University of Kansas: The Community Tool Box, 2014. Accessed June 5, 2014. Available at <http://ctb.ku.edu/en/table-of-contents/assessment/assessing-community-needs-and-resources/conduct-surveys/main>.

20. McKnight J. Two tools for well-being: health systems and communities. *J Perinatol* 1999;19:S12.

第5章 医学的に脆弱で十分なサービスが受けられない集団のケアにおけるグローバルな視点

RESOURCES

Frenk J, Chen L, Bhutta ZA, et al. Health professionals for a new century: Transforming education to strengthen health systems in an interdependent world. *Lancet* 2010;376(9756):1923-1958.

Partners in Information Access for the Public Health Workforce.
http://phpartners.org/health_stats.html

Institute for Health Metrics and Evaluation. <http://www.healthdata.org/>

Mountains Beyond Mountains: The Quest of Dr. Paul Farmer by Tracy Kidder (2003) New York, Random House. Inspirational book about the quest of Dr Paul Farmer in Haiti.

REFERENCES

1. Khan OA, Guerrant R, Sanders J, et al. Global health education in U.S. Medical schools. *BMC Med Educ* 2013;13:3.

2. Haq C, Rothenberg D, Gjerde C, et al. New world views: Preparing physicians in training for global health work. *Fam Med* 2000 32:566-572.
3. Ramsey A, Haq C, Gjerde CL, Rothenberg D. Career influence of an international health experience during medical school. *Fam Med* 2004;36:412-416.
4. World Bank. Poverty Overview. 2014; Available at <http://www.worldbank.org/en/topic/poverty/overview>. Accessed June 27, 2014.
5. Sumner A. Global poverty and the new bottom billion: what if three-quarters of the world's poor live in middle-income countries? *IDS Working Papers* 2010;2010:01-43.
6. Xu K, Evans DB, Kawabata K, Zeramdini R, Klavus J, Murray C. Household catastrophic health expenditure: A multicountry analysis. *Lancet* 2003;362(9378):111-117.
7. Wilkinson RG, Pickett KE. Income inequality and population health: A review and explanation of the evidence. *Soc Sci Med* 2005;62:1768-1784.
8. Wilkinson R, Pickett K. *The Spirit Level: Why More Equal Societies Almost Always Do Better*. London: Allen Lane, 2009.
9. Prüss-Üstün A, Corvalan C. *Preventing Disease Through Healthy Environments. Towards an Estimate of the Environmental Burden of Disease*. Geneva, Switzerland: World Health Organization, 2006.
10. Myers SS, Gaffikin L, Golden CD, et al. Human health impacts of ecosystem alteration. *Proc Natl Acad Sci U S A* 2013 2013;110:18753-18760.
11. Group IC. The Central African Crisis: From Predation to Stabilisation. 2014; Available at <http://www.crisisgroup.org/en/regions/africa/central-africa/central-african-republic/219-the-central-african-crisis-from-predation-to-stabilisation.aspx>. Accessed July 6, 2014.
12. Kondylis F. Conflict displacement and labor market outcomes in post-war Bosnia and Herzegovina. *J Dev Econ* 2010;93:235-248.
13. United Nations Office on Drugs and Crime. *United Nations Convention Against*

Transnational Organized Crime and the Protocols Thereto. New York, NY: United Nations, 2004.

14. Kara S. *Tainted Carpets: Slavery and Child Labor in India's Hand-made Carpet Sector*. Boston, MA: Harvard School of Public Health, 2014.

15. General USA. *Attorney General's Annual Report to Congress on U.S. Government Activities to Combat Trafficking in Persons Fiscal Year 2006*. U.S Attorney General, 2007.

16. (TIP) UDoSotMaCTiP. *Health Consequences of Trafficking in Persons Fact Sheet*. 2007.

17. US Department of Health & Human Services AoCF. *Common Health Issues Seen in Human Trafficking Victims Fact Sheet*. 2007.

18. Setel PW, Macfarlane SB, Szreter S, et al. A scandal of invisibility: Making everyone count by counting everyone. *Lancet* 2007;370(9598):1569-1577.

19. Center PR. *Unauthorized Immigrant Population: National and State Trends, 2010*. 2011.

20. Organization GHWAaWH. *A Universal Truth: No Health Without a Workforce*. Paper presented at the Third Global Forum on Human Resources for Health Report.

21. WHO (2013). World Health Statistics Report.

22. Colleges AoAM. *The Complexities of Physician Supply and Demand: Projections Through 2025*. 2008.

23. Bodenheimer T, Pham HH. Primary care: Current problems and proposed solutions. *Health Aff (Millwood)* 2010;29(5):799-805.

24. WHO. Monitoring the geographical distribution of the health workforce in rural and underserved areas 2009; Available at http://www.who.int/hrh/statistics/spotlight_8_en.pdf.

25. Consulting VW. *Health Information Systems in Developing Countries. A Landscape Analysis*. 2009.

26. Evaluation M. Demographic Health Surveys. Available at <http://www.dhsprogram.com/>.
27. Xu K, Evans DB, Carrin G, Aguilar-Rivera AM, Musgrove P, Evans T. Protecting households from catastrophic health spending. *Health Aff (Millwood)* 2007;26:972-983.
28. Starfield B, Shi L, Macinko J. Contribution of primary care to health systems and health. *Milbank Q* 2005;83(3):457-502.
29. Dresang LT, Brebrick L, Murray D, Shallue A, Sullivan-Vedder L. Family medicine in Cuba: Community-oriented primary care and complementary and alternative medicine. *J Am Board Fam Pract* 2005;18:297-303.
30. The World Factbook. Washington, DC: DCIA, 2012. Available at <http://www.cia.gov/library/publications/the-world-factbook>.
31. Pinto RM, Wall M, Yu G, Penido P, Schmidt C. Primary care and public health services integration in Brazil's unified health system. *Am J Public Health* 2012;102:e69-e76.
32. Macinko J, de Oliveira VB, Turci MA, Guanais FC, Bonolo PF, Lima-Costa MF. The influence of primary care and hospital supply on ambulatory care-sensitive hospitalizations among adults in Brazil, 1999–2007. *Am J Public Health* 2011;101:1963-1970.
33. Aquino R, de Oliveira NF, Barreto ML. Impact of the family health program on infant mortality in Brazilian municipalities. *Am J Public Health* 2009;99:87-93.
34. Okuboyejo S, Eyesan O. mHealth: Using mobile technology to support healthcare. *Online J Public Health Inform* 2014;5:233.
35. Bisong B, Asonganyi E, Gontarenko A, Semenov A, Veijalainen J. A mobile healthcare system for sub-Saharan Africa. In: *Wireless Mobile Communication and Healthcare Lecture Notes of the Institute for Computer Sciences SIA TE*, 2013:69-78.
36. Freifeld CC, Chunara R, Meraku SR, Chan EH, Kass-Hout T, Iacucci AA, Brownstein JS. Participatory epidemiology: Use of mobile phones for community-based health reporting. *PLoS Med* 2010;7:e1000376.

37. Lester RT, Rivto P, Mills EJ, Kariri A, Karanja S, Chung MH, et al. Effects of a mobile phone short message service on antiretroviral treatment adherence in Kenya (WelTel Kenya1): A randomised trial. *Lancet* 2010;376:1838-1845.
38. Kim BH, Glanz K. Text messaging to motivate walking in older African Americans: A randomized controlled trial. *Am J Prev Med* 2013;44:71-75.
39. Bhutta ZA, Soofi S, Cousens S, et al. Improvement of perinatal and newborn care in rural Pakistan through community-based strategies: A cluster-randomised effectiveness trial. *Lancet* 2011;377(9763):403-412.
40. Knaul FM, Gonzalez-Pier E, Gomez-Dantes O, et al. The quest for universal health coverage: achieving social protection for all in Mexico. *Lancet* 2012;380(9849):1259-1279.
41. World Health Organization. Oral cholera vaccination campaign successfully conducted in Maban county, South Sudan, December 2012–February 2013. *Surveillance, Forecasting and Response* 2012; poverty, fragility, discrimination. Accessed June 22, 2012.
42. Frenk J, Chen L, Bhutta ZA, et al. Health professionals for a new century: Transforming education to strengthen health systems in an interdependent world. *Lancet* 2010;376(9756):1923-1958.
43. Mullan F, Frehywot S, Omaswa F, et al. The Medical Education Partnership Initiative: PEPFAR's effort to boost health worker education to strengthen health systems. *Health Aff (Millwood)* 2012 2012;31:1561-1572.
44. American Academy of Family Physicians (2010). Recommended Curriculum Guidelines for Family Medicine Residents: Global Health. AAFP Reprint No. 287. Available at http://www.aafp.org/dam/AAFP/documents/medical_education_residency/program_directors/Reprint287_Global.pdf. Accessed March 26, 2015.
45. AFMC Resource Group/Global Health Education Consortium Committee (2010). Global Health Essential Core Competencies. Available at https://lane.stanford.edu/portals/ihealth-pdfs/BasicCore_Competencies_Final2010.pdf. Accessed March 26, 2015.

RESOURCES

Robert Wood Johnson Foundation Health Care's Blind Side Report.

http://www.rwjf.org/content/dam/farm/reports/surveys_and_polls/2011/rwjf71795

Positively Impacting Social Determinants of Health: How Safety Net Health Plans Lead the Way. 2014.

http://www.communityplans.net/Portals/0/Fact%20Sheets/ACAP_Plans_and_Social_Determinants_of_Health.pdf

Health Begins: Healthbegins.org

National Center for Medical Legal Partnerships: Medical-legalpartnership.org

Regional Bay Area Help Desk Consortium: Bayareahelpdesks.org

Association of Academic Health Centers: Wherehealthbegins.org

Health Providers Against Poverty: Healthprovidersagainstopoverty.ca

REFERENCES

1. Fenton. Health care's blind side: The overlooked connection between social needs and good health, summary of findings from a survey of America's physicians. Princeton, NJ: Robert Wood Johnson Foundation; 2012: Available at http://www.rwjf.org/content/dam/farm/reports/surveys_and_polls/2011/rwjf71795.
2. Varkey AB, Manwell LB, Williams ES, et al. Separate and unequal: Clinics where minority and nonminority patients receive primary care. *Arch Intern Med* 2009;169:243-250.
3. Wang EA, Zhu GA, Evans L, Carroll-Scott A, Desai R, Fiellin LE. A pilot study examining

- food insecurity and HIV risk behaviors among individuals recently released from prison. *AIDS Educ Prev* 2013;25:112-123.
4. Seligman HK, Bolger AF, Guzman D, Lopez A, Bibbins-Domingo K. Exhaustion of food budgets at month's end and hospital admissions for hypoglycemia. *Health Aff (Millwood)* 2014;33(33):116-123.
 5. Fiscella K, Tancredi D, Franks P. Adding socioeconomic status to Framingham scoring to reduce disparities in coronary risk assessment. *Am Heart J* 2009;157(157):988-994.
 6. Crum RM, Anthony JC, Bassett SS, Folstein MF. Population-based norms for the Mini-Mental State Examination by age and educational level. *JAMA* 1993;269(269):2386-2391.
 7. Miller HD. From volume to value: Better ways to pay for health care. *Health Aff (Millwood)* 2009;28:1418-1428.
 8. Manchanda R. *The Upstream Doctors: Medical Innovators Track Sickness to Its Source*: Ted Conferences, 2013.
 9. U.S. Department of Health & Human Services. Health Care/System Redesign. *Agency for Healthcare Research and Quality*. Available at <http://www.ahrq.gov/professionals/prevention-chronic-care/improve/system/index.html>. Accessed May 28, 2014.
 10. Johnson TH. Radiology and honeycomb lung disease. *Am J Roentgenol* 1968;104:810-821.
 11. Berenson RA, Rich EC. How to buy a medical home? Policy options and practical questions. *J Gen Intern Med* 2010;25:619-624.
 12. Bailit M, Phillips K, Long A. Paying for the Medical Home: Payment Models to Support Patient-Centered Medical Home Transformation in the Safety Net. *Safety Net Medical Home Initiative*. Seattle, WA: Bailit Health Purchasing & Qualis Health, 2010: Available at <http://www.co.fresno.ca.us/viewdocument.aspx?id=47520>. Accessed June 2014.
 13. O'Kane ME, Barrett P. Sneak preview: 2014 patient-centered medical home recognition.

2014; Available at [https://www.ncqa.org/Portals/0/Newsroom/2014/PCMH 2014 Press Preview FINAL Slides.pdf](https://www.ncqa.org/Portals/0/Newsroom/2014/PCMH%2014%20Press%20Preview%20FINAL%20Slides.pdf). Accessed May 28, 2014.

14. Institute of Medicine of the National Academies Committee on the Recommended Social and Behavioral Domains and Measures for Electronic Health Records. *Capturing Social and Behavioral Domains in Electronic Health Records: Phase 1*. Washington, DC: The National Academies Press, 2014.

15. Brcic V, Eberdt C, Kaczorowski J. Development of a tool to identify poverty in a family practice setting: A pilot study. *Int J Family Med* 2011;2011:812182.

16. Dubowitz H, Prescott L, Feigelman S, Lane W, Kim J. Screening for intimate partner violence in a pediatric primary care clinic. *Pediatrics* 2008;121:e85-e91.

17. Hager ER, Quigg AM, Black MM, et al. Development and validity of a 2-item screen to identify families at risk for food insecurity. *Pediatrics* 2010;126:e26-e32.

18. Garg A, Butz AM, Dworkin PH, Lewis RA, Thompson RE, Serwint JR. Improving the management of family psychosocial problems at low-income children's well-child care visits: The WE CARE Project. *Pediatrics* 2007;120:547-558.

19. Gottlieb L, Tirozzi K, Manchanda R, Burns A, Sandel M. Moving electronic medical records upstream: Incorporating social determinants of health. *Am J Prev Med* 2015;48:215-218.

20. Whitaker T, Weismiller T, Clark EJ. Assuring the sufficiency of a frontline workforce: A national study of licensed social workers, Executive Summary. 2006. Available at http://workforce.socialworkers.org/studies/nasw_06_execsummary.pdf.

21. Mirambeau AM, Wang G, Ruggles L, Dunet DO. A cost analysis of a community health worker program in rural Vermont. *J Community Health* 2013;38(38):1050-1057.

22. Bielaszka-DuVernay C. Vermont's Blueprint for medical homes, community health teams, and better health at lower cost. *Health Aff (Millwood)* Mar 2011;30(3):383-386.

23. Burton A, Chang DI, Gratale D. Medicaid Funding of Community-Based Prevention:

Myths, State Successes Overcoming Barriers and the Promise of Integrated Payment Models. Jacksonville, FL: Nemours; 2013: Available at http://www.nemours.org/content/dam/nemours/wwwv2/filebox/about/Medicaid_Funding_of_Community-Based_Prevention_Final.pdf. Accessed June 2014.

24. Weintraub D, Rodgers MA, Botcheva L, et al. Pilot study of medical-legal partnership to address social and legal needs of patients. *J Health Care Poor Underserved* 2010;21(2 Suppl):157-168.

25. Teufel JA, Werner D, Goffinet D, Thorne W, Brown SL, Gettinger L. Rural medical-legal partnership and advocacy: A three-year follow-up study. *J Health Care Poor Underserved* 2012;23(2):705-714.

26. American Academy of Family Physicians, American Academy of Pediatrics, American College of Physicians, American Osteopathic Association. Guidelines for Patient-Centered Medical Home (PCMH) recognition and accreditation programs. 2011. Available at <http://www.medicalhomeinfo.org/downloads/pdfs/Guidelines-PCMHRecogAccredPrograms.pdf>. Accessed January 2, 2014.

27. Center for Child and Family Health. Comprehensive Lead Centers certification standards. Rhode Island: State of Rhode Island Department of Human Services; 2006: Available at http://www.eohhs.ri.gov/Portals/0/Uploads/Documents/Lead_Center_cert_stds.pdf. Accessed June 2014.

28. Callahan R. MassHealth Pediatric Asthma Bundled Payment *Pilot*. *MassHealth*. Boston, MA, March 5, 2012.

29. Barnett K, Somerville MH. Hospital community benefits after the ACA: Schedule H and hospital community benefit Opportunities and challenges for the states. *Hospital Community Benefit Program*. 2012; Issue Brief (October 2012). Available at <http://www.hilltopinstitute.org/publications/HospitalCommunityBenefitsAfterTheACA-ScheduleHIssueBrief4-October2012.pdf>. Accessed January 2, 2014.

30. Sandel M, Hansen M, Kahn R, et al. Medical-legal partnerships: Transforming primary care by addressing the legal needs of vulnerable populations. *Health Aff (Millwood)*

2010;29:1697-1705.

31. Keller D, Jones N, Savageau JA, Cashman SB. Development of a brief questionnaire to identify families in need of legal advocacy to improve child health. *Ambul Pediatr* 2008;8:266-269.

32. Klein MD, Kahn RS, Baker RC, Fink EE, Parrish DS, White DC. Training in social determinants of health in primary care: Does it change resident behavior? *Acad Pediatr* 2011;11:387-393.

33. Hager ER, Quigg AM, Black MM, et al. Development and validity of a 2-item screen to identify families at risk for food insecurity. *Pediatrics* 2010;126:e26-e32.

34. Economic Research Service. U.S. household food security survey module: Three-stage design, with screeners: USDA; 2012: Available at http://www.ers.usda.gov/datafiles/Food_Security_in_the_United_States/Food_Security_Survey_Modules/hh2012.pdf. Accessed June 2014.

35. Kleinman RE, Murphy JM, Wieneke KM, Desmond MS, Schiff A, Gapinski JA. Use of a single-question screening tool to detect hunger in families attending a neighborhood health center. *Ambul Pediatr* 2007;7:278-284.

36. Dacchille C, Fonseca Td, Eldridge M, et al. Clinical partners in advocacy: How can I-HELP? In: Tames P, King A (eds). A handbook for clinicians caring for adult populations. Boston, MA: Medical Legal Partnership Boston, 2010. Available at http://www.mlpboston.org/sites/boston/files/page/MLP_Boston_Adult_IHelp2010.pdf. Accessed June 2014.

37. Garg A, Butz AM, Dworkin PH, Lewis RA, Thompson RE, Serwint JR. Improving the management of family psychosocial problems at low-income children's well-child care visits: The WE CARE Project. *Pediatrics* 2007;120:547-558.

38. Bikson K, McGuire J, Blue-Howells J, Seldin-Sommer L. Psychosocial problems in primary care: Patient and provider perceptions. *Soc Work Health Care* 2009;48:736-749.

39. Cook CA, Freedman JA, Freedman LD, Arick RK, Miller ME. Screening for social and

environmental problems in a VA primary care setting. *Health Soc Work* 1996;21:41-47.

40. Dubowitz H, Prescott L, Feigelman S, Lane W, Kim J. Screening for intimate partner violence in a pediatric primary care clinic. *Pediatrics* 2008;121:e85-e91.

41. Chen P-H, Rovi S, Washington J, et al. Randomized comparison of 3 methods to screen for domestic violence in family practice. *Ann Fam Med* 2007;5(5):430-435.

42. Feldhaus KM, Koziol-McLain J, Amsbury HL, Norton IM, Lowenstein SR, Abbott JT. Accuracy of 3 brief screening questions for detecting partner violence in the emergency department. *JAMA* 1997;277:1357-1361.

43. Johnson SL, Solomon BS, Shields WC, McDonald EM, McKenzie LB, Gielen AC. Neighborhood violence and its association with mothers' health: Assessing the relative importance of perceived safety and exposure to violence. *J Urban Health* 2009;86:538-550.

第 7 章 脆弱な患者の臨床的ケアにおける効果的な介入のためのコンテクストを生み出す

RESOURCES

American Academy on Communication in Healthcare. Web site. <http://www.aachonline.org>. Accessed June 2014.

Lipkin M Jr., Putnam SM, Lazare A (eds). *The Medical Interview: Clinical Care, Education, and Research*. New York: Springer, 1995.

Wolf R. Risk Assessment Instruments. National Center on Elder Abuse (NCEA). 2000. Available at http://www.elderabusecenter.org/print_page.cfm?p=riskassessment.cfm. Accessed September 1, 2005.

Roat, C. Addressing Language Access Issues in Your Practice: A Toolkit for Physicians and Their Staff Members. California Academy of Family Physicians. San Francisco, CA; 2005. PDF available at <http://www.familydocs.org/toolkits.php>. Accessed October 20, 2005.

REFERENCES

1. Varkey AB, Manwell LB, Williams ES, et al. Separate and unequal: Clinics where minority and nonminority patients receive primary care. *Arch Intern Med* 2009;169:243-250.
2. Saba GW, Wong ST, Schillinger D, et al. Shared decision making and the experience of partnership in primary care. *Ann Fam Med* 2006;4:54-62.
3. Freedheim DK. *History of Psychotherapy: A Century of Change*. Washington, DC: American Psychological Association, 1992.
4. Balint. *The Doctor, His Patient and the Illness*. New York: International University Press, 1957.
5. Bordin ES. The generalizability of the psychoanalytic concept of the working alliance. *Psychotherapy: Theory, Research and Practice* 1979;16:252-260.
6. Bordin ES. Theory and research on the therapeutic working alliance: New directions. In Horvath AO, Greenberg LS (eds). *The Working Alliance: Theory, Research and Practice*. New York: Wiley, 1994:1337.
7. Kaplan SH, Greenfield S, Ware JE, Jr. Assessing the effects of physician-patient interactions on the outcomes of chronic disease. *Med Care* 1989;27:S110-S127.
8. Kaplan SH, Gandek B, Greenfield S, Rogers W, Ware JE. Patient and visit characteristics related to physicians' participatory decision-making style. Results from the Medical Outcomes Study. *Med Care* 1995;33:1176-1187.
9. Stewart M, Brown JB, Donner A, et al. The impact of patient-centered care on outcomes. *J Fam Pract* 2000;49:796-804.
10. Havranek EP, Hanratty R, Tate C, et al. The effect of values affirmation on race-discordant patient-provider communication. *Arch Intern Med* 2012;172:1662-1667.

11. McDaniel S, Campbell T, Seaburn DB. *Family-Oriented Primary Care*. New York: Springer-Verlag, 1990.
12. Pinsof W. An integrative systems perspective on the therapeutic alliance: Theoretical, clinical and research implications. In Horvath AO, Greenberg LS, (eds). *The Working Alliance: Theory, Research and Practice*. New York: Wiley, 1994:173-195.
13. Wagner EH. Chronic disease management: What will it take to improve care for chronic illness? *Eff Clin Pract* 1998;1:2-4.
14. Schillinger D. Improving chronic disease care for populations with limited health literacy. In: Nielsen-Bohlman Lea, (ed). *Health Literacy: A Prescription to End Confusion*. Washington, DC: Institute of Medicine, National Academies Press, 2004:267-284.
15. Brach C, Keller D, Hernandez LM, et al. Ten attributes of health literate health care organizations. Washington, DC: Institute of Medicine of the National Academies, 2012.
16. Piette J, Bibbins-Domingo K, Schillinger D. Self-reported health care discrimination, patient-provider communication, and health outcomes among patients with diabetes. *Patient Educ Couns* 2006;60:41-48.
17. Blanchard J, Lurie N. R-E-S-P-E-C-T: Patient reports of disrespect in the health care setting and its impact on care. *J Fam Pract* 2004;53:721-730.
18. Beach MC, Sugarman J, Johnson RL, Arbelaez JJ, Duggan PS, Cooper LA. Do patients treated with dignity report higher satisfaction, adherence, and receipt of preventive care? *Ann Fam Med* 2005;3:331-338.
19. Schattner A. The silent dimension: Expressing humanism in each medical encounter. *Arch Intern Med* 2009;169:1095-1099.
20. O'Malley AS, Cohen GR, Grossman JM. Electronic medical records and communication with patients and other clinicians: Are we talking less? *Issue Brief Cent Stud Health Syst Change* 2010:1-4.
21. Shachak A, Reis S. The impact of electronic medical records on patient-doctor

communication during consultation: A narrative literature review. *J Eval Clin Pract* 2009;15:641-649.

22. Kleinman A. *The Illness Narratives: Suffering, Healing and the Human Condition*. New York, NY: Basic Books, 1988.

23. Thom DH, Hall MA, Pawlson LG. Measuring patients' trust in physicians when assessing quality of care. *Health Aff (Millwood)* 2004;23:124-132.

24. Lazare A. Shame and humiliation in the medical encounter. *Arch Intern Med* 1987;147:1653-1658.

25. Hayashi AS, Selia E, McDonnell K. Stress and provider retention in underserved communities. *J Health Care Poor Underserved* 2009;20:597-604.

26. Odom Walker K, Ryan G, Ramey R, et al. Recruiting and retaining primary care physicians in urban underserved communities: The importance of having a mission to serve. *Am J Public Health* 2010;100:2168-2175.

27. Epstein RM. Mindful practice. *JAMA* 1999;282:833-839.

28. Beach MC, Roter D, Korthuis PT, et al. A multicenter study of physician mindfulness and health care quality. *Ann Fam Med* 2013;11:421-428.

第 8 章 十分なサービスを受けられていない患者のためのメディカルホームをつくる

RESOURCES

Bodenheimer T, Ghorob A, Willard-Grace R, Grumbach K. The 10 building blocks of high-performing primary care. *Ann Fam Med* 2014;12(2):166-171.

The Safety Net Medical Home Initiative, <http://www.safetynetmedicalhome.org>.

Agency for Healthcare Research and Quality (AHRQ) Patient-centered medical home

resource center, <http://pcmh.ahrq.gov/>.

Patient-Centered Medical Home,

<http://www.ncqa.org/Programs/Recognition/Practices/PatientCenteredMedicalHomePCMH.aspx>.

REFERENCES

1. Institute for Healthcare Improvement Triple Aim for Populations. Available at <http://www.ihl.org/Topics/TripleAim/Pages/default.aspx>.
2. Berenson RA, Hammons T, Gans DN, Zuckerman S, et al. A house is not a home: Keeping patients at the center of practice redesign. *Health Aff (Millwood)* 2008;27(5):1219-1230.
3. American Academy of Pediatrics, Council on Pediatric Practice. Pediatric records and a “medical home.” In: *Standards of Child Care*. Evanston, IL: American Academy of Pediatrics, 1967:77-79.
4. American Academy of Family Physicians, American Academy of Pediatrics, American College of Physicians, American Osteopathic Association. Joint principles of the patient-centered medical home 2007. Available at <http://www.medicalhomeinfo.org/downloads/pdfs/jointstatement.pdf>.
5. Patient Protection and Affordable Care Act of 2010, Pub. L. No. 111-148, § 124 Stat. 119 (2010).
6. Centers for Medicare and Medicaid Services. FQHC Advanced Primary Care Practice Demonstration Fact Sheet. Available at <http://innovation.cms.gov/initiatives/fqhcs/>.
7. American College of Physicians. Patient-centered medical home demonstrations in action. Available at http://www.acponline.org/running_practice/delivery_and_payment_models/pcmh/demonstrations/.

8. Anderson DR, Olayiwola JN. Community health centers and the patient-centered medical home: Challenges and opportunities to reduce health care disparities in America. *J Health Care Poor Underserved* 2012; 23:949-957.
9. Beal AC, Doty MM, Hernandez SE, et al. Closing the divide: How medical homes promote equity in health care: Results from the Commonwealth Fund 2006 health care quality survey. *Commonwealth Fund* 2007;1035: 1-40.
10. Quinn MT, Gunter KE, Nocon RS, et al. Undergoing transformation to the patient-centered medical home in safety net health centers: Perspectives from the front lines. *Ethn Dis* 2013; 23: 356s-362.
11. Rittenhouse D, Schmidt L, Wu K, Wiley J. Contrasting trajectories of change in primary care clinics: Lessons learned from New Orleans safety net. *Ann Fam Med* 2013; 11(S1): S60-S67.
12. Bodenheimer T, Ghorob A, Willard-Grace R, Grumbach K. The 10 building blocks of high-performing primary care. *Ann Fam Med* 2014;12:166-171.
13. Institute of Medicine. *Primary Care: America's Health in a New Era*. Washington, DC: National Academy Press, 1996.
14. Starfield B. *Primary Care: Balancing Health Needs, Services and Technology*. New York: Oxford University Press, 1998.
15. Bodenheimer T, Grumbach K. *Improving Primary Care: Strategies and Tools for a Better Practice*. New York: McGraw-Hill, 2007.
16. Bindman AB, Grumbach K, Osmond D, et al. Primary care and receipt of preventive services. *J Gen Intern Med* 1996;11:269-276.
17. Safran DG, Taira GA, Rogers WH, et al. Linking primary care performance to outcomes of care. *J Fam Pract* 1998;47:213-220.
18. Macinko J, Starfield B, Shi L. The contribution of primary care systems to health outcomes within Organization for Economic Cooperation and Development (OECD)

countries, 1970-1998. *Health Serv Res* 2003;38:831-865.

19. Baicker K, Chandra A. Medicare spending, the physician workforce, and beneficiaries' quality of care. *Health Aff (Millwood)* 2004;W4:186-197.

20. Access Denied: A look at America's medically disenfranchised. National Association of Community Health Centers and Robert Graham Center. Washington, DC, 2007.

21. Schoen C, Osborn R, Squires D, Doty MM. Access, affordability, and insurance complexity are often worse in the United States compared to ten other countries. *Health Aff (Millwood)* 2013;32:2205-2215.

22. Decker SL. In 2011 nearly one-third of physicians said they would not accept new Medicaid patients. *Health Aff (Millwood)* 2012;31:1673-1679.

23. Bodenheimer T. A 63-year-old man with multiple cardiovascular risk factors and poor adherence to treatment plans. *JAMA* 2007;298:2048-2055.

24. Bodenheimer T, Pham HH. Primary care: Current problems and proposed solutions. *Health Aff (Millwood)* 2010;29: 799-805.

25. Lippman H: Practice in the twenty-first century. *Hippocrates* 2000:38-43.

26. www.ncqa.org/Home/PatientCenteredMedicalHome.aspx. Accessed May 4, 2014.

27. Clarke RMA, Tseng CH, Brook RH, Brown AF. Tool used to assess how well community health centers function as medical homes may be flawed. *Health Aff (Millwood)* 2012;31:627-635.

28. Butler L, McKenzie R, Samuaels ME, Xirasagar S. National Survey of Community Health Center Board Chairs. National Rural Health Association, 2005.

29. Safety Net Medical Home Initiative. Empanelment: Establishing patient-provider relationships. May 2013. Available at: www.safetynetmedicalhome.org/change-concepts/empanelment.

30. Coleman K, Phillips K. Providing underserved patients with medical homes: Assessing the readiness of safety-net health centers. *Commonw Fund* 2010;1395:1-13.
31. Kushel MB, Gupta R, Gee L, Haas JS. Housing instability and food insecurity as barriers to health care among low-income Americans. *J Gen Intern Med* 2006;21:71-77.
32. Yarnall KS, Ostbye T, Krause KM, Pollak KI, Gradison M, Michener L. Family physicians as team leaders: "Time" to share the care. *Prev Chronic Dis* 2009;6:1-6.
33. Ghorob A, Bodenheimer T. Sharing the care to improve access to primary care. *N Eng J Med* 2012;366:1955-1957.
34. Bodenheimer T, Laing BY. The teamlet model of primary care. *Ann Fam Med* 2007;5:457-461.
35. Shojanian KG, Ranji SR, McDonald KM, et al. Effects of quality improvement strategies for type 2 diabetes on glycemic control: A meta-regression analysis. *JAMA* 2006;296:427-440.
36. Chin MH, Walters AE, Cook SC, Huang ES. Interventions to reduce racial and ethnic disparities in health care. *Med Care Res Rev* 2007;64(5):7S-28S.
37. Bennett HD, Coleman EA, Parry C, Bodenheimer T, Chen E. Health coaching for patients with chronic illness. *Fam Pract Manag* 2010:24-29.
38. Jacobs EA, Shepard DS, Suaya JA, Stone EL. Overcoming language barriers in health care: Costs and benefits of interpreter services. *Am J Public Health* 2004;94:866-869.
39. Kuo D, Fagan MJ. Satisfaction with methods of Spanish interpretation in an ambulatory care clinic. *J Gen Intern Med* 1999;14:547-550.
40. Sudore RL, Schillinger D. Interventions to improve care for patients with limited health literacy. *J Clin Outcomes Manag* 2009;16:20-29.
41. Schillinger D, Handley M, Wang F, Hammer H. Effects of self-management support on structure, process, and outcomes among vulnerable patients with diabetes: A three-arm

practical clinical trial. *Diabetes Care* 2009;32:559-566.

42. Mead H, Andres E, Regenstein M. Underserved patients' perspectives on patient-centered primary care: Does the patient-centered medical home model meet their needs? *Med Car Res Rev* 2014;71:61-84.

43. Chen EH, Bodenheimer T. Improving population health through team-based panel management. *Arch Intern Med* 2011;171:1558-1559.

44. Thom DH, Ghorob A, Hessler D, De Vore D, Chen E, Bodenheimer T. Impact of peer health coaching on glycemic control in low-income patients with diabetes: A randomized controlled trial. *Ann Fam Med* 2013;11:137-144.

45. Bodenheimer T. *Strategies to Reduce Costs and Improve Care for High-Utilizing Medicaid Patients: Reflections on Pioneering Programs*. Center for Health Care Strategies, October 2013.

46. Saultz JW, Lochner J. Interpersonal continuity of care and care outcomes: A critical review. *Ann Fam Med* 2005;3:159-166.

47. Murray M, Berwick DM. Advanced access: Reducing waiting and delays in primary care. *JAMA* 2003;289:1035-1040.

48. Chen AH, Murphy EJ, Yee HF. eReferral—A new model for integrated care. *N Engl J Med* 2013;368:2450-2453.

49. Anseau M, Dierick M, Buntinx F, et al. High prevalence of mental disorders in primary care. *J Affect Disord* 2004;78:49-55.

50. Szymanski BR, Bohnert KM, Zivin K, McCarthy JF. Integrated care: Treatment initiation following positive depression screens. *J Gen Intern Med* 2013;28:346-352.

51. Baird M, Blount A, Brungardt S, et al. Working Party Group on Integrated Behavioral Healthcare. Joint principles: Integrating behavioral health care into the patient-centered medical home. *Ann Fam Med* 2014;12(2):183-185.

52. Fiscella K, Epstein RM. So much to do, so little time: Care for the socially disadvantaged and the 15-minute visit. *Arch Intern Med* 2008;168:1843-1852.
53. Liederman EM, Lee JC, Baquero VH. The impact of patient-physician web messaging on provider productivity. *Management* 2005;19:81-86.
54. Zhou YY, Kanter MH, Wang JJ, Garrido T. Improved quality at Kaiser Permanente through email between physicians and patients. *Health Aff (Millwood)* 2010;29:1370-1375.
55. Schickedanz A, Huang D, Lopez A, et al. Access, interest, and attitudes toward electronic communication for health care among patients in the medical safety net. *J Gen Intern Med* 2013;28:914-920.
56. Friedberg MW, Schneider EC, Rosenthal MB, et al. Association between participation in a multipayer medical home intervention and changes in quality, utilization, and costs of care. *JAMA* 2014;311:815-825.
57. Jackson GL, Powers BJ, Chatterjee R, et al. The patient-centered medical home: A systematic review. *Ann Intern Med* 2013;153:169-178.
58. Reid RJ, Coleman K, Johnson EA, et al. The Group Health medical home at year two: Cost savings, higher patient satisfaction, and less burnout for providers. *Health Aff (Millwood)* 2010;29:835-843.
59. Driscoll DL, Kiratsuka V, Johnston JM, et al. Process and outcomes of patient-centered medical care with Alaska native people at Southcentral Foundation. *Ann Fam Med* 2013;11(Suppl 1):S41-S49.
60. Gilfillan RJ, Tomcavage J, Rosenthal MB, et al. Value and the medical home: Effects of transformed primary care. *Am J Manag Care* 2010;16:607-614.
61. Nielson M, Olayiwola JN, Grundy P, Grumbach K. The patient-centered medical home's impact on cost and quality: An annual update of the evidence 2012-2013. Patient-Centered Primary Care Collaborative 2014. Available at http://www.milbank.org/uploads/documents/reports/Patient-Centered_Medical_Homes_Impact_on_Cost_and_Quality.pdf.

第9章 行動変容を促す

RESOURCES

Rollnick S, Gobat N, Batson J. Motivational interviewing in brief consultations. *British Medical Journal* online interactive learning module, 2014.

<http://learning.bmj.com/learning/module-intro/.html?moduleId=10051582>.

<http://www.motivationalinterviewing.org>.

REFERENCES

1. Mokdad AH, Marks JS, Stroup DF, Gerberding, JL. Actual causes of death in the United States, 2000. *JAMA* 2004;291:1238-1245.

2. Kahan M, Wilson L, Becker L. Effectiveness of physician-based interventions with problem drinkers: A review. *CMAJ* 1995;152:851-859.

3. Mojica WA, Suttrop MJ, Sherman SE, et al. Smoking-cessation interventions by type of provider: A meta-analysis. *Am J Prev Med* 2004;26:391-401.

4. Miller WR. Rediscovering fire: Small interventions, large effects. *Psychol Addict Behav* 2000;14:6-18.

5. Moyer A, Finney JW, Swearingen CE, Vergum P. Brief interventions for alcohol problems: A meta-analytic review of controlled investigations in treatment-seeking and non-treatment-seeking populations. *Addiction* 2002;94:279-292.

6. Krietman N. Alcohol consumption and the prevention paradox. *Brit J Addict* 1986;81:353-363.

7. Ribisl KM, Winkleby MA, Fortmann SP, et al. The interplay of socioeconomic status and

ethnicity on Hispanic and white men's cardiovascular disease risk and health communication patterns. *Health Educ Res* 1998;13:407-417.

8. Crespo CJ, Smit E, Andersen RE, et al. Race/ethnicity, social class and their relation to physical inactivity during leisure time: Results from the Third National Health and Nutrition Examination Survey, 1988–1994. *Am J Prev Med* 2000;18:46-53.

9. Komaromy M, Lurie N, Bindman AB. California physicians' willingness to care for the poor. *West J Med* 1995;162:127-132.

10. Taira DA, Safran DG, Seto TB, et al. The relationship between patient income and physician discussion of health risk behaviors. *JAMA* 1997;278:1412-1417.

11. Martin KD, Roter DL, Beach MC, et al. Physician communication behaviors and trust among black and white patients with hypertension. *Med Care* 2013;51(2):151-157.

12. Willems S, DeMaesschalck S, Deveugele M, et al. Socio-economic status of the patient and doctor-patient communication: Does it make a difference? *Patient Educ Couns* 2005;56:139-146.

13. Moskowitz D, Thom DH, Guzman D, et al. Is primary care providers' trust in socially marginalized patients affected by race? *J Gen Intern Med* 2011;36(8):846-851.

14. Van Ryn M, Burke J. The effect of patient race and socio-economic status on physicians' perceptions of patients. *Soc Sci Med* 2000;50:813-828.

15. Doesher MP, Saver BG, Franks P, et al. Racial and ethnic disparities in perceptions of physician style and trust. *Arch Fam Med* 2000;9:1156-1163.

16. Petersen LA. Racial differences in trust: Reaping what we have sown? *Med Care* 2002;40(2):81-84.

17. Sheppard VB, Mays D, LaVeist T, et al. Medical mistrust and self-efficacy influence black women's level of engagement in BRCA ½ genetic counseling and testing. *J Natl Med Assoc* 2013;105:17-22.

18. Kaplan SH, Greenfield S, Ware JE, et al. Assessing the effects of physician-patient interactions on the outcomes of chronic disease. *Med Care* 1989;27(Suppl 3):S110-S127.
19. Miller WR, Rollnick S. *Motivational Interviewing: Helping People Change*, 3rd ed. New York: Guilford Press, 2013.
20. Lundahl B, Moleni T, Burke BL, Butters R, Tollefson D, Butler C, Rollnick S. Motivational interviewing in medical care settings: A systematic review and meta-analysis of randomized controlled trials. *Patient Educ Couns* 2013;93:157-168.
21. Hettrema J, Steele J, Miller WR. Motivational interviewing. *Ann Rev Clin Psychol* 2005;1:91-111.
22. Rogers CR. *On Becoming a Person*. New York: Houghton Mifflin, 1961.
23. Kelley JM, Kraft-Todd G, Schapira L, Kossowsky J, Riess H. The influence of the patient-clinician relationship on healthcare outcomes: A systematic review and meta-analysis of randomized controlled trials. *PLoS One* 2014;9(4):e94207.
24. Saha S, Beach MC. The impact of patient-centered communication on patients' decision making and evaluations of physicians: A randomized study using video vignettes. *Patient Educ Couns* 2011;84:386-392.
25. Haywood C, Lanzkron S, Ratanawongsa N, et al. The association of provider communication with trust among adults with sickle cell disease. *J Gen Intern Med* 2010;25(6):543-548.
26. Fischella K, Meldrum S, Franks P, et al. Patient trust: Is it related to patient-centered behavior of primary care physicians? *Med Care* 2004;42(11):1049-1055.
27. Thom DH. Physician behaviors that predict trust. *J Fam Pract* 2001;50(4):323-328.
28. Zolnierok KB, DiMatteo MR. Physician communication and patient adherence to treatment: A meta-analysis. *Med Care* 2009;47:826-834.
29. Epstein RM. Mindful practice. *JAMA* 1999;282:833-839.

30. Beach MC, Roter D, Korthuis PT, et al. A multicenter study of physician mindfulness and health care quality. *Ann Fam Med* 2013;11:421-428.
31. Hutchison TA, Dobkin PL. Mindful medical practice: Just another fad? *Can Fam Physician* 2009;55:778-779.
32. Hojat M, Louis DZ, Markham FW, Wender R, Rabinowitz C, Gonnella JS. Physicians' empathy and clinical outcomes for diabetic patients. *Acad Med* 2011;86:359-364.
33. Burns DD, Nolen-Hoeksema S. Therapeutic empathy and recovery from depression in cognitive-behavioral therapy: A structural equation model. *J Consult Clin Psychol* 1992;60:441-449.
34. Neumann M, Wirtz M, Bollschweiler E, Mercer SW, Warm M, Wolf J, Pfaff H. Determinants and patient-reported long-term outcomes of physician empathy in oncology: A structural equation modelling approach. *Patient Educ Couns* 2007;69:63-75.
35. Rakel D, Barrett B, Zhang Z, Hoeft T, Chewning B, Marchand L, Scheder J. Perception of empathy in the therapeutic encounter: Effects on the common cold. *Patient Educ Couns* 2011;85:390-397.
36. Yarnall KS, Pollak KI, Østbye T, Krause KM, Michener JL. Primary care: Is there enough time for prevention? *Am J Public Health* 2003;93:635-641.
37. Maslow A. *Motivation and Personality*. New York, NY: Harper, 1954.
38. Rodriguez HP, Anastario MP, Frankel RM, Odigie EG, Roger WH, von Glahn T, Safran DG. Can teaching agenda-setting skills to physicians improve clinical interaction quality? A controlled intervention. *BMC Med Educ* 2008;8:3.
39. Rollnick S, Mason P, Butler C. *Health Behavior Change: A guide for Practitioners*. London: Churchill Livingstone, 1999.
40. Moyers TB, Martin T, Houck JM, Christopher PJ, Tonigan JS. From in-session behaviors to drinking outcomes: A causal chain for motivational interviewing. *J Consult Clin Psychol* 2009;77:1113-1124.

41. Amrhein PC, Miller WR, Yahne CE, et al. Client commitment language during motivational interviewing predicts drug use outcomes. *J Consult Clin Psychol* 2003;71:862-878.
42. Wagner EH, Austin BT, Davis C, et al. Improving chronic illness care: Translating evidence into action. *Health Aff (Millwood)* 2001;20:64-78.
43. Saitz R, Palfai TP, Cheng DM, Alford DP, et al. Screening and brief intervention for drug use in primary care: the ASPIRE randomized clinical trial. *JAMA* 2014;312(5):502-513.
44. Eccleston C, Williams AC, Morley S. Psychological therapies for the management of chronic pain (excluding headache) in adults (review). *Cochrane Database Syst Rev* 2009;15(2):CD007407.
45. Amsberg S, Anderbro T, Wredling R, et al. A cognitive behavior therapy-based intervention among poorly controlled adult type 1 diabetes patients – A randomized controlled trial. *Patient Educ Couns* 2009;77:2-80.
46. Fiore MC, Jaen CR, Baker TB, et al. *Treating Tobacco Use and Dependence: 2008 Update-Clinical Practice Guideline*. Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, 2008.
47. Faith MS, Fontaine KR, Cheskin LJ, et al. Behavioral approaches to the problems of obesity. *Behav Modif* 2000;24:459-493.
48. National Institutes of Health. *The practical guide: Identification, evaluation, and treatment of overweight and obesity in adults*. Rockville, MD: U.S. Department of Health and Human Services, 2000.
49. Robinson P, Gould D, Strosahl K. *Real Behavior Change in Primary Care: Improving Patient Outcomes and Increasing Job Satisfaction*. Oakland, CA: New Harbinger Publication Inc., 2010.
50. McCracken LM, Vowles KE. Acceptance and commitment therapy and mindfulness for chronic pain. *Am Psychol* 2014;69(2):178-187.

51. Gregg JA, Callaghan GM, Hayes SC, et al. Improving diabetes self-management through acceptance, mindfulness, and values: A randomized controlled trial. *J Consult Clin Psychol* 2007;75(2):336-343.
52. Bricker J, Wyszynski C, Comstock B, et al. Pilot randomized controlled trial of web-based acceptance and commitment therapy for smoking cessation. *Nicotine Tob Res* 2013;15(10):1756-1764.
53. Butryn ML, Forman E, Hoffman K, et al. A pilot study of acceptance and commitment therapy for promotion of physical activity. *J Phys Act Health* 2011;8:516-522.
54. Forman EM, Butryn ML, Hoffman KL, et al. An open trial of acceptance-based behavioral intervention for weight loss. *Cog Behav Prac* 2009;16:223-235.
55. Goodwyn CL, Forman EM, Herbert JD, et al. A pilot study examining the initial effectiveness of a brief acceptance-based behavior therapy for modifying diet and physical activity among cardiac patients. *Behav Modif* 2012;36(2):199-217.
56. Niemeier HM, Leahey T, Palm-Reed K, et al. An acceptance-based behavioral intervention for weight loss: A pilot study. *Beh Ther* 2012;43:427-435.
57. Von Korff M, Gruman J, Schaefer J, et al. Collaborative management of chronic illness. *Ann Intern Med* 1997;127:1097-1102.
58. National Institute on Alcohol Abuse and Alcoholism. *Helping Patients Who Drink Too Much: A Clinician's Guide*. NIH Pub No. 05-3769. Bethesda, MD: The Institute, 2005.
59. Heather N. The two forms of alcohol brief intervention: An uneasy coalition. *Addiction* 2014;109:1059-1060.

第 10 章 服薬アドヒアランスの評価と推進

RESOURCES

Educate before You Medicate. National Council on Patient Information and Education.
<http://www.talkaboutrx.org>

Medline Plus. Drug Information Service of the US National Library of Medicine (NIH).
<http://www.nlm.nih.gov/medlineplus/druginformation.html>

Safe Medication. Drug Information site of the American Society of Health-Systems Pharmacists. <http://www.safemedication.com>

Rx Assist. Patient Assistance Program Center. Programs run by pharmaceutical companies to provide free medications to people who cannot afford to buy their medicine.
<http://www.rxassist.org>

A Program Guide for Public Health: Partnering with Pharmacists in the Prevention and Control of Chronic Diseases
http://www.cdc.gov/dhdsp/programs/nhdsp_program/docs/Pharmacist_Guide.pdf

REFERENCES

1. Sabaté E. *Adherence to Long-Term Therapies. Evidence for Action.* Geneva: World Health Organization, 2003.
2. DiMatteo MR, Giordani PJ, Lepper HS, Croghan TW. Patient adherence and medical treatment outcomes: A meta-analysis. *Med Care* 2002;40:794-811.
3. Goldman DP, et al. Pharmacy benefits and the use of drugs by the chronically ill. *JAMA* 2004;291(19):2344-2350.
4. DiMatteo MR. Variations in patients' adherence to medical recommendations: A quantitative review of 50 years of research. *Med Care* 2004;42:200-209.
5. Mojtabai R, Olfson M. Medication costs, adherence, and health outcomes among Medicare beneficiaries. *Health Aff (Millwood)* 2003;22(4):220-229.

6. Hardon AP, et al. Hunger, waiting time and transport costs: Time to confront challenges to ART adherence in Africa. *AIDS Care* 2007;19(5):658-665.
7. Peterson AM, Takiya L, Finley R. Meta-analysis of trials of interventions to improve medication adherence. *Am J Health Syst Pharm* 2003;60(7):657-665.
8. Balkrishnan R, Rajagopalan R, Camacho FT, Huston SA, Murray FT, Anderson RT. Predictors of medication adherence and associated health care costs in an older population with type 2 diabetes mellitus: A longitudinal cohort study. *Clin Ther* 2003;25:2958-2971.
9. Sieber WJ, Kaplan RM. Informed adherence: The need for shared medical decision making. *Control Clin Trials* 2000;21(5, Suppl):233S-240S.
10. Roter DL. The outpatient medical encounter and elderly patients. *Clin Geriatr Med* 2000;16(1):95-107.
11. Rost K, Roter D. Predictors of recall of medication regimens and recommendations for lifestyle change in elderly patients. *Gerontologist* 1987;27(4):510-515.
12. Crane JA. Patient comprehension of doctor-patient communication on discharge from the emergency department. *J Emerg Med* 1997;15:1-7.
13. Bertakis KD. The communication of information from physician to patient: A method for increasing patient retention and satisfaction. *J Fam Pract* 1977;5:217-222.
14. Salas M, Salas M, In't Veld BA, van der Linden PD, Hofman A, Breteler M, Sticker BH. Impaired cognitive function and compliance with antihypertensive drugs in elderly: The Rotterdam Study. *Clin Pharmacol Ther* 2001;70(6):561-566.
15. Schillinger D, Bindman A, Wang F, Stewart A, Piette J. Functional health literacy and the quality of physician-patient communication among diabetes patients. *Patient Educ Counsel* 2004;52(3):315-323.
16. Institute of Medicine. *Health literacy: A prescription to end confusion*. Washington, DC: National Academies Press, 2004.

17. Gazmararian JA, et al. Health literacy among Medicare enrollees in a managed care organization. *JAMA* 1999;281:545-551.
18. Shrank WH, et al. Rationale and design of a randomized trial to evaluate an evidence-based prescription drug label on actual medication use. *Contemp Clin Trials* 2010;31:5644-571.
19. Sharkness CM, Snow DA. The patient's view of hypertension and compliance. *Am J Prev Med* 1992;8(3):141-146.
20. DiMatteo MR. Social support and patient adherence to medical treatment: A meta-analysis. *Health Psychol* 2004;23:207-218.
21. Wells KB, Rogers W, Burnan MA, Greenfield S, Ware JE. How the medical comorbidity of depressed patients differs across health care settings: Results from the Medical Outcomes Study. *Am J Psychiatry* 1991;148(12):1688-1696.
22. DiMatteo MR, Lepper HS, Croghan TW. Depression is a risk factor for noncompliance with medical treatment: Meta-analysis of the effects of anxiety and depression on patient adherence. *Arch Intern Med* 2000;160:2101-2107.
23. Piette JD, Wagner TH, Potter MB, Schillinger D. Health insurance status, cost-related medication underuse, and outcomes among diabetes patients in three systems of care. *Med Care* 2004;42(2):102-109.
24. Steinman MA, Sands LP, Covinsky KE. Self-restriction of medications due to cost in seniors without prescription coverage. *J Gen Intern Med* 2001;16(12):793-799.
25. Heisler M, Wagner TH, Piette JD. Clinician identification of chronically ill patients who have problems paying for prescription medications. *Am J Med* 2004;116(11):753-738.
26. Reichert S, Simon T, Halm EA. Physicians' attitudes about prescribing and knowledge of the costs of common medications. *Arch Intern Med* 2000;160(18):2799-2803.
27. Alexander GC, Casalino LP, Meltzer DO. Patient-physician communication about out-of-pocket costs. *JAMA* 2003;290:953-958.

28. Weiss RD. Adherence to pharmacotherapy in patients with alcohol and opioid dependence. *Addiction* 2004;99(11):382-392.
29. Vivian JC, Fink JL. OBRA '90 at sweet sixteen: A retrospective review. *US Pharm* 2008;33(3):59-65. Accessed September 16, 2014. Available at http://www.uspharmacist.com/content/d/featured_articles/c/10126/
30. Zermansky AG, Petty DR, Raynor DK, Freemantle N, Vail A, Lowe CJ. Randomised controlled trial of clinical medication review by a pharmacist of elderly patients receiving repeat prescriptions in general practice. *BMJ* 2001;323(7325):1340-1343.
31. Ong LM, de Haes JCJM, Hoos AM, Lammes FB. Doctor-patient communication: A review of the literature. *Soc Sci Med* 1995;40(7):903-918.
32. Schillinger D, et al. Closing the loop: Physician communication with diabetic patients who have low health literacy. *Arch Intern Med* 2003;163(1):83-90.
33. Stone VE, et al. Perspectives on adherence and simplicity for HIV-infected patients on antiretroviral therapy: Self-report of the relative importance of multiple attributes of highly active antiretroviral therapy (HAART) regimens in predicting adherence. *J Acquir Immune Def Syndr* 2004;36(3):808-816.
34. Schroeder K, Fahey T, Ebrahim S. Interventions for improving adherence to treatment in patients with high blood pressure in ambulatory settings. *Cochrane Database Syst Rev* 2004;2:CD004804.
35. Gattis WA, Hasselbald V, Whellan DJ, O'Connor CM. Reduction in heart failure events by the addition of a clinical pharmacist to the heart failure management team: Results of the Pharmacist in Heart Failure Assessment Recommendation and Monitoring (PHARM) Study. *Arch Intern Med* 1999;159(16):1939-1945.
36. Rich MW, Beckham V, Wittenberg C, Leven CL, Freeland KE, Carney RM. A multidisciplinary intervention to prevent the readmission of elderly patients with congestive heart failure. *N Engl J Med* 1995;333(18):1190-1195.
37. Renders CM, Valk GD, Griffin SJ, Wagner EH, Eijk van JT, Assendelft WJJ.

Interventions to improve the management of diabetes mellitus in primary care, outpatient and community settings. *Cochrane Database Syst Rev* 2001;1.

38. Krueger KP, Felkey BG, Berger BA. Improving adherence and persistence: A review and assessment of interventions and description of steps toward a national adherence initiative. *J Am Pharm Assoc* 2003;43(6):668-678.

39. Karter AJ, Parker MM, Moffet HM, Ahmed AT, Ferrara A, Liu JY, Selby JV. Missed appointments and poor glycemic control: An opportunity to identify high-risk diabetic patients. *Med Care* 2004;42(2):110-115.

40. Piette JD, Weinberger M, McPhee SJ. The effect of automated calls with telephone nurse follow-up on patient-centered outcomes of diabetes care: A randomized, controlled trial. *Med Care* 2000;38(2):218-230.

41. WHO. *Treatment of tuberculosis: Guidelines for national programmes*. Geneva, Switzerland: World Health Organization, 1997.

42. Conway B, et al. Directly observed therapy for the management of HIV-infected patients in a methadone program. *Clin Infect Dis* 2004;38(Suppl 5):S402-S408.

43. Foisy MM, Akai PS. Pharmaceutical care for HIV patients on directly observed therapy. *Ann Pharmacother* 2004;38(4):550-556.

44. Chesney MA, Ickovics JR, Chambers DB, Gifford AL, Neidig J, Zwicki B, Wu AW. Self-reported adherence to antiretroviral medications among participants in HIV clinical trials: The AACTG adherence instruments. Patient Care Committee & Adherence Working Group of the Outcomes Committee of the Adult AIDS Clinical Trials Group (AACTG). *AIDS Care* 2000;12:255-266.

45. Machtinger E, Bangsberg DR. Adherence to HIV anti-retroviral therapy. Accessed September 16, 2014. Available at <http://hivinsite.ucsf.edu/InSite?page=kb-03-02-09#S2X>.

RESOURCES

1. Centers for Medicare & Medicaid Services. Toolkit for Making Written Material Clear and Effective. 2010.
2. DeWalt DA, Consortium NCN. Health Literacy Universal Precautions Toolkit. 2010.
3. National Patient Safety Foundation 'Ask me 3' Website: <http://www.npsf.org/for-healthcare-professionals/programs/ask-me-3/>; Accessed June, 24, 2014.
4. Agency for Healthcare Research and Quality (AHRQ). 'Questions are the Answer' Website: <http://www.ahrq.gov/legacy/questions/>; Accessed August 26, 2014.
5. Weiss BD, Association AM. Health Literacy and Patient Safety: Help Patients Understand: Manual for Clinicians. 2007.
6. American College of Physicians (ACP) Guides for Diabetes, COPD, Obesity and Rheumatoid Arthritis. Available for download at http://www.acponline.org/patients_families/products/brochures/; Accessed July 3, 2014.
7. American Medical Association Foundation and American Medical Association. Health Literacy and Patient Safety: Help Patients Understand. Video available at https://www.youtube.com/watch?v=cGtTZ_vxjyA; Accessed August 26, 2014.
8. U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion. *National Action Plan to Improve Health Literacy*. Washington, DC. 2010. Available at http://www.health.gov/communication/hlactionplan/pdf/Health_Literacy_Action_Plan.pdf; Accessed August 26, 2014.
9. National Research Council. *Health Literacy: A Prescription to End Confusion*. Washington, DC: The National Academies Press, 2004. Report available for download at http://www.nap.edu/catalog.php?record_id=10883; Accessed August 26, 2014. Associated video available online at <https://www.youtube.com/watch?v=iBy3I7YKCQQ>; Accessed August 26, 2014.

REFERENCES

1. Kutner MGE, Jin Y, Paulsen C. The Health Literacy of America's Adults: Results From the 2003 National Assessment of Adult Literacy. 2011:1-76.
2. Rudd RE. Health literacy skills of U.S. adults. *Am J Health Behav* 2007;3(Suppl 1):S8-S18.
3. Berkman ND, Sheridan SL, Donahue KE, Halpern DJ, Crotty K. Low health literacy and health outcomes: An updated systematic review. *Ann Intern Med* 2011;155:97.
4. Bauer A, Schillinger D, Parker M, et al. Health literacy and antidepressant medication adherence among adults with diabetes: The diabetes study of Northern California (DISTANCE). *J Gen Intern Med* 2013;28:1181-1187.
5. Federman AD, Wolf MS, Sofianou A, et al. Self-management behaviors in older adults with asthma: Associations with health literacy. *J Am Geriatr Soc* 2014;62:872-879.
6. Macabasco-O'Connell A, DeWalt DA, Broucksou KA, et al. Relationship between literacy, knowledge, self-care behaviors, and heart failure-related quality of life among patients with heart failure. *J Gen Intern Med* 2011;26:979-986.
7. Cavanaugh K. Association of numeracy and diabetes control. *Ann Intern Med* 2008;148:737.
8. Mitchell SE, Sadikova E, Jack BW, Paasche-Orlow MK. Health literacy and 30-day postdischarge hospital utilization. *J Health Commun* 2012;17(Suppl 3):325-338.
9. Peterson PN, Shetterly SM, Clarke CL, et al. Health literacy and outcomes among patients with heart failure. *JAMA* 2011;305:1695-1701.
10. Wu J-R, Holmes GM, DeWalt DA, et al. Low literacy is associated with increased risk of hospitalization and death among individuals with heart failure. *J Gen Intern Med* 2013;28:1174-1180.

11. Herndon JB, Chaney M, Carden D. Health literacy and emergency department outcomes: A systematic review. *Ann Emerg Med* 2011;57:334-345.
12. Omachi TA, Sarkar U, Yelin EH, Blanc PD, Katz PP. Lower health literacy is associated with poorer health status and outcomes in chronic obstructive pulmonary disease. *J Gen Intern Med* 2013;28:74-81.
13. Souza JG, Apolinario D, Magaldi RM, Busse AL, Campora F, Jacob-Filho W. Functional health literacy and glycaemic control in older adults with type 2 diabetes: A cross-sectional study. *BMJ Open* 2014;4:e004180-e004180.
14. Sequeira SS, Eggermont LHP, Silliman RA, et al. Limited health literacy and decline in executive function in older adults. *J Health Commun* 2013;18(Suppl 1):143-157.
15. Kindig DA, Panzer AM, Nielsen-Bohlman L. *Health Literacy: A Prescription to End Confusion*. Washington, DC: National Academies Press, 2004.
16. Sudore RL, Landefeld CS, Pérez-Stable EJ, Bibbins-Domingo K, Williams BA, Schillinger D. Unraveling the relationship between literacy, language proficiency, and patient–physician communication. *Patient Educ Couns* 2009;75:398-402.
17. McCaffery KJ, Smith SK, Wolf M. The challenge of shared decision making among patients with lower literacy: A framework for research and development. *Med Decis Making* 2010;30:35-44.
18. Apter AJ, Paasche-Orlow MK, Remillard JT, et al. Numeracy and communication with patients: They are counting on us. *J Gen Intern Med* 2008;23:2117-2124.
19. Mazor KM, Williams AE, Roblin DW, et al. Health literacy and pap testing in insured women. *J Canc Educ* 2014:1-4.
20. Kelly PA, Haidet P. Physician overestimation of patient literacy: A potential source of health care disparities. *Patient Educ Couns* 2007;66:119-122.
21. Seligman HK, Wang FF, Palacios JL, et al. Physician notification of their diabetes patients' limited health literacy. A randomized, controlled trial. *J Gen Intern Med*

2005;20:1001-1007.

22. Osborn CY, Weiss BD, Davis TC, et al. Measuring adult literacy in health care: Performance of the newest vital sign. *Am J Health Behav* 2007;31(Suppl 1):S36-S46.
23. Chew LD, Griffin JM, Partin MR, et al. Validation of screening questions for limited health literacy in a large VA outpatient population. *J Gen Intern Med* 2008;23:561-566.
24. Sarkar U, Schillinger D, López A, Sudore R. Validation of self-reported health literacy questions among diverse English and Spanish-speaking populations. *J Gen Intern Med* 2010;26:265-271.
25. Sarkar U, Schillinger D, Bibbins-Domingo K, Nápoles A, Karliner L, Pérez-Stable EJ. Patient–physicians’ information exchange in outpatient cardiac care: Time for a heart to heart? *Patient Educ Couns* 2011;85:173-179.
26. Wolf MS, Williams MV, Parker RM, Parikh NS, Nowlan AW, Baker DW. Patients’ shame and attitudes toward discussing the results of literacy screening. *J Health Commun* 2007;12:721-732.
27. US Department of Health and Human Services. National Action Plan to Improve Health Literacy. Washington, DC;2010.
28. Schillinger D, Keller D. The Other Side of the Coin: Attributes of a Health Literate Health Care Organization. (Commissioned Paper for the Institute of Medicine). National Academy of Sciences Press, 2012.
29. Brach C, Keller D, Hernandez LM. Ten Attributes of Health Literate Health Care Organizations. Institute of Medicine, 2012.
30. Castro CM, Wilson C, Schillinger D. Babel babble: Physicians’ use of unclarified medical jargon with patients. *Am J Health Behav* 2007;31(Suppl 1):S85-S95
31. Fagerlin A, Zikmund-Fisher BJ, Ubel PA. Helping patients decide: Ten steps to better risk communication. *J Natl Cancer Inst* 2011;103:1436-1443.

32. Bailey SC, Wolf MS, López A, et al. Expanding the universal medication schedule: A patient-centred approach. *BMJ Open* 2014;4(1):e003699.
33. Davis T, Federman A, Bass P III, et al. Improving patient understanding of prescription drug label instructions. *J Gen Intern Med* 2009;24:57-62.
34. Katz MG, Jacobson TA, Veledar E, Kripalani S. Patient literacy and question-asking behavior during the medical encounter: A mixed-methods analysis. *J Gen Intern Med* 2007;22:782-786.
35. National Patient Safety Foundation. Ask Me 3 Website: <http://www.npsf.org/for-healthcare-professionals/programs/ask-me-3/>. Accessed July 23, 2014.
36. Agency for Healthcare Research and Quality. Questions are the Answer Website: <http://www.ahrq.gov/patients-consumers/patient-involvement/ask-your-doctor/index.html>. Accessed July 23, 2014.
37. Schillinger D, Piette J, Grumbach K, et al. Closing the loop: Physician communication with diabetic patients who have low health literacy. *Arch Intern Med* 2003;163:83-90.
38. Baker DW, DeWalt DA, Schillinger D, et al. "Teach to Goal": Theory and design principles of an intervention to improve heart failure self-management skills of patients with low health literacy. *J Health Commun* 2011;16(Suppl 3):73-88.
39. The Joint Commission. "What Did the Doctor Say?": Improving Health Literacy to Protect Patient Safety. 2011:1-64.
40. Meyer G, Denham CR, Battles J. Safe Practices for Better Healthcare—2010 Update: A Consensus Report. Washington, DC; 2010.
41. Clement S, Ibrahim S, Crichton N, Wolf M, Rowlands G. Complex interventions to improve the health of people with limited literacy: A systematic review. *Patient Educ Couns* 2009;75:340-351.
42. Agarwal N, Hansberry DR, Sabourin V, Tomei KL, Prestigiacomo CJ. A comparative analysis of the quality of patient education materials from medical specialties. *JAMA*

Intern Med 2013;173:1257-1259. doi:10.1001/jamainternmed.2013.6060.

43. Centers for Medicare & Medicaid Services. Toolkit for Making Written Material Clear and Effective. 2010.

44. Bickmore TW, Pfeifer LM, Paasche-Orlow MK. Using computer agents to explain medical documents to patients with low health literacy. *Patient Educ Couns* 2009;75:315-320.

45. Schillinger D, Hammer H, Wang F, et al. Seeing in 3-D: Examining the reach of diabetes self-management support strategies in a public health care system. *Health Educ Behav* 2006;35:664-682.

46. Schillinger D, Handley M, Wang F, Hammer H. Effects of self-management support on structure, process, and outcomes among vulnerable patients with diabetes: A three-arm practical clinical trial. *Diabetes Care* 2009;32:559-566.

47. Sheridan SL, Halpern DJ, Viera AJ, Berkman ND, Donahue KE, Crotty K. Interventions for individuals with low health literacy: A systematic review. *J Health Commun* 2011;16(Suppl 3):30-54.

48. Volandes AE, Paasche-Orlow MK, Barry MJ, et al. Video decision support tool for advance care planning in dementia: Randomised controlled trial. *BMJ* 2009;338:b2159-b2159.

49. Wolf MS, Davis TC, Bass PF, et al. Improving prescription drug warnings to promote patient comprehension. *Arch Intern Med* 2010;170:50-56.

50. Yin HS, Mendelsohn AL, Fierman A, van Schaick L, Bazan IS, Dreyer BP. Use of a pictographic diagram to decrease parent dosing errors with infant acetaminophen: A health literacy perspective. *Acad Pediatr* 2011;11:50-57.

51. Brach C, Dreyer BP, Schillinger D. Physicians' roles in creating health literate organizations: A call to action. *J Gen Intern Med* 2014;29:273-275.

52. Sudore RL, Landefeld CS, Pérez-Stable EJ, Bibbins-Domingo K, Williams BA,

Schillinger D. Unraveling the relationship between literacy, language proficiency, and patient–physician communication. *Patient Educ Couns* 2009;75:398-402.

第 12 章 サービスが行き届かない階層におけるグループ受診

RESOURCES

Action Plan Project of the UCSF Collaborative Research Network: www.action-plans.org

Centering Healthcare Institute: www.centeringhealthcare.org

Improving Chronic Illness Care. Group visit starter kit. Available at www.improvingchroniccare.org/improvement/docs/startkit.doc

Improving Diabetes Efforts Across Language and Literacy (IDEALL) Project. Group visit facilitators training manual and protocol. San Francisco General Hospital, San Francisco, CA. Available at www.cmwf.org/tools/tools_show.htm?doc_id=228393

Institute for Healthcare Improvement. Continuing care clinic handbook. Available at www.ihl.org

Lorig K, Holman HR, Sobel D, et al. *Living a Healthy Life with Chronic Conditions*, 2nd ed. Palo Alto, CA: Bull Publications, 2000.

Group Visit Guide:

http://www.massgeneral.org/stoecklecenter/assets/pdf/group_visit_guide.pdf

A Qualitative Review of Current Research: <http://www.jabfm.com/content/19/3/276.full>

Noffsinger Group Visit Blog/Website: www.groupvisits.com

REFERENCES

1. Sadur CN, Moline N, Costa M, et al. Diabetes management in a health maintenance organization. Efficacy of care management using cluster visits. *Diabetes Care* 1999;22:2011-2017.
2. Wagner EH, Grothaus LC, Sandhu N, Galvin MS, McGregor M, Artz K, Coleman EA. Chronic care clinics for diabetes in primary care: A system-wide randomized trial. *Diabetes Care* 2001;24:695-700.
3. Noffsinger EB. Understanding Today's Group Visit Models. *The Permanente Journal Spring* 2000; V4 No 2:99-112. *Bus J for Phys* 2002; Spring, 50-2.
4. Beck A, Scott J, Williams P, Robertson B, Jackson D, Gade G, Cowan P. A randomized trial of group outpatient visits for chronically ill older HMO members: The Cooperative Health Care Clinic. *J Am Geriatr Soc* 1997;45:543-549.
5. Scott JC, Conner DA, Venohr I, Gade G, McKenzie M, Kramer AM, Bryant L. Effectiveness of a group outpatient visit model for chronically ill older health maintenance organization members: A 2-year randomized trial of the cooperative health care clinic. *J Am Geriatr Soc* 2004;52:1463-1470.
6. Rising SS. Centering pregnancy. An interdisciplinary model of empowerment. *J Nurse Midwifery* 1998;43:46-54.
7. Little SH, Motohara S, Miyazaki K, Arato N, Feters MD. Prenatal group visit program for a population with limited English proficiency. *J Am Board Family Med* 2013; 23:728-737.
8. Coleman EA, Eilertsen TB, Kramer AM, Magid DJ, Beck A, Conner D. Reducing emergency visits in older adults with chronic illness: A randomized, controlled trial of group visits. *Effect Clin Pract* 2001;4:49-57.
9. Sadur CN, Moline N, Costa M, Michalik D, Mendlowitz D, Roller S, Watson R. Diabetes management in a health maintenance organization. *Diabetes Care* 1999;22:2011-2017.
10. Noffsinger EB, Scott JC. Understanding today's group visit models. *Group Pract J* 2000;48:46-58.

11. Bodenheimer T, Grumbach K. *Improving Primary Care: Strategies and Tools for a Better Practice*. New York: McGraw-Hill, 2007.
12. Schillinger D, Hammer H, Handley M, Palacios J, McLean I, Tang A, Schneiderman M, et al. Group Medical Appointments in Diabetes Care: Is There a Future? *Diabetes Spectrum* April 2003 vol. 16 no. 2 104-107.
13. Novick G. Centering Pregnancy and the current state of prenatal care. *J Midwif Wom Health* 2004; 49(5):405-411.
14. Osborn LM, Woolley FR. Use of groups in well child care. *Pediatrics* 1981;67:701-706.
15. Taylor JA, Davis RL, Kemper KJ. Health care utilization and health status in high-risk children randomized to receive group or individual well child care. *Pediatrics* 1997;100:E1.
16. Page C, Reid A, Hoagland E, Leonard SB. Well Babies: Mothers' perspectives on an innovative model of group well-child care. *Fam Med* 2010;42:202-207.
17. Lorig KR, Ritter P, Stewart AL, Sobel DS, Brown BW Jr, Bandura A, Gonzalez VM. Chronic disease self-management program: 2-year health status and health care utilization outcomes. *Med Care* 2001;39:1217-1223.
18. Messmer Uccelli M, Mohr LM, Battaglia MA, Zagami P, Mohr DC. Peer support groups in multiple sclerosis: Current effectiveness and future directions. *Multiple Sclerosis* 2004;10:80-84.
19. Bandura A. *Social Foundations of Thought and Action*. Englewood Cliffs, NJ: Prentice-Hall, 1986.
20. Higgins P, Murray M, Williams E. Self-esteem, social support, and satisfaction differences in women with adequate and inadequate prenatal care. *Birth* 1994;21:26-33.
21. Housden L, Wong ST, Dawes M, et al. Effectiveness of group medical visits for improving diabetes care: A systematic review and meta-analysis. *CMAJ* 2013;185:E635-E644.

22. AHRQ Innovations Exchange: Group Primary Care visits Improve Outcomes for Patients with Chronic Conditions, Hill Physicians Medical Group, 2008.
23. Trento M, Passera P, Bajardi M, et al. Lifestyle intervention by group care prevents deterioration of type II diabetes: A 4-year randomized controlled clinical trial. *Diabetologia* 2002;45:1231-1239.
24. Housden L, Wong ST, Dawes M. Effectiveness of group medical visits for improving diabetes care: A systematic review and meta-analysis. *CMAJ* 2013;185:E635-E644.
25. Ickovics JR, Kershaw TS, Westdahl C, Magriples U, Massey Z, Reynolds H, Rising SS. Group prenatal care and perinatal outcomes: A randomized controlled trial. *Obstet Gynecol* 2007;110(2, Pt 1):330-339.
26. Novick G, Reid AE, Lewis J, Kershaw T, Rising SS, Ickovics JR. Group prenatal care: Model fidelity and outcomes. *Am J Obstet Gynecol* 2013;209:112.e1-112.e6.
27. Bierman AS, Clancy CM. Health disparities among older women: Identifying opportunities to improve quality of care and functional health outcomes. *J Am Med Womens Assoc* 2001;56:155-159, 188.
28. Schillinger D, Grumbach K, Piette J, Wang F, Osmond D, Daher C, Palacios J. et al. Association of health literacy with diabetes outcomes. *JAMA* 2002;288:475-482.
29. Fernandez A, Schillinger D, Grumbach K, et al. Physician language ability and cultural competence. An exploratory study of communication with Spanish-speaking patients. *J Gen Intern Med* 2004;19:167-174.
30. Fernandez A, Schillinger, D, Warton EM, et al. Language barriers, physician patient language concordance and glycemic control among insured Latinos with diabetes. *J Gen Intern Med* 2011;26:170-176.
31. Schillinger D, Hammer H, Handley M, et al. Can disease management interventions engage hard-to-reach patients in primary care? *J Gen Intern Med* 2004;19(Suppl):103.
32. Bodenheimer T, Lorig K, Halsted H, et al. Patient self-management of chronic disease

in primary care. *JAMA* 2002;288:2469-2475.

33. Norris SL, Engelgau MM, Narayan KM. Effectiveness of self-management training in type 2 diabetes: A systematic review of randomized controlled trials. *Diabetes Care* 2001;24:561-587.

34. Thoonen BP, Schermer TR, Van Den Boom G, et al. Self-management of asthma in general practice, asthma control and quality of life: A randomized controlled trial. *Thorax* 2003;58:30-36.

35. Roter DL, Stashefsky-Margalit R, Rudd R. Current perspectives on patient education in the U.S. *Patient Educ Couns* 2001;44:79-86.

36. Alexander JA, Hearld LR, Mittler JN, Harvey J. Patient–physician role relationships and patient activation among individuals with chronic illness. *Health Serv Res* 2012;47(3, Pt 1):1201-1223.

37. Auslander W, Haire-Joshu D, Houston C, et al. A controlled evaluation of staging dietary patterns to reduce the risk of diabetes in African-American women. *Diabetes Care* 2002;25:809-814.

38. Brown SA, Garcia AA, Kouzekanani K, et al. Culturally competent diabetes self-management education for Mexican Americans: The Starr County border health initiative. *Diabetes Care* 2002;25:259-268.

39. Miller D, Zantop V, Hammer H, Faust S, Grumbach K. Group medical visits for low-income women with chronic disease: A feasibility study. *J Womens Health (Larchmt)* 2004;13:217-225.

40. Caldwell F, Chatman J, O'Reilly CA, et al. Implementing strategic change in a health care system: The importance of leadership and change readiness. *Health Care Manage Rev* 2008;33:124-133.

41. Geller JS, Orkaby A, Cleghorn GD. Impact of a group medical visit program on Latino health-related quality of life. *Explore* 2011:94-99.

42. Klima C, Norr K, Vonderheid S, Handler A. Introduction of CenteringPregnancy in a public health clinic. *J Midwifery Womens Health* 2011:27-34.

43. Tandon SD, Cluxton-Keller F, Colon L, Vega P, Alonso A. Improved adequacy of prenatal care and healthcare utilization among low-income Latinas receiving group prenatal care. *J Womens Health (Larchmt)* 2013:1056-1061.

第 13 章 ハイリスク患者に対するケアのための多職種協働モデル

RESOURCES

The California Health Care Safety Net Institute is committed to advancing community health for California's low-income, racially and ethnically diverse populations. <http://www.safetynetinstitute.org/>.

The National Health Care for the Homeless Council works to reduce homelessness through providing housing and healthcare for all. <http://www.nhchc.org>.

The mission of the DC Area Health Education Center is to improve the health status of the disadvantaged residents in the District of Columbia. This module is designed to assist the student in gaining an increased understanding and appreciation for interdisciplinary health-care team practice. <http://dcahec.gwumc.edu/education/session3/>.

RAND Health's goal is to advance understanding of health and health behaviors, and examine how the organization and financing of care affect costs, quality, and access. <http://www.rand.org/health/>.

Assertive Community Treatment Association promotes, develops, and supports high-quality Assertive Community Treatment (ACT) services that improve the lives of people with serious and persistent mental illness. <http://www.actassociation.org/>. The Agency for Healthcare Research and Quality Innovations Exchange is a searchable database of innovative programs and tools to improve healthcare. <http://www.innovations.ahrq.gov/>.

REFERENCES

1. Bodenheimer T. Strategies to reduce cost and improve care for high utilizing Medicaid patients: Reflections on pioneering programs. Available at <http://www.chcs.org/resource/strategies-to-reduce-costs-and-improve-care-for-high-utilizing-medicaid-patients-reflections-on-pioneering-programs/>. Center for Health Care Strategies, October 2013. Accessed June 2, 2014.
2. Craig C, Eby D, Whittington J. Care Coordination Model: Better Care at Lower Cost for People with Multiple Health and Social Needs. Available at <http://www.ihl.org/resources/Pages/IHIWhitePapers/IHICareCoordinationModelWhitePaper.aspx/>. Institute for Healthcare Improvement, 2011. Accessed June 3, 2014.
3. Frequent Utilizers of emergency departments: Addressing the needs of a vulnerable population in a Medicaid waiver. Available at <http://www.csh.org/resources/frequent-users-of-emergency-departments-addressing-the-needs-of-a-vulnerable-population-in-a-medicaid-waiver/>. Corporation for Supportive Housing, July 2009. Accessed June 3, 2014.
4. Kushel MB, Vittinghoff E, Haas JS. Factors associated with the health care utilization of homeless persons. *JAMA* 2001;285:200-206.
5. Baker DW, Parker RM, Williams MV, et al. Health literacy and the risk of hospital admission. *J Gen Intern Med* 1998;13:791-798.
6. Mistry R, Rosansky J, McGuire J, et al. Social isolation predicts re-hospitalization in a group of older American veterans enrolled in the UPBEAT Program. Unified psychogeriatric biopsychosocial evaluation and treatment. *Int J Geriatr Psychiatry* 2001;16(10):950-959.
7. Derose KP, Baker DW. Limited English proficiency and Latinos' use of physician services. *Med Care Res Rev* 2000;57(1):76-91.
8. Samet JH, Friedmann P, Saitz R. Benefits of linking primary medical care and substance abuse services: patient, provider, and societal perspectives. *Arch Int Med* 2001; 161:85-91.
9. Jeste DV, Unutzer J. Improving the delivery of care to the seriously mentally ill. *Med*

Care 2001;39:907-909.

10. Okin RL, Boccellari A, Azocar F, et al. The effects of clinical case management on hospital service use among ED frequent users. *Am J Emerg Med* 2000;18:603-608.
11. Mattke S, Seid M, Ma S. Evidence for the Effect of Disease Management: Is \$1 Billion a Year a Good Investment? *Am J Manag Care* 2007;13:670-676.
12. Berry-Millett R, Bodenheimer TS. Care management of patients with complex health care needs. *Synth Proj Res Synth Rep* 2009;(19):pii:52372.
13. Powers BW, Chaguturu SK, Ferris TG. Optimizing high-risk care management. *JAMA* 2015;313:795-796.
14. Hong CS, Siegel AL, Ferris TG. Caring for high-need, high-cost patients: What makes for a successful care management program? *Issue Brief (Commonw Fund)* 2014;19:1-19.
15. Smedley BD, Stith AY, Nelson AR, eds. *Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care*. Washington, DC: Institute of Medicine, National Academy Press, 2002.
16. Baldwin DC, Tsukuda RW. Interdisciplinary teams. In: Cassell C, Walsh JR, eds. *Geriatric Medicine: Fundamentals of Geriatric Care*. New York: Springer-Verlag, 1984.
17. Drinka TJ, Clark PG. *Health Care Teamwork. Interdisciplinary Practice Teaching*. Westport, CT: Auburn House, 2000.
18. Tsukuda RA. Interdisciplinary collaboration: Teamwork in geriatrics. In: Cassell C, Walsh JR, eds. *Geriatric Medicine: Fundamentals of Geriatric Care*. New York: Springer-Verlag, 1990:668-675.
19. Davis E, Tamayo A, Fernandez A. Because somebody cared about me. That's how it changed things: homeless, chronically ill patients' perspectives on case management. *PLoS One* 2012;7:e45980.
20. Mautner DB, Pang H, Brenner JC, Shea JA, Gross KS, Frasso R, Cannuscio CC.

Generating hypotheses about care needs of high utilizers: Lessons from patient interviews. *Popul Health Manag* 2013;16(Suppl 1):S26-S33.

21. Hong CS, Huang AS, Ferris TG. Finding a Match: How Successful Complex Care Programs Identify Patients. Issue Brief (California Health Care Foundation). 2015 March.

22. Allness DJ. The Program of Assertive Community Treatment (PACT): The model and its replication. *New Dir Ment Health Serv* 1997;74:17-26.

23. Phillips SD, Burns BJ, Edgar ER, et al. Moving assertive community treatment into standard practice. *Psychiatr Serv* 2001;52:771-779.

24. Bond GR, McGrew JH, Fekete DM. Assertive outreach for frequent users of psychiatric hospitals: A meta-analysis. *J Ment Health Adm* 1995;22:4-16.

25. Curtis JL, Millman EJ, Struening E, et al. Effect of case management on rehospitalization and utilization of ambulatory care services. *Hosp Commun Psychiatry* 1992;43:895-899.

26. Rosenheck R, Neale M, Leaf P, et al. Multisite experimental cost study of intensive psychiatric community care. *Schizophr Bull* 1995;21:129-140.

27. Sadowski LS, Kee RA, VanderWeele TJ, Buchanan D. Effect of a housing and case management program on emergency department visits and hospitalizations among chronically ill homeless adults: A randomized trial. *JAMA* 2009;301:1771-1778.

28. <http://www.rwjf.org/en/about-rwjf/newsroom/newsroom-content/2012/10/improving-management-of-health-care-superutilizers.html>. Accessed June 4, 2014.

29. Singh P, Chokshi DA. Community health workers—A local solution to a global problem. *N Engl J Med* 2013;369:894-896.

30. Bhutta Z, Lassi Z, Pariyo G, Huicho L. Global Experience of Community Health Workers for Delivery of Health Related Millennium Development Goals: A Systematic Review, Country Case Studies, and Recommendations for Integration into National Health Systems. Available at

http://www.who.int/workforcealliance/knowledge/publications/alliance/Global_CHW_web.pdf
f. World Health Organization. Accessed June 3, 2014.

31. Farmer PE, Nutt CT, Wagner CM, et al. Reduced premature mortality in Rwanda: Lessons from success. *BMJ* 2013;346:f65.

32. Redesigning Primary Care for Breakthrough in Health Insurance Affordability Model I: The Ambulatory Intensive Caring Unit. Available at <http://www.chcf.org/publications/2011/05/ambulatory-intensive-caring-units>. August 2005, California Health Care Foundation. Accessed June 3, 2014.

33. Hong CS, Abrams MK, Ferris TG. Toward increased adoption of complex care management. *N Engl J Med* 2014;371:491-493.

第 14 章 支援が十分に行き届いていない子供たち：慢性疾患の予防と健康増進

RESOURCES

This Web site tracks 10 key indicators of child well-being. <http://www.kidscount.org>

A Practical Guide to Implementing Office Systems for Anticipatory Guidance
<http://www.nichq.org>

This Web site offers tools addressing development, mental health, vision, hearing, and oral health for use in the office setting. <http://www.medicalhomeinfo.org/screening.html>

The National Early Childhood Technical Assistance Center supports the national implementation of the early childhood provisions of the Individuals with Disabilities Education Act (IDEA). <http://www.nectac.org>

Reach Out and Read. <http://www.reachoutandread.org>

What makes us get sick? Look Upstream: Dr. Rishi Manchanda.

http://www.ted.com/talks/rishi_manchanda_what_makes_us_get_sick_look_upstream

Childhood Poverty: Dr. Bert Lubin at TEDxGoldenGatePark.

<http://tedxtalks.ted.com/video/Childhood-Poverty-Dr-Bert-Lubin>

REFERENCES

1. Halfon N, Inkelas M, Wood DL, Schuster MA. Health care reform for children and families. In: Anderson RM, Rice TH, Kominski GF, eds. *Changing the U.S. Health Care System: Key Issues in Health Services, Policy, and Management*, 2nd ed. San Francisco: Jossey-Bass Publishers, 2001: 261-290.
2. Halfon N, Hochstein M. Life course health development: An integrated framework for developing health, policy, and research. *Milbank Q* 2002;80(3):433-479, iii.
3. Committee on Evaluation of Children's Health. Board on Children, and Families, Division of Behavioral and Social Sciences and Education. Children's health, the nation's wealth: Assessing and improving child health. Washington, DC: National Academies Press, 2004.
4. Adamson P, Centre UIR. *Child Well-Being in Rich Countries: A Comparative Overview*. UNICEF Innocenti Research Centre; 2013. Available at <http://ideas.repec.org/p/ucf/inreca/inreca683.html>. Accessed August 7, 2014.
5. *U.S. Health in International Perspective: Shorter Lives, Poorer Health*. Washington, DC: The National Academies Press: National Research Council and Institute of Medicine. Panel on Understanding Cross-National Health Differences Among High-Income Countries, Committee on Population, Division of Behavioral and Social Sciences and Education, and Board on Population Health and Public Health Practice, Institute of Medicine; 2013. Available at http://www.nap.edu/catalog.php?record_id=13497. Accessed July 5, 2013.
6. Halfon N, Houtrow A, Larson K, Newacheck PW. The changing landscape of disability in childhood. *Future Child* 2012;22(1):13-42.
7. Merikangas KR, He J, Burstein M, et al. Lifetime prevalence of mental disorders in U.S. adolescents: Results from the National Comorbidity Survey Replication—Adolescent

Supplement (NCS-A). *J Am Acad Child Adolesc Psychiatry* 2010;49(10):980-989.

8. Wise PH. The Transformation of child health in the United States. *Health Aff (Millwood)* 2004;23(5):9-25.

9. Bethell CD, Kogan MD, Strickland BB, Schor EL, Robertson J, Newacheck PW. A national and state profile of leading health problems and health care quality for US children: Key insurance disparities and across-state variations. *Acad Pediatr* 2011;11(3, Suppl):S22-S33.

10. Schor EL. Rethinking well-child care. *Pediatrics* 2004;114(1):210-216.

11. Halfon N, Wise P, Forrest C. Children's health development: New challenges require major new policy solutions. *Health Aff (Millwood)*. 2014;33(12):2116-2124.

12. Aber L, Morris P, Raver C. *Children, Families and Poverty: Definitions, Trends, Emerging Science and Implications for Policy. Social Policy Report. Volume 26, Number 3.* Society for Research in Child Development; 2012.

13. Williams Shanks TR, Danziger S. Antipoverty Policies and Programs for Families and Children. In Jenson J, Fraser M, eds. *Social Policy for Children and Families*, 2nd ed; 2011. Available at http://www.sagepub.com/upm-data/37821_Chapter2.pdf.

14. Partridge MD, Weinstein AL. Rising inequality in an era of austerity: The case of the US. *Eur Plan Stud* 2013;21(3):388-410.

15. Grannis KS, Sawhill IV. Improving Children's Life Chances: Estimates from the Social Genome Model. *Brook Inst*. Available at <http://www.brookings.edu/research/papers/2013/10/11-improving-childrens-life-chances-sawhill-grannis>. Accessed August 14, 2014.

16. Senior J. *All Joy and No Fun: The Paradox of Modern Parenthood*. New York: Ecco, 2014.

17. Sawhill IV. Are we headed toward a permanently divided society? *Brook Inst*. 2012. Available at <http://www.brookings.edu/research/papers/2012/03/30-divided-society-sawhill>.

Accessed August 13, 2014.

18. Keating DP, Hertzman C. *Developmental Health and the Wealth of Nations: Social, Biological, and Educational Dynamics*. New York: Guilford Press, 1999.
19. Kuh D, Shlomo YB, eds. *A Life Course Approach to Chronic Diseases Epidemiology*. 2nd ed. Oxford University Press, USA, 2004.
20. Evans W, Wolfe B, Adler N. The income-health gradient. Available at <http://www.irp.wisc.edu/publications/focus/pdfs/foc301b.pdf>.
21. Miller GE, Chen E, Fok AK, et al. Low early-life social class leaves a biological residue manifested by decreased glucocorticoid and increased proinflammatory signaling. *Proc Natl Acad Sci*. 2009;106(34):14716-14721.
22. Miller G, Chen E, Cole SW. Health psychology: Developing biologically plausible models linking the social world and physical health. *Annu Rev Psychol* 2009;60:501-524.
23. Evans GW, Cassells RC. Childhood poverty, cumulative risk exposure, and mental health in emerging adults. *Clin Psychol Sci* 2014;2(3):287-296.
24. Wolfe B, Evans W, Seeman TE. *The Biological Consequences of Socioeconomic Inequalities*. New York: CUP Services; 2012.
25. Lanius RA, Vermetten E, Pain C. *The Impact of Early Life Trauma on Health and Disease: The Hidden Epidemic*. Cambridge, UK; New York: Cambridge University Press, 2010.
26. Parker S, Greer S, Zuckerman B. Double jeopardy: The impact of poverty on early child development. *Pediatr Clin North Am* 1988;35(6):1227-1240.
27. Masten AS, Cicchetti D. Developmental cascades. *Dev Psychopathol*. 2010;22(Special Issue 03):491-495.
28. Lerner RM. Resilience as an attribute of the developmental system. *Ann NY Acad Sci* 2006;1094(1):40-51.

29. Werner E. Protective factors and individual resilience. In Shonkoff J, Meisels S, eds. *Handbook of Early Childhood Intervention*. New York: Cambridge University Press, 2000:115-132.
30. Copeland W, Costello EJ. Parents' incomes and children's outcomes: a quasi-experiment. *Am Econ J Appl Econ* 2010;2(1):86-115.
31. Regalado M, Halfon N. Developmental and behavioral surveillance and promotion of parenting skills. In Osborn L, et al, eds. *Pediatrics*. Philadelphia: Elsevier Mosby, 2005:224-233.
32. Dweck C. *Mindset: The New Psychology of Success*. Reprint edition. New York: Ballantine Books, 2007.
33. Diamond A. Executive functions. *Annu Rev Psychol* 2013;64(1):135-168.
34. Wojtczak A. Glossary of medical education terms. Institute for International Medical Education. Accessed January 1, 2005. Available at <http://www.iime.org/glossary.htm#H>.
35. Halfon N, Larson K, Lu M, Tullis E, Russ S. Lifecourse health development: Past, present and future. *Matern Child Health J* 2014;18(2):344-365.
36. Cole BL, Fielding JE. Health impact assessment: A tool to help policy makers understand health beyond health care. *Annu Rev Public Health* 2007;28(1):393-412.
37. Young KT, Davis K, Schoen C. The Commonwealth Fund Survey of Parents with Young Children. New York: The Commonwealth Fund; 1996.
38. *Bright Futures, 3rd Edition*. American Academy of Pediatrics; 2007. Available at <http://ebooks.aap.org/content/9781581102239/9781581102239>.
39. Blumenthal D, Gokhale M, Campbell EG, et al. Preparedness for clinical practice: reports of graduating residents at academic health centers. *JAMA* 2001;286(9):1027-1034.
40. Surveillance and Screening from the American Academy of Pediatrics' Family Voices Maternal Child Health Bureau, National Association of Children's Hospitals and Related

Institutions, and The Shriners Hospitals for Children, located at <http://www.medicalhomeinfo.org/screening/Teleconference.html>.

41. Halfon N, Stevens GD, Larson K, Olson LM. Duration of a well-child visit: Association with content, family-centeredness, and satisfaction. *Pediatrics*. 2011;128(4):657-664.

42. Garg A, Jack B, Zuckerman B. Addressing the social determinants of health within the patient-centered medical home: Lessons from pediatrics. *JAMA*. 2013;309(19):2001-2002.

43. Schor EL. Reshaping Pediatric Practice. *Pediatrics*. 2013;131(2):201-203.

44. Assessing Children's School Readiness in LA County Neighborhoods. Available at http://www.first5la.org/files/EDI_brief_final_01282014.pdf.

45. Kretzmann JP, McKnight JL. *Building Communities from the Inside Out: A Path Toward Finding and Mobilizing a Community's Assets*. Chicago, IL: ACTA Publications, 1997.

46. Glascoe FP. Using parents' concerns to detect and address developmental and behavioral problems. *J Soc Pediatr Nurses JSPN* 1999;4(1):24-35.

47. Squires J, et al. Revision of a parent-completed development screening tool: Ages and Stages Questionnaires. *J Pediatr Psychol* 1997;22(3):313-328.

48. Kemper KJ. Self-administered questionnaire for structured psychosocial screening in pediatrics. *Pediatrics* 1992;89(3):433-436.

49. Garg A, Dworkin PH. Applying surveillance and screening to family psychosocial issues: Implications for the medical home: *J Dev Behav Pediatr* 2011;32(5):418-426.

50. Hart B, Risley T. The Early Catastrophe: The 30 Million Word Gap by Age 3. Meaningful Differences in the Everyday Experiences of Young American Children, © 1995, Brookes; www.brookespublish.com accessed December 2015. Available at <https://www.aft.org/sites/default/files/periodicals/TheEarlyCatastrophe.pdf>.

51. Palfrey JS, Singer JD, Walker DK, Butler JA. Early identification of children's special

needs: A study in five metropolitan communities. *J Pediatr* 1987;111(5):651-659.

52. Bethell C, Reuland C, Schor E, Abrahms M, Halfon N. Rates of parent-centered developmental screening: Disparities and links to services access. *Pediatrics* 2011;128(1):146-155.

53. Regalado M, Halfon N. Parent-child adaptation: A conceptual framework for child development in primary care. *Pediatrics*. June 2004, 113(5). Available at http://pediatrics.aappublications.org/content/113/Supplement_5/1952 accessed December 2015
http://pediatrics.aappublications.org/content/113/Supplement_5/1952.

54. L Steinberg SDL. Impact of parenting practices on adolescent achievement: Authoritative parenting, school involvement, and encouragement to succeed. *Child Dev* 1992;63(5):1266-1281.

55. Jabaghourian JJ, Sorkhabi N, Quach W, Strage A. Parenting styles and practices of Latino parents and Latino fifth graders' academic, cognitive, social, and behavioral outcomes. *Hisp J Behav Sci* 2014;36(2):175-194.

56. Nelsen J. *Positive Discipline*. Rev Upd edition. New York: Ballantine Books, 2006.

57. Halfon N, Regalado M, McLearn K, Kuo T, Wright Kynna A. Building a Bridge from Birth to School: Improving Developmental and Behavioral Health Services for Young Children (New York: The Commonwealth Fund, 2003).

58. National Committee for Quality Assurance. Patient-Centered Medical Home.

59. *Help Me Grow Promotes Optimal Child Development by Enhancing Protective Factors*. Help Me Grow; 2013. Available at http://helpmegrownational.org/includes/research/HMGProtectiveFactorspolicybrief02_2013b.pdf.

60. Minkovitz C, Strobino D, Hughart N, et al. Developmental specialists in pediatric practices: Perspectives of clinicians and staff. *Ambul Pediatr* 2003;3(6):295-303.

第 15 章 ケアの環境としての家族

RESOURCES

American Academy of Family Physicians (AAFP): <http://www.aafp.org/>.

American Association for Marriage and Family Therapy (AAMFT):
http://www.aamft.org/index_nm.asp.

Collaborative Family Healthcare Coalition (CFHA). A diverse group of health-care workers from primary and tertiary care settings who study, implement, and advocate for the collaborative family health-care paradigm: <http://www.cfha.net/>.

Family Process. A multidisciplinary international journal of research, training, and theoretical contributions in the family therapy: <http://www.familyprocess.org/>.

Families, Systems, & Health. A peer-reviewed journal of clinical research, training, and theoretical contributions with particular focus on collaborative family health care: <http://www.apa.org/journals/fsh/edboard.html>.

REFERENCES

1. Ai AL, Weiss SI, Fincham FD. Family factors contribute to general anxiety disorder and suicidal ideation among Latina Americans. *Womens Health Issues* 2014;24(3):e345-e352.
2. Pereira MG, Pedras S, Machado JC. Family variables as moderators between beliefs towards medicines and adherence to self-care behaviors and medication in type 2 diabetes. *Fam Syst Health* 2014.
3. Miller TA, Dimatteo MR. Importance of family/social support and impact on adherence to diabetic therapy. *Diabetes Metab Syndr Obes* 2013;6:421-426.
4. Shields CG, Finley MA, Chawla N, Meadors WP. Couple and family interventions in health problems. *J Marital Fam Ther* 2012;38(1):265-80.

5. Pollard SL, Zachary DA, Wingert K, Booker SS, Surkan PJ. Family and community influences on diabetes-related dietary change in a low-income urban neighborhood. *Diabetes Educ* 2014;40(4):462-469.
6. Brooks AT, Andrade RE, Middleton KR, Wallen GR. Social support: A key variable for health promotion and chronic disease management in Hispanic patients with rheumatic diseases. *Clin Med Insights Arthritis Musculoskelet Disord* 2014;7:21-26.
7. United States Census Bureau. *United States census 2010*. Accessed June 12, 2014. Available at <http://www.census.gov/2010census/>.
8. United States Census Bureau. *American community survey 2011*. Accessed June 12, 2014. Available at <https://www.census.gov/acs/www/>.
9. World Family Map 2013. *Family structure*. Child Trends. Accessed June 12, 2014. Available at <http://worldfamilymap.org/2013/articles/world-family-indicators/family-structure>.
10. Carmichael L, Schooley S. Is where we are where we were going? A dialogue of two generations. *Fam Med* 2001;33:252-258.
11. Scholz JK, Wolfe B. *How health, education, wealth, and family resources are shaping economic inequality*. Accessed December 31, 2014. Available at <http://www.ssc.wisc.edu/irpweb/research/inequality/inequalproj.htm>.
12. DeNavas-Walt C, Proctor BD, Smith JC. *Income, poverty, and health insurance coverage in the United States: 2012*. (Proctor and Dalaker 2003). Accessed May 20, 2014. Available at <http://www.census.gov/prod/2013pubs/p60-245.pdf>.
13. Economic Policy Institute. *Family budget calculator*. Accessed May 20, 2014. Available at <http://www.epi.org/resources/budget/>.
14. Himmelstein DU, Thorne D, Warren E, Woolhandler S. Medical bankruptcy in the United States, 2007: Results of a national study. *Am J Med* 2009;122:741-746.
15. Institute of Medicine. *Committee on the Consequences of Uninsurance. Health*

Insurance Is a Family Matter. Washington, DC: National Academy Press, 2001.

16. Institute of Medicine. *Committee on the Consequences of Uninsurance. Health Insurance Is a Family Matter*. Washington, DC: National Academy Press, 2002.

17. Saba GW, Wong S, Schillinger D, et al. Shared decision-making and the experience of partnership in primary care. *Ann Fam Med* 2006;4:54-62.

18. Fernandez A, Schillinger D, Grumbach K, et al. Physician language ability and cultural competence. An exploratory study of communication with Spanish-speaking patients. *J Gen Intern Med* 2004;19:167-174.

19. Engel GL. The need for a new medical model: A challenge for biomedicine. *Science* 1977;196(4286):129-136.

20. Saba GW. What do family physicians believe and value in their work? *J Am Board Fam Pract* 1999;12:206-213.

21. Rodriguez M, Saba GW. Cultural competence and intimate partner abuse: Health care interventions. In: Roberts G, Hegarty K, Feder G, eds. *Intimate Partner Abuse and Health Professionals: New Approaches to Domestic Violence*. Oxford, UK: Elsevier, 2006.

22. Becker G, Beyene Y, Newsom EM, et al. Knowledge and care of chronic illness in three ethnic minority groups. *Fam Med* 1998;30:173-178.

23. Borrell-Carrio F, Suchman AL, Epstein RM. The biopsychosocial model 25 years later: Principles, practice, and scientific inquiry. *Ann Fam Med* 2004;2:576-582.

24. Minuchin P, Colapinto J, Minuchin S. *Working with Families of the Poor*. New York: The Guilford Press, 1998.

25. Shipler DK. *The Working Poor: Invisible in America*. New York: Alfred A. Knopf, 2004.

RESOURCES

The Web site of the American Association of Retired Persons; this site contains consumer-directed information on general topics related to aging: <http://www.aarp.org>.

Alzheimer's Association: 1-800-272-3900 (www.alz.org).

The Family Caregiver Alliance: 1-800-445-8106 (www.caregiver.org).

The US Administration on Aging maintains a comprehensive Web site with information on resources of interest to seniors, their families/caregivers, and health professionals. For specific information on local resources, the Web site provides links to state and area aging agencies as well as contact information for the nationwide Eldercare Locator service: www.AOA.gov.

Web site maintained by the American Elder Care Research Organization. Provides general information on costs of senior care and links to search for specific care services: <https://www.payingforseniorcare.com>.

National Adult Day Services Association. Web site contains general information on adult day programs and tips for caregivers on choosing a program: <http://nadsa.org>.

Web site of special projects of the Administration on Aging. This page contains links to resources and information on global aging: http://www.aoa.acl.gov/AoA_Programs/Special_Projects/Global_Aging/resources.aspx.

REFERENCES

1. Werner CA. The Older Population: 2010. 2010 Census Briefs. US Census Bureau 2011. Accessed March 4, 2014. Available at <http://www.census.gov/prod/cen2010/briefs/c2010br-09.pdf>.
2. Hetzel L, Smith A. The 65 years and over population: Census 2000 Brief. US Census Bureau 2001. Accessed May 19, 2014. Available at

<http://www.census.gov/prod/2001pubs/c2kbr01-10.pdf>.

3. Suzman R, Beard J. Global Health and Aging. National Institute on Aging. National Institutes of Health. October 2011. Accessed March 4, 2014. Available at http://www.nia.nih.gov/sites/default/files/global_health_and_aging.pdf.

4. Lutz W, Sanderson W, Scherbov S. The coming acceleration of global population ageing. *Nature* 2008;451:716-719.

5. Feng Z, Liu C, Guan X, Mor V. China's rapidly aging population creates policy challenges in shaping a viable long-term care system. *Health Aff (Millwood)* 2012;31(12):2764-2773.

6. Wan H, Yu F, Kolanowski A. Caring for aging Chinese: Lessons learned from the United States. *J Transcult Nurs* 2008;19(2):114-120.

7. Older Americans 2012: Key Indicators of Well-Being. Federal Interagency Forum on Aging Related Statistics. June 2012. Accessed March 4, 2014. Available at http://www.agingstats.gov/Main_Site/Data/2012_Documents/docs/HealthStatus.pdf.

8. <http://www.census.gov/population/www/projections/summarytables.html>. In: The State of Aging and Health in America 2013. Centers for Disease Control and Prevention. 2013. Accessed March 1, 2014. Available at http://www.cdc.gov/features/agingandhealth/state_of_aging_and_health_in_america_2013.pdf.

9. Elderly Immigrants in the United States. Today's Research on Aging. Population Reference Bureau. October 2013. Accessed March 10, 2014. Available at <http://www.prb.org/Publications/Reports/2013/us-elderly-immigrants.aspx>.

10. Educational Attainment in the United States: 2010. US Census Bureau Current Population Survey, 2010 Annual Social and Economic Supplement. Accessed March 12, 2014. Available at <http://www.census.gov/hhes/socdemo/education/data/cps/2010/tables.html>.

11. O'Brien E, Bin Wu K, Baer D. Older Americans in Poverty: A Snapshot. AARP Public Policy Institute. April 2010. Accessed March 13, 2014. Available at

<http://assets.aarp.org/rgcenter/ppi/econ-sec/2010-03-poverty.pdf>.

12. Asch SM, Sloss EM, Hogan C, et al. Measuring underuse of necessary care among elderly Medicare beneficiaries using inpatient and outpatient claims. *JAMA* 2000;284:2325-2333.

13. Gornick ME, Eggers PW, Reilly TW, et al. Effects of race and income on mortality and use of services among Medicare beneficiaries. *N Engl J Med* 1996;335:11:791-799.

14. Bassuk SS, Berkman LF, Amick BC, 3rd. Socioeconomic status and mortality among the elderly: Findings from four US communities. *Am J Epidemiol* 2002;155:520-533.

15. von dem Knesebeck O, Luschen G, Cockerham WC, et al. Socioeconomic status and health among the aged in the United States and Germany: A comparative cross-sectional study. *Soc Sci Med* 2003;57:1643-1652.

16. Noel-Miller C. Medicare Beneficiaries' Out-of-Pocket Spending for Health Care. AARP Public Policy Institute. May 2012. Accessed March 13, 2014. Available at http://www.aarp.org/content/dam/aarp/research/public_policy_institute/health/medicare-beneficiaries-out-of-pocket-spending-AARP-ppi-health.pdf.

17. Medicare Spending and Financing Fact Sheet. The Henry J. Kaiser Family Foundation. November 2012. Accessed March 13, 2014. Available at <http://kff.org/medicare/fact-sheet/medicare-spending-and-financing-fact-sheet/>.

18. Medicare Advantage Fact Sheet. The Henry J. Kaiser Family Foundation. May 2014. Accessed May 19, 2014. Available at <http://kff.org/medicare/fact-sheet/medicare-advantage-fact-sheet/>.

19. Fitzpatrick AL, Powe NR, Cooper LS, et al. Barriers to health care access among the elderly and who perceives them. *Am J Public Health* 2004;94:1788-1794.

20. Neuman P, Rowland D, Kitchman M, et al. Understanding the diverse needs of the Medicare population: Implications for Medicare reform. *J Aging Soc Policy* 1999;10:25-50.

21. Mojtabai R, Olfson M. Medication costs, adherence, and health outcomes among

Medicare beneficiaries. *Health Aff (Millwood)* 2003;22:220-229.

22. Tseng CW, Brook RH, Keeler E, et al. Cost-lowering strategies used by Medicare beneficiaries who exceed drug benefit caps and have a gap in drug coverage. *JAMA* 2004;292:952-960.

23. Safran DG, Strollo MK, Guterman S, Li A, Rogers WH, Neuman P. Prescription coverage, use and spending before and after Part D implementation: A national longitudinal panel study. *J Gen Intern Med* 2010;25(1):10-17.

24. Part D/Prescription Drug Benefits. Center for Medicare Advocacy. Accessed May 16, 2014. Available at <http://www.medicareadvocacy.org/medicare-info/medicare-part-d/#LIS>.

25. Pedan A, Lu J, Varasteh LT. Assessment of drug consumption patterns for Medicare Part D patients. *Am J Manag Care* 2009;15(5):323-327.

26. Medicare: A Primer. The Henry J. Kaiser Family Foundation. April 2010. Accessed March 13, 2014. Available at <http://kaiserfamilyfoundation.files.wordpress.com/2013/01/7615-03.pdf>.

27. Medicare drug benefit (Part D) costs. Medicare Interactive.org. Accessed May 15, 2014. Available at http://www.medicareinteractive.org/page2.php?topic=counselor&page=script&script_id=1479.

28. Mays J, Brenner M, Neuman T, Cubanski J, Claxton G. Estimates of Medicare Beneficiaries' Out-of-Pocket Drug Spending in 2006: Modeling the Impact of the MMA. November 2004. Accessed May 13, 2014. Available at <http://kaiserfamilyfoundation.files.wordpress.com/2013/01/executive-summary-estimates-of-medicare-beneficiaries-out-of-pocket-drug-spending-in-2006-modeling-the-impact-of-the-mma.pdf>.

29. Coleman-Jensen A, Nord M, Andrews M, Carlson S. Household food security in the United States in 2011. Economic Research Report No. (ERR-141). Washington, DC: USDA, Economic Research Service; 2012.

30. Ziliak J, Gundersen C, Haist M. The causes, consequences, and future of senior hunger in America. The University of Kentucky Center for Poverty Research. 2008.
31. Koenig HG, Meador KG, Cohen HJ, et al. Depression in elderly hospitalized patients with medical illness. *Arch Intern Med* 1988;148(9):1929-1936.
32. Teresi J, Abrams R, Holmes D, et al. Prevalence of depression and depression recognition in nursing homes. *Soc Psychiatry Psychiatr Epidemiol* 2001;36(12):613-620.
33. Centers for Disease Control and Prevention. WISQARS: Web-based Injury Statistics Query and Reporting System. Accessed August 15, 2010; <http://www.cdc.gov/ncipc/wisqars/default.htm>. In Conwell Y, Van Orden K, Caine ED. Suicide in older adults. *Psychiatr Clin North Am* 2011;34(2):451-468.
34. Larson EB. Recognition of dementia: discovering the silent epidemic. *J Am Geriatr Soc* 1998;46:1576-1577.
35. Results from the 2009 National Survey on Drug Use and Health: Volume I. Summary of National Findings. Substance Abuse and Mental Health Services Administration. 2010. Accessed March 16, 2014. Available at <http://www.samhsa.gov/data/NSDUH/2k9NSDUH/2k9Results.htm>.
36. Adams WL, Yuan Z, Barboriak JJ, et al. Alcohol-related hospitalizations of elderly people. Prevalence and geographic variation in the United States. *JAMA* 1993;270:1222-1225.
37. Simoni-Wastila L, Yang HK. Psychoactive drug abuse in older adults. *Am J Geriatric Pharmacother* 2006;4:380-394.
38. Blow FC, Brower KJ, Schulenberg JE, et al. The Michigan Alcoholism Screening Test, Geriatric Version (MAST-G): A new elderly-specific screening instrument. *Alcoholism: Clinical and Experimental Research*, 1992. 16:372. Accessed August 20, 2005. Available at <http://www.ncbi.nlm.nih.gov/books/bv.fcgi?rid=hstat5.table.49350>.
39. Caregiving in the US. National Alliance for Caregiving. November 2009. Accessed March 16, 2014. Available at

http://www.caregiving.org/data/Caregiving_in_the_US_2009_full_report.pdf.

40. Wolf R. Risk assessment instruments. National Center on Elder Abuse Newsletter. Accessed May 23, 2005. Available at

<http://www.elderabusecenter.org/default.cfm?p=riskassessment.cfm>.

41. Aravanis SC, Adelman RD, Breckman R, Fulmer TT, Holder E, Lachs M, O'Brien JG, Sanders AB. Diagnostic and treatment guidelines on elder abuse and neglect. *Arch Fam Med* 1993;2(4):371-388.

42. Moore AA, Siu AL. Screening for common problems in ambulatory elderly: clinical confirmation of a screening instrument. *Am J Med* 1996;100:438-443.

43a. Lachs MS, Feinstein AR. et al. A simple procedure for general screening for functional disability in elderly patients. *Ann Intern Med* 1990;112:699-706.

43. Boyd CM, Darer J, Boult C, Fried LP, Boult L, Wu AW. Clinical practice guidelines and quality of care for older patients with multiple comorbid diseases: implications for pay for performance. *JAMA* 2005;294(6):716-724.

44. Nathan A, Goodyer L, Lovejoy A, Rashid A. 'Brown bag' medication reviews as a means of optimizing patients' use of medication and of identifying potential clinical problems. *Fam Pract* 1999;16(3):278-282.

45. Walter LC, Covinsky KE. Cancer screening in elderly patients: A framework for individualized decision making. *JAMA* 2001;285:2750-2756.

46. 1915(c) Home & Community-Based Waivers. Medicaid.gov. Accessed February 21, 2014. Available at <http://www.medicaid.gov/Medicaid-CHIP-Program-Information/By-Topics/Waivers/Home-and-Community-Based-1915-c-Waivers.html>.

47. Health Homes. Medicaid.gov. Accessed February 21, 2014. Available at <http://www.medicaid.gov/Medicaid-CHIP-Program-Information/By-Topics/Long-Term-Services-and-Supports/Integrating-Care/Health-Homes/Health-Homes.html>.

48. Nutrition Services (OAA Title IIIC). Administration on Aging. Accessed February 21,

2014. Available at

http://www.aoa.gov/AoARoot/AoA_Programs/HCLTC/Nutrition_Services/index.aspx.

49. Bodenheimer T. Long-term care for frail elderly people—The On Lok model. *N Engl J Med* 1999;341:1324-1328.

50. What is PACE? National PACE Association. Accessed April 21, 2014. Available at http://www.npaonline.org/website/article.asp?id=12&title=Who,_What_and_Where_Is_PACE?

51. Chisholm MA, DiPiro JT. Pharmaceutical manufacturer assistance programs. *Arch Intern Med* 2002;162:780-784.

52. Stebbins MR, Kaufman DJ, Lipton HL. The PRICE clinic for low-income elderly: a managed care model for implementing pharmacist-directed services. *J Manag Care Pharm* 2005;11(4):333-341.

第 17 章 死にゆく患者のケア

RESOURCES

Aging with Dignity Five Wishes Program: <http://www.agingwithdignity.org/5wishes.html>.

American Academy of Hospice and Palliative Medicine: <http://www.aahpm.org/>.

Center for the Advancement of Palliative Care: <http://www.capc.org>.

End of Life Nursing Education Consortium (ELNEC): <http://www.aacn.nche.edu/ELNEC/>.

EPEC(c): The Education in Palliative and End-of-Life Care Curriculum:
<http://www.epec.net/>.

Frontline: Being Mortal: <http://www.pbs.org/wgbh/pages/frontline/being-mortal/>.

National Consensus Project: <http://www.nationalconsensusproject.org>.

National Hospice and Palliative Care Organization: <http://www.nhpco.org/>.

REFERENCES

1. World Health Organization, Worldwide Palliative Care Alliance. Global Atlas of Palliative Care at the End of Life. Available at http://www.who.int/nmh/Global_Atlas_of_Palliative_Care.pdf?ua=1. Accessed June 2, 2014.
2. Brennen F. Palliative care as an international human right. *J Pain Symptom Manage* 2007;33(5):494-499.
3. Committee on Economic, Social and Cultural Rights (CESCR) General Comment 14, para. 25. Available at <http://www.ohchr.org/Documents/Issues/Women/WRGS/Health/GC14.pdf>.
4. MacWilliams J, Bramwell M, Brown S, O'Connor M. Reaching out to Ray: Delivering palliative care services to a homeless person in Melbourne, Australia. *Int J Palliat Nurs* 2014;20(2):83-88.
5. Moore G, Manias E, Gerdtz MF. Complex health service needs for people who are homeless. *Aust Health Rev* 2011;35(4):480-485.
6. Song J, Bartels DM, Ratner ER, Alderton L, Hudson B, Ahluwalia JS. Dying on the streets: Homeless persons' concerns and desires about end of life care. *J Gen Intern Med* 2007;22(4):435-441.
7. Hanratty B, Holmes L. Social inequality in dying. In: Oliviere D, Monroe B, Payne S, eds. *Death, Dying, and Social Differences*. New York: Oxford University Press; 2011:19-31.
8. Warm EJ. Fast Facts and Concepts #30: Prognostication (2nd ed). Available at http://www.eperc.mcw.edu/EPERC/FastFactsIndex/ff_030.htm. Accessed June 2, 2014.

9. Glare P, Virik K, Jones M, et al. A systematic review of physicians' survival predictions in terminally ill cancer patients. *BMJ* 2003;327(7408):195-198.
10. Lamont EB, Christakis NA. Complexities in prognostication in advanced cancer: "To help them live their lives the way they want to". *JAMA* 2003;290(1):98-104.
11. Zibelman M, Xiang Q, Muchka S, Nickoloff S, Marks S. Assessing prognostic documentation and accuracy among palliative care clinicians. *J Palliat Med* 2014;17(5):521-526.
12. Schattner A. What do patients really want to know? *QJM* 2002;95(3):135-136.
13. Davis AJ. The bioethically constructed ideal dying patient in USA. *Med Law* 2000;19(1):161-164.
14. Blackhall LJ, Murphy ST, Frank G, Michel V, Azen S. Ethnicity and attitudes toward patient autonomy. *JAMA* 1995;274(10):820-825.
15. Lapine A, Wang-Cheng R, Goldstein M, Nooney A, Lamb G, Derse AR. When cultures clash: Physician, patient, and family wishes in truth disclosure for dying patients. *J Palliat Med* 2001;4(4):475-480.
16. Buckman R. *How to Break Bad News: A Guide for Health Care Professionals*. Baltimore, MD: Johns Hopkins University Press, 1992.
17. Beauchamp TL, Childress JF. Respect for Autonomy. *Principles of Biomedical Ethics*. 7th ed. New York: Oxford University Press, 2012:57-104.
18. Doukas DJ, McCullough LB. The values history: The evaluation of the patient's values and advance directives. *J Fam Pract* 1991;32:145-153.
19. McCabe MS, Storm C. When doctors and patients disagree about medical futility. *J Oncol Pract* Jul 2008;4(4):207-209.
20. Jox RJ, Schaidler A, Marckmann G, Borasio GD. Medical futility at the end of life: The perspectives of intensive care and palliative care clinicians. *J Med Ethics* Sep

2012;38(9):540-545.

21. Wilkinson D, Savulescu J. Knowing when to stop: Futility in the intensive care unit. *Curr Opin Anaesthesiol* 2011;24(2):160-165.
22. Hanratty B, Holmes L. Social inequality in dying. In: Oliviere D, Monroe B, Payne S, eds. *Death, Dying, and Social Differences*. New York: Oxford University Press, 2011:19-31.
23. Grant, RW, Finnocchio, LJ. California Primary Care Consortium Subcommittee on Interdisciplinary Collaboration. *Interdisciplinary collaborative teams in primary care: a model curriculum and resource guide*. San Francisco: Pew Health Professions Commission, 1995.
24. National Consensus Project Task Force. Clinical Practice Guidelines for Quality Palliative Care (2nd Edition). Available at <http://www.nationalconsensusproject.org/Guideline.pdf>. Accessed June 5, 2014.
25. Herman C. National Consensus Project Updates Palliative Care Guidelines. *Aging Today Online*. Available at <http://asaging.org/blog/national-consensus-project-updates-palliative-care-guidelines>. Accessed June 2, 2014.
26. Dooley DS. California State Health Care Innovation Plan. Available at http://www.chhs.ca.gov/PRI/CalSIM%20State%20Health%20Care%20Innovation%20Plan_Final.pdf. Accessed May 18, 2014.
27. Centers for Medicare & Medicaid Services. Health Care Innovation Awards. Available at <http://innovation.cms.gov/initiatives/Health-Care-Innovation-Awards/California.html>. Accessed June 1, 2014.
28. Hospice of Michigan. At Home Choices. Available at <http://www.hom.org/our-services/at-home-choices/>. Accessed June 1, 2014.
29. Ciemins EL, Stuart B, Gerber R, Newman J, Bauman M. An Evaluation of the Advanced Illness Management (AIM) Program: Increasing hospice utilization in the San Francisco Bay area. *J Palliat Med* Dec 2006;9(6):1401-1411.

30. Gehlert S, Moro T. Palliative care with vulnerable populations. In: Altilio T, Otis-Green S, eds. *Oxford Textbook of Palliative Social Work*. New York: Oxford University Press, 2011.
31. Podymow T, Turnbull J, Coyle D. Shelter-based palliative care for the homeless terminally ill. *Palliat Med* Mar 2006;20(2):81-86.
32. Smedley BD, Stith AY, Nelson AR, eds. *Unequal Treatment: Confronting Racial and Ethnic Disparities in Healthcare*. Washington, DC: National Academies Press, 2003.
33. Schwartz Center Rounds®. Available at <http://www.theschwartzcenter.org/supporting-caregivers/schwartz-center-rounds.aspx>. Accessed May 24, 2014.
34. Crawley LM, Marshall PA, Lo B, Koenig BA. Strategies for culturally effective end-of-life care. *Ann Intern Med* May 7 2002;136(9):673-679.
35. EPEC Adaptations. Available at <http://epec.net/adaptations.php>. Accessed April 18, 2014.
36. EPEC Education in Palliative and End-of-life Care. Available at <http://epec.net>. Accessed April 18, 2014.
37. End-of-Life Nursing Education Consortium (ELNEC). Available at <http://www.aacn.nche.edu/el nec>. Accessed May 9, 2014.
38. California State University at San Marcos. Courses for Professionals. Available at <http://www.csupalliativecare.org/programs/index.html>. Accessed May 18, 2014.
39. Fast Facts and Concepts. Available at <https://www.capc.org/fast-facts/>. Accessed February 17, 2015.
40. McCreddie M. Communication, information, and support. In: Oliviere D, Monroe B, Payne S, eds. *Death, Dying, and Social Differences*. New York: Oxford University Press, 2011:45-56.
41. Sallnow L, Kumar S, Kellehear A. *International perspectives on public health and palliative care*. New York: Routledge, 2012.

42. Crawley LM. Racial, cultural, and ethnic factors influencing end-of-life care. *J Palliat Med* 2005;8(Suppl 1):S58-S69.
43. Cohen J, Deliens L. *A Public Health Perspective on End of Life Care*. New York: Oxford University Press, 2012.
44. Economist Intelligence Unit. The quality of death: Ranking end-of-life care across the world. Available at http://www.lifebeforedeath.com/pdf/Quality_of_Death_Index_Report.pdf. Accessed June 2, 2014.

第 18 章 労働, 生活環境, そして健康

RESOURCES

The National Institute for Occupational Safety and Health Web site provides information on specific hazard, occupation, or disease. <http://www.cdc.gov/niosh/topics/>.

The Children's Environmental Health Network is a national multidisciplinary organization whose mission is to protect the developing child from environmental health hazards and promote a healthier environment. <http://www.cehn.org>.

The World Health Organization Web site provides information on a variety of environmental and occupational hazards that affect human health. <http://www.euro.who.int/en/health-topics/environment-and-health>.

The US Environmental Protection Agency Web site provides links to local air quality data, resources to aid in patient education and care regarding health effects of air pollutants. <http://airnow.gov/>.

The Healthy Homes Program Web site of the US Department of Housing and Urban Development provides links to useful documents such as "Overview of Asthma and the Home Environment" and "Help Yourself to a Healthy Home."

<http://www.hud.gov/offices/lead/hhi/index.cfm>.

The Web site of the Association of Occupational and Environmental Clinics provides contact information for clinics throughout the United States. <http://www.aoec.org/>.

The National Association of City and County Health Officials has a searchable Web site with useful information on environmental health and justice. <http://www.naccho.org/>.

The U.S. Centers for Disease Control and Prevention's Division of Community Health has a Web page with resources that can be used to improve the health of communities. <http://www.cdc.gov/NCCDPHP/dch/resources/index.htm>.

The U.S. Environmental Protection Agency has a program to improve the ability of health-care providers to recognize pesticide exposures and manage pesticide-related health problems called the "National Strategies for Health Care Providers: Pesticide Initiative." <http://www.epa.gov/oppfead1/safety/healthcare/handbook/handbook.pdf>;
<http://www.epa.gov/pesticides/safety/healthcare/healthcare.htm>.

The World Health Organization has a program to set norms and standards for pesticide use to protect public health. <http://www.who.int/whopes/en/>.

The U.S. Centers for Disease Control and Prevention has a "National Action Plan to Prevent Childhood Injuries." <http://www.cdc.gov/safchild/NAP/toc.html>.

REFERENCES

1. Centers for Disease Control and Prevention. Health disparities experienced by black or African Americans—United States. *MMWR Morb Mortal Wkly Rep* 2005;54:1-3.
2. Centers for Disease Control and Prevention. Health disparities experienced by Hispanics—United States. *MMWR Morb Mortal Wkly Rep* 2004;53:935-937.
3. Sears JM, Bowman SM, Silverstein BA. Trends in the disproportionate burden of work-related traumatic injuries sustained by Latinos. *J Occup Environ Med* 2012;54:1239-1245.

4. Doctors and nurses who treat kids need more training in environmental health. *Hosp Health Netw* 2004;78:60-61.
5. Gehle KS, Crawford JL, Hatcher MT. Integrating environmental health into medical education. *Am J Prev Med* 2011;41:S296-S301.
6. Morello-Frosch R, Zuk M, Jerrett M, Shamasunder B, Kyle AD. Understanding the cumulative impacts of inequalities in environmental health: Implications for policy. *Health Aff (Millwood)* 2011;30:879-887.
7. Morris JK, Cook DG, Shaper AG. Loss of employment and mortality. *BMJ* 1994;308:1135-1139.
8. Brenner MH. Mortality and the national economy. A review, and the experience of England and Wales, 1936—76. *Lancet* 1979;2:568-573.
9. Franks PJ, Adamson C, Bulpitt PF, Bulpitt CJ. Stroke death and unemployment in London. *J Epidemiol Community Health* 1991;45:16-18.
10. Bartley M. Unemployment and ill health: Understanding the relationship. *J Epidemiol Community Health* 1994;48:333-337.
11. Laporte A. Do economic cycles have a permanent effect on population health? Revisiting the Brenner hypothesis. *Health Econ* 2004;13:767-779.
12. Sullivan D, Von Wachter T. Job displacement and mortality: An analysis using administrative data. *Q J Econ* 2009;124:1265-1306.
13. Pollack CE, Lynch J. Health status of people undergoing foreclosure in the Philadelphia region. *Am J Public Health* 2009;99:1833-1839.
14. Din-Dzietham R, Nembhard WN, Collins R, Davis SK. Perceived stress following race-based discrimination at work is associated with hypertension in African-Americans. The Metro Atlanta Heart Disease Study, 1999–2001. *Soc Sci Med* 2004;58:449-461.
15. Williams DR, Neighbors HW, Jackson JS. Racial/ethnic discrimination and health:

Findings from community studies. *Am J Public Health* 2003;93:200-208.

16. Bashir SA. Home is where the harm is: Inadequate housing as a public health crisis. *Am J Public Health* 2002;92:733-738.

17. Corburn J. Confronting the challenges in reconnecting urban planning and public health. *Am J Public Health* 2004;94:541-546.

18. Developing guidance for health protection in the built environment—mitigation and adaptation responses. Geneva, Switzerland: World Health Organization, 2010.

19. Fullilove MT, Fullilove RE, 3rd. What's housing got to do with it? *Am J Public Health* 2000;90:183-184.

20. Jacobs DE. Environmental health disparities in housing. *Am J Public Health* 2011;101(Suppl 1):S115-S122.

21. Cohen D, Spear S, Scribner R, Kissinger P, Mason K, Wildgen J. "Broken windows" and the risk of gonorrhoea. *Am J Public Health* 2000;90:230-236.

22. Cohen HW, Northridge ME. Getting political: Racism and urban health. *Am J Public Health* 2000;90:841-842.

23. Meyer PA, McGeehin MA, Falk H. A global approach to childhood lead poisoning prevention. *Int J Hyg Environ Health* 2003;206:363-369.

24. Huang C, Barnett AG, Wang X, Vaneckova P, FitzGerald G, Tong S. Projecting future heat-related mortality under climate change scenarios: A systematic review. *Environ Health Perspect* 2011;119:1681-1690.

25. Davis RE, Knappenberger PC, Michaels PJ, Novicoff WM. Changing heat-related mortality in the United States. *Environ Health Perspect* 2003;111:1712-1718.

26. Franklin CM. Lessons from a heat wave. *Intensive Care Med* 2004;30:167.

27. Impact of the Built Environment on Health. In: Health NCfE, ed: Centers for Disease

Control and Prevention, 2011. Available at <http://www.cdc.gov/nceh/publications/factsheets/impactofthebuiltenvironmentonhealth.pdf>.

28. Krueger PM, Bond Huie SA, Rogers RG, Hummer RA. Neighbourhoods and homicide mortality: An analysis of race/ethnic differences. *J Epidemiol Community Health* 2004;58:223-230.
29. Jackson RJ. Creating a Healthy Environment: The Impact of the Built Environment on Public Health. Washington, DC: Sprawl Watch Clearinghouse, 2000.
30. Foshee VA, Reyes LM, Agnew-Brune CB, et al. The effects of the evidence-based Safe Dates dating abuse prevention program on other youth violence outcomes. *Prev Sci* 2014;15(6):907-916.
31. Cooper C, Eslinger DM, Stolley PD. Hospital-based violence intervention programs work. *J Trauma* 2006;61:534-537; discussion 7–40.
32. Kelly PJ, Lesser J, Cheng AL, et al. A prospective randomized controlled trial of an interpersonal violence prevention program with a Mexican American community. *Fam Community Health* 2010;33:207-215.
33. Urban air pollution and health inequities: A workshop report. *Environ Health Perspect* 2001;109:357-374.
34. Balmes J, Tager I. Air pollution. In: Murray JF, Nadel JA, eds. *Textbook of Respiratory Medicine*, 3rd ed. Philadelphia, PA: B. Sanders, 2000:1888-1902.
35. Guarnieri M, Balmes JR. Outdoor air pollution and asthma. *Lancet* 2014;383:1581-1592.
36. Gauderman WJ, Avol E, Gilliland F, et al. The effect of air pollution on lung development from 10 to 18 years of age. *N Engl J Med* 2004;351:1057-1067.
37. Perera FP, Rauh V, Tsai WY, et al. Effects of transplacental exposure to environmental pollutants on birth outcomes in a multiethnic population. *Environ Health Perspect* 2003;111:201-205.

38. Frumkin H, Walker ED, Friedman-Jimenez G. Minority workers and communities. *Occup Med* 1999;14:495-517.
39. Bonjour S, Adair-Rohani H, Wolf J, et al. Solid fuel use for household cooking: Country and regional estimates for 1980–2010. *Environ Health Perspect* 2013;121:784-790.
40. Smith KR, Frumkin H, Balakrishnan K, et al. Energy and human health. *Annu Rev Public Health* 2013;34:159-188.
41. Anderson JT, Hunting KL, Welch LS. Injury and employment patterns among Hispanic construction workers. *J Occup Environ Med* 2000;42:176-186.
42. Frumkin H, Williamson M, Magid D, Holmes JH, Grisso JA. Occupational injuries in a poor inner-city population. *J Occup Environ Med* 1995;37:1374-1382.
43. Singer A. Immigrant Workers in the U.S. Labor Force. Brookings Institution; March 15, 2012.
44. Stanbury M, Rosenman KD. Occupational health disparities: A state public health-based approach. *Am J Ind Med* 2014;57:596-604.
45. Byler CG. Hispanic/Latino fatal occupational injury rates. *Mon Labor Rev* 2013;14-23.
46. Fatal Occupational Injuries by Event or Exposure, 2012–2013. U.S. Department of Labor, 2014. Available at <http://www.bls.gov/iif/oshcfoi1.htm>, Accessed December 28, 2015.
47. Alert N. Preventing Homicide in the Workplace: Department of Health and Human Services, National Institute for Occupational Safety and Health; 1995. Report No.: DHHS (NIOSH); Publication No. 93–109.
48. Janicak CA. An analysis of occupational homicides involving workers 19 years old and younger. *J Occup Environ Med* 1999;41:1140-1145.
49. Census of Fatal Occupational Injuries. Bureau of Labor Statistics; U.S. Department of Labor, 2007.

50. Arcury TA, Quandt SA, McCauley L. Farmworkers and pesticides: Community-based research. *Environ Health Perspect* 2000;108:787-792.
51. Roberts JR, Karr CJ, Council on Environmental Health. Pesticide exposure in children. *Pediatrics* 2012;130:e1765-e1788.
52. How To Comply With the Worker Protection Standard for Agricultural Pesticides. Washington, DC: U.S. Environmental Protection Agency; September 2005.
53. Villarejo D, Baron SL. The occupational health status of hired farm workers. *Occup Med* 1999;14:613-635.
54. Making Progress Against Child Labour—Global Estimates and Trends 2000–2012. Geneva: International Labor Organization, 2013.
55. Lee PT, Krause N. The impact of a worker health study on working conditions. *J Public Health Policy* 2002;23:268-285.
56. Le Moual N, Carsin AE, Siroux V, et al. Occupational exposures and uncontrolled adult-onset asthma in the European Community Respiratory Health Survey II. *Eur Respir J* 2014;43:374-386.
57. Warner M, Chen LH, Makuc DM, Anderson RN, Miniño AM. Drug poisoning deaths in the United States, 1980–2008. Hyattsville, MD: National Center for Health Statistics, 2011.
58. National Action Plan for Child Injury Prevention. Centers for Disease Control and Prevention, 2012. Accessed October 14, 2014.
59. Freudenberg N. Time for a national agenda to improve the health of urban populations. *Am J Public Health* 2000;90:837-840.
60. Williams S, Whitlock E, Smith P, Edgerton B, Beil T. U.S. Preventive Services Task Force Evidence Syntheses, Formerly Systematic Evidence Reviews. Primary Care Interventions to Prevent Motor Vehicle Occupant Injuries. Rockville, MD: Agency for Healthcare Research and Quality (US), 2007.

61. Owen R, Kendrick D, Mulvaney C, Coleman T, Royal S. Non-legislative interventions for the promotion of cycle helmet wearing by children. *Cochrane Database Syst Rev* 2011 9;(11):CD003985.

62. Healthy Community Design Expert Workshop Report. Atlanta, GA: Center for Disease Control and Prevention, 2009.

第 19 章 ホームレス患者のケア

RESOURCES

Bureau of Primary Health Care: <http://www.bphc.hrsa.gov>.

Center for Mental Health Care Homeless Services Branch: <http://www.mentalhealth.org>.

Center for Substance Abuse Treatment: <http://www.samhsa.gov>.

National Health Care for the Homeless Council: <http://www.nhchc.org>.

REFERENCES

1. Hwang SW. Mortality among men using homeless shelters in Toronto, Ontario. *JAMA* 2000;283(16):2152-2157.
2. Barrow SM, Herman DB, Cordova P, Struening EL. Mortality among homeless shelter residents in New York City. *Am J Public Health* 1999;89(4):529-534.
3. Hwang SW, Orav EJ, O'Connell JJ, Lebow JM, Brennan TA. Causes of death in homeless adults in Boston. *Ann Intern Med* 1997;126(8):625-628.
4. Baggett TP, Hwang SW, O'Connell JJ, et al. Mortality among homeless adults in Boston: Shifts in causes of death over a 15-year period. *JAMA Intern Med* 2013;173(3):189-195.

5. Cheung A, Hwang S. Risk of death among homeless women: A cohort study and review of the literature. *CMAJ* 2004;170:1243-1247.
6. Morrison DS. Homelessness as an independent risk factor for mortality: Results from a retrospective cohort study. *Int J Epidemiol* 2009;38(3):877-883.
7. Hibbs JR, Benner L, Klugman L, et al. Mortality in a cohort of homeless adults in Philadelphia. *New Engl J Med* 1994;331(5):304-309.
8. Kushel MB, Vittinghoff E, Haas JS. Factors associated with the health care utilization of homeless persons. *JAMA* 2001;285(2):200-206.
9. Gelberg L, Gallagher TC, Andersen RM, Koegel P. Competing priorities as a barrier to medical care among homeless adults in Los Angeles. *Am J Public Health* 1997;87(2):217-220.
10. Kushel MB, Perry S, Bangsberg D, Clark R, Moss AR. Emergency department use among the homeless and marginally housed: Results from a community-based study. *Am J Public Health* 2002;92(5):778-784.
11. Martell JV, Seitz RS, Harada JK, Kobayashi J, Sasaki VK, Wong C. Hospitalization in an urban homeless population: The Honolulu Urban Homeless Project. *Ann Intern Med* 1992;116(4):299-303.
12. Homelessness USICo. *Opening Doors: Federal Strategic Plan to Prevent and End Homelessness Update 2013*. Washington, DC, April 2014.
13. Burt MR, Aron LY, Valente J. *Helping America's Homeless: Emergency Shelter or Affordable Housing?* Washington, DC: Urban Institute Press, 2001.
14. United States Interagency Council on Homelessness. *Opening Doors: Federal Strategic Plan to Prevent and End Homelessness*, 2010. Available at <http://www.epaperflip.com/aglaia/viewer.aspx?docid=1dc1e97f82884912a8932a3502c37c02>.
15. Culhane DP, Metraux S, Bainbridge J. The Age Structure of Contemporary Homelessness: Risk Period or Cohort Effect? Penn School of Social Policy and Practice

Working Paper, 2010.

16. Culhane D, Byrne T. Cohort Effects in Homelessness: Trends among Older and Emerging Adults. PowerPoint Presentation Presented at National Alliance to End Homelessness Annual Conference; 2013; Washington, DC.

17. Homeless Emergency Assistance and Rapid Transition to Housing: Defining “Homeless” (24 CFR Parts 91, 582, and 283 [Docket No. FR-5333-F-02] RIN 2506-AC26)(2010).

18. McKinney-Vento Homeless Assistance Act (Pub. L. 100-77, July 22, 1987, 101 Stat. 482, 42 U.S.C. § 11301 et seq.)(1987).

19. Caton CL, Dominguez B, Schanzer B, et al. Risk factors for long-term homelessness: Findings from a longitudinal study of first-time homeless single adults. *Am J Public Health* 2005;95(10):1753-1759.

20. Dworsky A, Napolitano L, Courtney M. Homelessness During the Transition From Foster Care to Adulthood. *Am J Public Health* 2013;103(S2):S318-S323.

21. Kushel MB, Evans JL, Perry S, Robertson MJ, Moss AR. No door to lock: Victimization among homeless and marginally housed persons. *Arch Intern Med* 2003;163(20):2492-2499.

22. Burt MR. Homelessness: Programs and the people they serve. Washington, DC: Urban Institute Press, 1999.

23. White MC, Tulsy JP, Dawson C, Zolopa AR, Moss AR. Association between time homeless and perceived health status among the homeless in San Francisco. *J Community Health* 1997;22(4):271-282.

24. Martens WH. A review of physical and mental health in homeless persons. *Public Health Rev* 2001;29(1):13-33.

25. Fischer PJ. Alcohol and drug abuse and mental health problems among homeless persons: A review of the literature, 1980–1990. Rockville, MD: National Institute on Alcohol Abuse and Alcoholism and National Institute of Mental Health, 1991.

26. Weinreb L, Goldberg R, Bassuk E, Perloff J. Determinants of health and service use patterns in homeless and low-income housed children. *Pediatrics* 1998;102(3, Pt 1):554-562.
27. Gelberg L, Leake BD, Lu MC, et al. Use of contraceptive methods among homeless women for protection against unwanted pregnancies and sexually transmitted diseases: Prior use and willingness to use in the future. *Contraception* 2001;63(5):277-281.
28. Baggett TP, Rigotti NA. Cigarette smoking and advice to quit in a national sample of homeless adults. *Am J Prev Med* 2010;39(2):164-172.
29. Brown RT, Kiely DK, Bharel M, Mitchell SL. Geriatric syndromes in older homeless adults. *J Gen Intern Med* 2012;27(1):16-22.
30. Robertson MJ, Winkleby MA. Mental health problems of homeless women and differences across subgroups. *Annu Rev Public Health* 1996;17:311-336.
31. Hwang SW, Lebow JM, Bierer MF, O'Connell JJ, Orav EJ, Brennan TA. Risk factors for death in homeless adults in Boston. *Arch Intern Med* 1998;158(13):1454-1460.
32. KasproW WJ, Rosenheck R. Mortality among homeless and nonhomeless mentally ill veterans. *J Nerv Ment Dis* 2000;188(3):141-147.
33. Roy E, Haley N, Leclerc P, Sochanski B, Boudreau JF, Boivin JF. Mortality in a cohort of street youth in Montreal. *JAMA* 2004;292(5):569-574.
34. Rosen MI, Rosenheck R. Substance use and assignment of representative payees. *Psychiatr Serv* 1999;50(1):95-98.
35. Plumb JD. Homelessness: Care, prevention, and public policy. *Ann Intern Med* 1997;126(12):973-975.
36. Koegel P, Sullivan G, Burnam A, Morton SC, Wenzel S. Utilization of mental health and substance abuse services among homeless adults in Los Angeles. *Med Care* 1999;37(3):306-317.
37. Doran KM, Ragins KT, Gross CP, Zerger S. Medical respite programs for homeless

patients: A systematic review. *J Health Care Poor Underserved* 2013;24(2):499-524.

38. Bonin E, Brehove TM, Kline S, et al. Adapting your practice: General recommendations for the care of homeless patients. Nashville, TN: Health Care for the Homeless Clinicians' Network, National Health Care for the Homeless Council, 2004.

第 20 章 レズビアン, ゲイ, バイセクシャル, トランスジェンダーの患者への医療サービス

RESOURCES

Publications and Other Resources from the Lesbian, Gay, Bisexual and Transgender Concerns Office. American Psychological Association Web site.
<http://www.apa.org/pi/lgbt/resources/public-info.aspx>.

Committee on Lesbian, Gay, Bisexual, and Transgender Health Issues and Research Gaps and Opportunities; Board on the Health of Select Populations; Institute of Medicine. *The Health of Lesbian, Gay, Bisexual, and Transgender People: Building a Foundation for Better Understanding*. Washington, DC: Institute of Medicine; 2011.
www.iom.edu/LGBTHealth.

US Public Health Service: Preexposure prophylaxis for the prevention of HIV infection in the United States—2014. A Clinical Practice Guideline:
<http://www.cdc.gov/hiv/pdf/PrEPguidelines2014.pdf>.

Clinician Consultation Center: <http://nccc.ucsf.edu/>. UCSF-based program providing online and phone-based consultation in service areas including testing and prevention, treatment, and post-exposure prophylaxis. Extensive online resource links.

Gay and Lesbian Medical Association. GLMA's mission is to ensure equality in health care for lesbian, gay, bisexual, and transgender (LGBT) individuals and health-care providers.
<http://www.glma.org/>.

Human Rights Campaign. Largest U.S. LGBT rights organization provides general LGBT information and administers. National LGBT Healthcare Equality Index, which offers

numerous recommendations for LGBT patient-centered care. <http://hrc.org/hei>.

World Professional Association for Transgender Health. <http://www.wpath.org/>.

SFDPH Transgender Health Services.

<https://www.sfdph.org/dph/comupg/oprograms/THS/ClinicalResources.asp>.

UCSF Center of Excellence for Transgender Health <http://transhealth.ucsf.edu/>.

Transline Project: <http://project-health.org/transline/>.

Vancouver Coastal Health: transhealth.vch.ca.

REFERENCES

1. Gallup Special Report: New Estimates of the LGBT Population in the United States. UCLA Williams Institute Web site: <http://williamsinstitute.law.ucla.edu/research/census-lgbt-demographics-studies/gallup-lgbt-pop-feb-2013/>. Accessed August 6, 2014.
2. Lambda Legal. *When Health Care Isn't Caring*. 2010. Available at <http://www.lambdalegal.org/health-care-report>. Accessed August 6, 2014.
3. Grant J, Mottet L, Tanis J. *Injustice At Every Turn: A Report of the National Transgender Discrimination Survey*. 2011. Available at http://www.transequality.org/Resources/ntds_full.pdf. Accessed August 6, 2014.
4. The Joint Commission. *Advancing Effective Communication, Cultural Competence, and Family- and Patient- Centered Care in the LGBT Community*. Available at <http://www.jointcommission.org/assets/1/18/LGBTFieldGuide.pdf>. Accessed August 6, 2014.
5. National LGBT Healthcare Equality Index. Human Rights Campaign. Web site. <http://hrc.org/hei>. Accessed August 6, 2014.
6. Black D, Gates G, Sanders S, Taylor L. Demographics of the gay and lesbian population

in the United States: Evidence from available systematic data sources. *Demography* 2000;37:139-154.

7. Singh D, Fine DN, Marrazzo JM. Chlamydia trachomatis infection among women reporting sexual activity with women screened in family planning clinics in the Pacific Northwest, 1997 to 2005. *Am J Public Health* 2011;101(7):1284-1290.

8. Koh AS. Use of preventive health behaviors by lesbians, bisexual and heterosexual women: Questionnaire survey. *West J Med* 2000;172:379-384.

9. Valanis BG, Bowen DJ, Bassford T, Whitlock E, Charney P, Carter RA. Sexual orientation and health: Comparisons in the women's health initiative sample. *Arch Fam Med* 2000;9:843-853.

10. Boehmer U, Bowen DJ, Bauer GR. Overweight and obesity in sexual minority women: Evidence from population-based data. *Am J Public Health* 2007;97:1134-1140.

11. Van Gelderen L, Bos HM, Gartrell N, Hermanns J, Perin EC. Quality of life of adolescents raised from birth by lesbian mothers: The United States Longitudinal Lesbian Family Study. *J Dev Behav Pediatr* 2012;33(1):17-23.

12. Ristock JL. Exploring dynamics of abusive lesbian relationships: Preliminary analysis of a multisite, qualitative study. *Am J Community Psychol* 2003;31:329-341.

13. Hughes TL, Johnson T, Wilsnack SC. Sexual assault and alcohol abuse: A comparison of lesbians and heterosexual women. *J Subst Abuse* 2001;13:515-532.

14. Cochran SD, Sullivan JG, Mays VM. Prevalence of mental disorders, psychological distress, and mental health service use among lesbians, gay and bisexual adults in the United States. *J Consult Clin Psychol* 2003;71:53-61.

15. Meyer IH, Teylan M, Schwartz S. The role of help-seeking in preventing suicide attempts among lesbians, gay men and bisexuals. *Suicide Life Threat Behav* 2014;45(1):25-36.

16. Green KE, Feinstein BA. Substance use in lesbian, gay and bisexual populations: An

update on empirical research and implications for treatment. *Psychol Addict Behav* 2012;26(2):265-278.

17. Gruskin EP, Greenwood GL, Matevia M, Pollack LM, Bye LL. Disparities in smoking between the lesbian, gay and bisexual population and the general population in California. *Am J Public Health* 2007;97:1496-1502.

18. Committee on Lesbian, Gay, Bisexual, and Transgender Health Issues and Research Gaps and Opportunities; Board on the Health of Select Populations; Institute of Medicine. *The Health of Lesbian, Gay, Bisexual, and Transgender People: Building a Foundation for Better Understanding*. Washington, DC: Institute of Medicine; 2011. Available at www.iom.edu/LGBTHealth.

19. Bostwick WB, Boyd CJ, Hughes TL, McCabe SE. Dimensions of sexual orientation and the prevalence of mood and anxiety disorders in the United States. *Am J Public Health* 2010;100(3):468-475.

20. Lee GL, Griffin GK, Melvin CL. Tobacco use among sexual minorities in the USA: 1987 to May 2007: A systematic review. *Tob Control* 2009;18:275-282.

21. Lyons T, Chandra G, Goldstein J. Stimulant use and HIV risk behavior: The influence of peer support. *AIDS Ed and Prev* 2006;18(5):461-473.

22. Lyons T, Chandra G, Goldstein J, Ostrow DG. Breaking the bond between stimulant use and risky sex: A qualitative study. *Subst Abus* 2010;31(4):224-230.

23. Centers for Disease Control and Prevention. Estimated HIV incidence in the United States, 2007–2010. *HIV Surveillance Supplemental Report* 2012;17(No. 4). Available at <http://www.cdc.gov/hiv/topics/surveillance/resources/reports/#supplemental>. Published December 2012.

24. HIV Testing and Risk Behaviors Among Gay, Bisexual, and Other Men Who Have Sex with Men—United States. *MMWR Morb Mortal Wkly Rep* 2013 Nov 29;62(47):958-962.

25. Patel P, Borkowf CB, Brooks JT, et al. Estimating per-act HIV transmission risk: A systematic review. *AIDS* 2014;28(10):1509-1519.

26. Cohen MS, Chen YQ, McCauley M, et al; HPTN 052 Study Team. Prevention of HIV-1 Infection with early antiretroviral therapy. *N Engl J Med* 2011;365(6):493-505.
27. Weller SC, Davis-Beaty K. Condom effectiveness in reducing heterosexual HIV transmission (Review). The Cochrane Collaboration. Wiley & Sons, 2011.
28. MMWR. Updated U.S. Public Health Service Guidelines for the Management of Occupational Exposures to HIV and Recommendations for Postexposure Prophylaxis. September 30, 2005/54(RR09);1-17.
29. Grant RM, Lama JR, Anderson PL, et al. Preexposure chemoprophylaxis for HIV prevention in men who have sex with men. *N Engl J Med* 2010;363(27):2587-2599.
30. US PHS/CDC. Preexposure Prophylaxis for the Prevention of HIV Infection in the United States—2014 Clinical Practice Guideline.
31. Recommendations on the Use of Quadrivalent Human Papillomavirus Vaccine in Males—Advisory Committee on Immunization Practices (ACIP), 2011.
32. Glen F, Hurrell K. Technical Note Measuring Gender Identity.pdf. 2012. Available at http://www.equalityhumanrights.com/sites/default/files/documents/technical_note_final.pdf. Accessed July 16, 2014.
33. Conron KJ, Scott G, Stowell GS, Landers SJ. Transgender health in Massachusetts: Results from a household probability sample of adults. *Am J Public Health* 2012;102(1):118-122.
34. Gates G. How many people are lesbian, gay, bisexual, and transgender? 2011. Available at <http://williamsinstitute.law.ucla.edu/wp-content/uploads/Gates-How-Many-People-LGBT-Apr-2011.pdf>.
35. The Number of Gender Variant People in the UK—Update 2011. 2011. Available at <http://www.gires.org.uk/assets/Research-Assets/Prevalence2011.pdf>.
36. Sausa LA, Sevelius J, Keatley J, Iñiguez JR, Reyes M. Policy Recommendations for Inclusive Data Collection of Trans People in HIV Prevention, Care & Services. 2009.

Available at <http://transhealth.ucsf.edu/trans?page=lib-data-collection>. Accessed July 16, 2014.

37. Grant JM, Mottet LA, Tanis J. *Injustice at Every Turn: A Report of the National Transgender Discrimination Survey*. Washington, DC: National Center for Transgender Equality and National Gay and Lesbian Task Force; 2011. Available at http://www.thetaskforce.org/reports_and_research/ntds. Accessed January 28, 2013.

38. Stotzer RL. Violence against transgender people: A review of United States data. *Aggress Violent Behav* 2009;14(3):170–179. Available at <http://www.sciencedirect.com/science/article/pii/S1359178909000202>. Accessed January 31, 2013.

39. Herbst JH, Jacobs ED, Finlayson TJ, et al. Estimating HIV prevalence and risk behaviors of transgender persons in the United States: A systematic review. *AIDS Behav* 2008;12(1):1-17.

40. Phillip S. Personal communication with Susan Phillip, MD. San Francisco Department of Public Health, 2012.

41. Wallace PM, Rasmussen S. Analysis of adulterated silicone: Implications for health promotion. *Int J Transgenderism* 2010;12(3):167-175.

42. WPATH. *SOC 7: Standards of Care for the Health of Transsexual, Transgender, and Gender Nonconforming People 7th Version*. World Professional Association for Transgender Health, 2012.

43. Lambda Legal. Changing Birth Certificate Sex Designations: State-By-State Guidelines. *Lambda Leg*. Available at <http://www.lambdalegal.org/publications/changing-birth-certificate-sex-designations-state-by-state-guidelines>. Accessed July 21, 2014.

44. Hembree WC, Cohen-Kettenis P, Delemarre-van de Waal HA, et al. Endocrine treatment of transsexual persons: An Endocrine Society Clinical Practice Guideline. *J Clin Endocrinol Metab* 2009;94(9):3132-3154.

45. University of California, San Francisco, Department of Family and Community

Medicine. Primary Care Protocol for Transgender Patient Care: Hormone Administration. *Prim Care Protoc Transgender Patient Care* 2011. Available at <http://transhealth.ucsf.edu/trans?page=protocol-hormones>. Accessed February 7, 2013.

46. Deutsch MB. Use of the informed consent model in the provision of cross-sex hormone therapy: A survey of the practices of selected clinics. *Int J Transgenderism* 2012;13(3):140-146.

47. Asscheman H, Giltay EJ, Megens JA, de Ronde WP, van Trotsenburg MA, Gooren LJ. A long-term follow-up study of mortality in transsexuals receiving treatment with cross-sex hormones. *Eur J Endocrinol* 2011;164(4):635-642.

48. Human Rights Campaign. List of Businesses with Transgender-Inclusive Health Insurance Benefits. *Hum Rights Campaign*. Available at <http://www.hrc.org/resources/entry/corporate-equality-index-list-of-businesses-with-transgender-inclusive-heal>. Accessed July 21, 2014.

第 21 章 精神疾患を持つ患者の医学的治療

RESOURCES

American Psychiatric Association (APA). The APA practice guidelines provide evidence-based recommendations for the assessment and treatment of common psychiatric disorders. <http://psychiatryonline.org/guidelines.aspx>.

National Institute of Mental Health (NIMH). The NIMH Web site offers mental health information on a variety of psychiatric conditions. <http://www.nimh.nih.gov/health/topics/index.shtml>.

Substance Abuse and Mental Health Services Administration (SAMHSA). SAMHSA provides screening tools for a variety of psychiatric and substance abuse disorders. <http://www.integration.samhsa.gov/clinical-practice/screening-tools>.

National Education Alliance for Borderline Personality Disorder (NEA.BPD). NEA.BPD

provides information about borderline personality disorder for patients and professionals.
www.borderlinepersonalitydisorder.com.

AIDS Education and Training Center (AETC). The New York and New Jersey AETC provides targeted, multidisciplinary education and training programs for health-care providers treating persons living with HIV/AIDS, including this useful publication: "Psychiatric Medications and HIV Antiretrovirals: A Drug Interaction Guide for Clinicians." http://www.nynjaetc.org/documents/2013_PsychGuide_WEB.pdf.

REFERENCES

1. Kessler RC, Chiu WT, Demler O, Merikangas KR, Walters EE. Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry* 2005;62(6):617-627.
2. World Health Organization and Calouste Gulbenkian Foundation. *Integrating the response to mental disorders and other chronic diseases in health care systems*. Geneva: World Health Organization. Available at http://apps.who.int/iris/bitstream/10665/112830/1/9789241506793_eng.pdf; 2014.
3. Felker B, Yazel JJ, Short D. Mortality and medical comorbidity among psychiatric patients: A review. *Psychiatr Serv* 1996;47(12):1356-1363.
4. Finch RA, Phillips K. *An Employer's Guide to Behavioral Health Services*. Washington, DC: National Business Group on Health/Center for Prevention and Health Services, 2005.
5. Regier DA, Narrow WE, Rae DS, Manderscheid RW, Locke BZ, Goodwin FK. The de facto US mental and addictive disorders service system. Epidemiologic catchment area prospective 1-year prevalence rates of disorders and services. *Arch Gen Psychiatry* 1993;50(2):85-94.
6. Substance Abuse and Mental Health Services Administration. Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings. *NSDUH Series H-47, HHS Publication No. (SMA) 13-4805*. Rockville, MD: Substance Abuse and Mental Health

Services Administration, 2013.

7. Druss BG, Marcus SC, Campbell J, et al. Medical services for clients in community mental health centers: Results from a national survey. *Psychiatr Serv* 2008;59(8):917-920.
8. Lutterman T, Ganju V, Schacht L. Sixteen State Study on Mental Health Performance Measures. *DHHS Publication No. (SMA) 03-3835*. Rockville, MD: Center for Mental Health Services, Substance Abuse, and Mental Health Services Administration, 2003.
9. Druss BG. Improving medical care for persons with serious mental illness: Challenges and solutions. *J Clin Psychiatry* 2007;68(Suppl 4):40-44.
10. Newcomer JW, Hennekens CH. Severe mental illness and risk of cardiovascular disease. *JAMA* 2007;298(15):1794-1796.
11. Goff DC, Sullivan LM, McEvoy JP, et al. A comparison of ten-year cardiac risk estimates in schizophrenia patients from the CATIE study and matched controls. *Schizophr Res* 2005;80(1):45-53.
12. McEvoy JP, Meyer JM, Goff DC, et al. Prevalence of the metabolic syndrome in patients with schizophrenia: Baseline results from the Clinical Antipsychotic Trials of Intervention Effectiveness (CATIE) schizophrenia trial and comparison with national estimates from NHANES III. *Schizophr Res* 2005;80(1):19-32.
13. De Hert M, Mauri M, Shaw K, et al. The METEOR study of diabetes and other metabolic disorders in patients with schizophrenia treated with antipsychotic drugs. I. Methodology. *Int J Methods Psychiatric Res* 2010;19(4):195-210.
14. Osborn DP, Wright CA, Levy G, King MB, Deo R, Nazareth I. Relative risk of diabetes, dyslipidaemia, hypertension and the metabolic syndrome in people with severe mental illnesses: Systematic review and metaanalysis. *BMC Psychiatry* 2008;8:84.
15. Alexander GC, Gallagher SA, Mascola A, Moloney RM, Stafford RS. Increasing off-label use of antipsychotic medications in the United States, 1995-2008. *Pharmacoepidemiol Drug Saf* 2011;20(2):177-184.

16. American Diabetes Association, American Psychiatric Association, American Association of Clinical Endocrinologists, North American Association for the Study of Obesity. Consensus development conference on antipsychotic drugs and obesity and diabetes. *Diabetes Care* 2004;27:596-601.
17. Morrato EH, Druss B, Hartung DM, et al. Metabolic testing rates in 3 state Medicaid programs after FDA warnings and ADA/APA recommendations for second-generation antipsychotic drugs. *Arch Gen Psychiatry* 2010;67(1):17-24.
18. Correll CU, Manu P, Olshanskiy V, Napolitano B, Kane JM, Malhotra AK. Cardiometabolic risk of second-generation antipsychotic medications during first-time use in children and adolescents. *JAMA* 2009;302(16):1765-1773.
19. Frayne SM, Halanych JH, Miller DR, et al. Disparities in diabetes care: Impact of mental illness. *Arch Intern Med* 2005;165(22):2631-2638.
20. Correll CU, Druss BG, Lombardo I, et al. Findings of a U.S. national cardiometabolic screening program among 10,084 psychiatric outpatients. *Psychiatr Serv* 2010;61(9):892-898.
21. McClave AK, McKnight-Eily LR, Davis SP, Dube SR. Smoking characteristics of adults with selected lifetime mental illnesses: Results from the 2007 National Health Interview Survey. *Am J Public Health* 2010;100(12):2464-2472.
22. Kelly DL, McMahon RP, Wehring HJ, et al. Cigarette smoking and mortality risk in people with schizophrenia. *Schizophr Bull* 2011;37(4):832-838.
23. Himelhoch S, Leith J, Goldberg R, Kreyenbuhl J, Medoff D, Dixon L. Care and management of cardiovascular risk factors among individuals with schizophrenia and type 2 diabetes who smoke. *Gen Hosp Psychiatry* 2009;31(1):30-32.
24. Kreyenbuhl J, Buchanan RW, Dickerson FB, Dixon LB. The Schizophrenia Patient Outcomes Research Team (PORT): Updated treatment recommendations 2009. *Schizophr Bull* 2010;36(1):94-103.
25. Substance Abuse and Mental Health Services Administration. Screening, Brief

Intervention and Referral to Treatment (SBIRT). Available at <http://beta.samhsa.gov/sbirt>. Accessed June 6, 2014.

26. Hughes E, Bassi S, Gilbody S, Bland M, Martin F. Prevalence of HIV, hepatitis B, and hepatitis C in people with severe mental illness: a systematic review and meta-analysis. *Lancet Psychiatry*. 2015.

27. Meade CS, Sikkema KJ. HIV risk behavior among adults with severe mental illness: A systematic review. *Clin Psychol Rev* 2005;25(4):433-457.

28. Carey MP, Carey KB, Maisto SA, Schroder KE, Vanable PA, Gordon CM. HIV risk behavior among psychiatric outpatients: Association with psychiatric disorder, substance use disorder, and gender. *J Nerv Ment Dis* 2004;192(4):289-296.

29. Senn TE, Carey MP. HIV testing among individuals with a severe mental illness: Review, suggestions for research, and clinical implications. *Psychol Med* 2009;39(03):355-363.

30. Cournos F, McKinnon K. HIV seroprevalence among people with severe mental illness in the United States: A critical review. *Clin Psychol Rev* 1997;17(3):259-269.

31. Soriano V, Vispo E, Labarga P, Medrano J, Barreiro P. Viral hepatitis and HIV co-infection. *Antiviral Res* 2010;85(1):303-315.

32. Bozzette SA, Berry SH, Duan N, et al. The care of HIV-infected adults in the United States. HIV Cost and Services Utilization Study Consortium. *N Engl J Med* 1998;339(26):1897-1904.

33. Brouwer ES, Napravnik S, Eron JJ Jr., et al. Effects of combination antiretroviral therapies on the risk of myocardial infarction among HIV patients. *Epidemiology (Cambridge, Mass.)* 2014;25(3):406-417.

34. Rosenberg SD, Goodman LA, Osher FC, et al. Prevalence of HIV, hepatitis B, and hepatitis C in people with severe mental illness. *Am J Public Health* 2001;91(1):31-37.

35. Wainberg M, Cournos F, McKinnon K. *HIV and Hepatitis C in Patients with*

Schizophrenia. 2nd ed. Washington, DC: American Psychiatric Publishing, 2009.

36. Schaefer M, Schmidt F, Folwaczny C, et al. Adherence and mental side effects during hepatitis C treatment with interferon alfa and ribavirin in psychiatric risk groups. *Hepatology (Baltimore, Md.)* 2003;37(2):443-451.

37. Feld JJ, Kowdley KV, Coakley E, et al. Treatment of HCV with ABT-450/r-ombitasvir and dasabuvir with ribavirin. *N Engl J Med* 2014;370(17):1594-1603.

38. De Bie J, Robaey G, Buntinx F. Hepatitis C, interferon alpha and psychiatric comorbidity in intravenous drug users (IVDU): Guidelines for clinical practice. *Acta Gastroenterol Belg* 2005;68(1):68-80.

39. Weiss JJ, Morgello S. Psychiatric management of HIV/HCV-coinfected patients beginning treatment for hepatitis C virus infection: Survey of provider practices. *Gen Hosp Psychiatry* 2009;31(6):531-537.

40. Nelligan JA, Loftis JM, Matthews AM, Zucker BL, Linke AM, Hauser P. Depression comorbidity and antidepressant use in veterans with chronic hepatitis C: Results from a retrospective chart review. *J Clin Psychiatry* 2008;69(5):810-816.

41. Edlund MJ, Unutzer J, Wells KB. Clinician screening and treatment of alcohol, drug, and mental problems in primary care: Results from healthcare for communities. *Med Care* 2004;42(12):1158-1166.

42. Kessler RC, Demler O, Frank RG, et al. Prevalence and treatment of mental disorders, 1990 to 2003. *N Engl J Med* 2005;352(24):2515-2523.

43. Force USPST. Screening for depression in adults. December 2009; Available at <http://www.uspreventiveservicestaskforce.org/uspstf09/adultdepression/addeprrrs.htm>. Accessed December 15, 2015.

44. Ciechanowski PS, Katon WJ, Russo JE. Depression and diabetes: Impact of depressive symptoms on adherence, function, and costs. *Arch Intern Med* 2000;160(21):3278-3285.

45. Jorge RE, Robinson RG, Arndt S, Starkstein S. Mortality and poststroke depression: A

placebo-controlled trial of antidepressants. *Am J Psychiatry* 2003;160(10):1823-1829.

46. Whooley MA, Avins AL, Miranda J, Browner WS. Case-finding instruments for depression. Two questions are as good as many. *J Gen Intern Med* 1997;12(7):439-445.

47. Dunlop BW, Davis PG. Combination treatment with benzodiazepines and SSRIs for comorbid anxiety and depression: A review. *Prim Care Companion J Clin Psychiatry* 2008;10(3):222-228.

48. NIMH. Mental Health Information. 2014; Available at: <http://www.nimh.nih.gov/health/topics/index.shtml>. Accessed December 15, 2015.

49. Stein MB. Attending to anxiety disorders in primary care. *J Clin Psychiatry* 2003;64 Suppl 15:35-39.

50. Liebschutz J, Saitz R, Brower V, et al. PTSD in urban primary care: High prevalence and low physician recognition. *J Gen Intern Med* 2007;22(6):719-726.

51. U.S. Preventive Services Task Force. Screening and behavioral counseling interventions in primary care to reduce alcohol misuse: Recommendation statement. AHRQ.

52. U.S. Preventive Services Task Force. Screening for illicit drug use: U.S. Preventive Services Task Force Recommendation Statement. Accessed December 2015.

53. U.S. Preventive Services Task Force. Screening for suicide risk in adolescents, adults, and older adults in primary care: U.S. Preventative Services Task Force Recommendation Statement. AHRQ.

54. Simon R, Hales R. *Textbook of Suicide Assessment and Management*. Arlington, VA: American Psychiatric Publishing, Inc., 2006.

55. American Psychiatric Association Practice G. Practice guideline for the treatment of patients with borderline personality disorder. American Psychiatric Association. *Am J Psychiatry* 2001;158(10, Suppl):1-52.

56. Gross R, Olfson M, Gameroff M, et al. Borderline personality disorder in primary care.

Arch Intern Med 2002;162(1):53-60.

57. Bing EG, Burnam MA, Longshore D, et al. Psychiatric disorders and drug use among human immunodeficiency virus-infected adults in the United States. *Arch Gen Psychiatry* 2001;58(8):721-728.

58. Dilley JW. The University of California at San Francisco AIDS Health Project. A community psychiatry approach to the AIDS epidemic. *Psychiatr Clin North Am* 1994;17(1):205-225.

59. Deeks SG, Lewin SR, Havlir DV. The end of AIDS: HIV infection as a chronic disease. *Lancet* 2013;382(9903):1525-1533.

60. Sell JK. Management of human immunodeficiency virus in primary care. *Primary Care* 2013;40(3):589-617.

61. Do AN, Rosenberg ES, Sullivan PS, et al. Excess burden of depression among HIV-infected persons receiving medical care in the united states: Data from the medical monitoring project and the behavioral risk factor surveillance system. *PloS One* 2014;9(3):e92842.

62. Tseng AL, Foisy MM. Significant interactions with new antiretrovirals and psychotropic drugs. *Ann Pharmacother* 1999;33(4):461-473.

63. Ouellet D, Hsu A, Qian J, et al. Effect of fluoxetine on pharmacokinetics of ritonavir. *Antimicrob Agents Chemother* 1998;42(12):3107-3112.

64. Ereshefsky L, Dugan D. Review of the pharmacokinetics, pharmacogenetics, and drug interaction potential of antidepressants: Focus on venlafaxine. *Depress Anxiety* 2000;(12, Suppl 1):30-44.

65. Hogeland GW, Swindells S, McNabb JC, Kashuba AD, Yee GC, Lindley CM. Lopinavir/ritonavir reduces bupropion plasma concentrations in healthy subjects. *Clin Pharmacol Ther* 2007;81(1):69-75.

66. Vitiello B, Burnam MA, Bing EG, Beckman R, Shapiro MF. Use of psychotropic

medications among HIV-infected patients in the United States. *Am J Psychiatry* 2003;160(3):547-554.

67. Blank MB, Himelhoch S, Walkup J, Eisenberg MM. Treatment considerations for HIV-infected individuals with severe mental illness. *Curr HIV/AIDS Rep* 2013;10(4):371-379.

68. Evans D, Smith M, Golden R. Antidepressants and HIV infection: Effect of lithium chloride and desipramine on HIV replication. *Depression* 1993;1:205-209.

69. Maggi JD, Halman MH. The effect of divalproex sodium on viral load: A retrospective review of HIV-positive patients with manic syndromes. *Can J Psychiatry* 2001;46(4):359-362.

70. van der Lee MJ, Dawood L, ter Hofstede HJ, et al. Lopinavir/ritonavir reduces lamotrigine plasma concentrations in healthy subjects. *Clin Pharmacol Ther* 2006;80(2):159-168.

71. Simpson DM, McArthur JC, Olney R, et al. Lamotrigine for HIV-associated painful sensory neuropathies: A placebo-controlled trial. *Neurology* 2003;60(9):1508-1514.

72. Ferrara M, Umlauf A, Sanders C, et al. The concomitant use of second-generation antipsychotics and long-term antiretroviral therapy may be associated with increased cardiovascular risk. *Psychiatry Res* 2014;218(1-2):201-8.

73. Tan IL, McArthur JC. HIV-associated neurological disorders: A guide to pharmacotherapy. *CNS Drugs* 2012;26(2):123-134.

74. Cioe PA. Smoking cessation interventions in HIV-infected adults in North America: A literature review. *J Addict Behav Ther Rehabil* 2013;2(3):1000112.

75. Galvan FH, Bing EG, Fleishman JA, et al. The prevalence of alcohol consumption and heavy drinking among people with HIV in the United States: Results from the HIV Cost and Services Utilization Study. *J Stud Alcohol* 2002;63(2):179-186.

76. Gardner LI, Giordano TP, Marks G, et al. Enhanced personal contact with HIV patients improves retention in primary care: A randomized trial in six U.S. HIV clinics. *Clin Infect*

Dis 2014;(5):725-734.

77. Doherty WJ, McDaniel SH, Baird MA. Five levels of primary care/behavioral healthcare collaboration. *Behav Healthc Tomorrow* 1996;5(5):25-27.

78. Mauer B. Behavioral health/primary care integration: The four quadrant model and evidence-based practices. 2006; Available at <http://www.iphca.org/LinkClick.aspx?fileticket=xF0DOmVBb7M%3D&tabid=371>.

79. Mauer B. Behavioral health/primary care integration and the person-centered healthcare home. 2009; Available at [http://www.ibhp.org/uploads/file/Four Quadrant Model updated 2-06.pdf](http://www.ibhp.org/uploads/file/Four%20Quadrant%20Model%20updated%202-06.pdf). Accessed June 13, 2014.

80. Heath B, Wise Romero P, Reynolds K. *A Review and Proposed Standard Framework for Levels of Integrated Healthcare*. Washington, DC: SAMHSA-HRSA Center for Integrated Health Solutions, March 2013.

81. Miller CJ, Grogan-Kaylor A, Perron BE, Kilbourne AM, Woltmann E, Bauer MS. Collaborative chronic care models for mental health conditions: Cumulative meta-analysis and metaregression to guide future research and implementation. *Med Care* 2013;51(10):922-930.

82. Unutzer J, Katon W, Callahan CM, et al. Collaborative care management of late-life depression in the primary care setting: A randomized controlled trial. *JAMA* 2002;288(22):2836-2845.

83. Druss BG, von Esenwein SA, Compton MT, Rask KJ, Zhao L, Parker RM. A randomized trial of medical care management for community mental health settings: The Primary Care Access, Referral, and Evaluation (PCARE) study. *Am J Psychiatry* 2010;167(2):151-159.

84. American Academy of Family Physicians AAFP, American College of Physicians, American Osteopathic Association. Joint principles of a patient-centered medical home. 2007; Available at http://www.aafp.org/dam/AAFP/documents/practice_management/pcmh/initiatives/PCMHJoint.pdf. Accessed June 14, 2014.

85. Alakeson V, Frank RG, Katz RE. Specialty care medical homes for people with severe, persistent mental disorders. *Health Aff (Millwood)* 2010;29(5):867-873.
86. Rosenheck R, Morrissey J, Lam J, et al. Service system integration, access to services, and housing outcomes in a program for homeless persons with severe mental illness. *Am J Public Health* 1998;88(11):1610-1615.
87. Kinoshita Y, Furukawa TA, Kinoshita K, et al. Supported employment for adults with severe mental illness. *Cochrane Database Syst Rev* 2013;9:Cd008297.
88. Amiel JM, Mangurian CV, Ganguli R, Newcomer JW. Addressing cardiometabolic risk during treatment with antipsychotic medications. *Current Opin Psychiatry* 2008;21(6):613-618.
89. Wu RR, Zhao JP, Jin H, et al. Lifestyle intervention and metformin for treatment of antipsychotic-induced weight gain: A randomized controlled trial. *JAMA* 2008;299(2):185-193.
90. Kreyenbuhl J, Dixon LB, McCarthy JF, Soliman S, Ignacio RV, Valenstein M. Does adherence to medications for type 2 diabetes differ between individuals with vs without schizophrenia? *Schizophr Bull* 2010;36(2):428-435.
91. Newcomer JW, Weiden PJ, Buchanan RW. Switching antipsychotic medications to reduce adverse event burden in schizophrenia: Establishing evidence-based practice. *J Clin Psychiatry* 2013;74(11):1108-1120.

第 22 章 女性の健康：貧困な女性における生殖と生殖を超えた問題

RESOURCES

Association of Reproductive Health Professionals (ARHP). ARHP is an organization that provides continuing medical education for health practitioners in reproductive health. <http://www.arhp.org>.

Medical Eligibility Criteria for Contraceptive Use. An online resource produced by the World Health Organization that gives clear, evidence-based guidelines about the use of contraception in women with medical illness. <http://www.who.int>.

United States Medical Eligibility Criteria (US MEC) for Contraceptive Use. An online resource produced by the Center for Disease Control and Prevention, similar to that produced by the WHO, providing women and clinicians with guidance regarding the safety of different contraceptive methods in women with various medical conditions and available as an app from most app stores.

http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5904a1.htm?s_cid=rr5904a1_e.

U.S. Selective Practice Recommendations (US SPR) for Contraceptive Use. An online companion document to the US MEC produced by the CDC, which provides clinical guidance regarding the initiation and use of specific contraceptive methods in women with complex medical conditions.

<http://www.cdc.gov/reproductivehealth/UnintendedPregnancy/usspr.htm>.

National Women's Health Indicators Data Base is a national catalog of health indicators that highlights issues of racial, economic, and gender disparities.

http://www.healthstatus2000.com/owh/select_variables.aspx.

Basson R. Women's sexual dysfunction: Revised and expanded definitions. *CMAJ* 2005;172(10):1327-1333.

Cantu M, Coppola M, Lindner AJ. Evaluation and management of the sexually assaulted woman. *Emerg Med Clin North Am* 2003;21(3):737-750.

Hatcher RA, Nelson AL, et al. *Managing contraception*. Tiger, GA: Bridging the Gap Foundation. 2012. Available at <https://www.managingcontraception.com/files/MC-2012.pdf>.

A patient- and clinician-centered interactive Web site about contraception with great evidence base is found at <http://bedsider.org/>.

Resources about abortion—both US and global perspective—containing disparity data, graphs, slide presentations, etc., is found at the Guttmacher Institute Web site: <http://www.guttmacher.org/>.

Preconception Care Guidelines including tools for patients and provider can be found at <http://www.cdc.gov/preconception/reproductiveplan.html>.

REFERENCES

1. Murphy SL, Xu J, Kochanek KD. Deaths: Final data for 2010. In: *National Vital Statistics Report, 2013*. Hyattsville, MD: National Center for Health Statistics, 2013:1-118.
2. Cohn D, Parker, K, Livingston, G, et al. After Decades of Decline. A Rise in Stay-at-Home Mothers. Pew Research Center, April 2014. Accessed September 2, 2014. Available at http://www.pewsocialtrends.org/files/2014/04/Moms-At-Home_04-08-2014.pdf.
3. Who was poor? University of Wisconsin-Madison, Institute for Research on Poverty. Accessed September 2, 2014. Available at <http://www.irp.wisc.edu/faqs/faq3.htm>.
4. 2010 Poverty Table Contents. United States Census Bureau. Accessed September 2, 2014. Available at http://www.census.gov/hhes/www/cpstables/032011/pov/new03_100.htm.
5. Current Population Survey, 2008 Annual Social and Economic Supplement. United States Census Bureau. Accessed September 2, 2014. Available at <https://www.census.gov/hhes/www/poverty/publications/pubs-cps.html>.
6. 2011 National healthcare disparities report. U.S. Department of Health and Human Services. Accessed September 2, 2014. Available at <http://www.ahrq.gov/research/findings/nhqrdr/nhdr11/nhdr11.pdf>.
7. Markus AR, Andres E, West KD, Garro N, Pellegrini C. Medicaid covered births, 2008 through 2010, in the context of the implementation of health reform. *Womens Health Issues*. 2013;23(5):e273-e280.
8. Sonfield A, Gold RB. Public Funding for Family Planning, Sterilization and Abortion Services, FY 1980–2010, New York: Guttmacher Institute, 2012.
9. The Coverage Gap: Uninsured Poor Adults in States that Do Not Expand Medicaid. Issue

Brief. The Henry J. Kaiser Family Foundations. March 2013. Accessed September 2, 2014. Available at <http://kff.org/health-reform/issue-brief/the-coverage-gap-uninsured-poor-adults-in-states-that-do-not-expand-medicaid/>.

10. Women's Health Insurance Coverage, Fact Sheet. The Henry J. Kaiser Family Foundation. Accessed September 2, 2014. Available at <http://kff.org/womens-health-policy/fact-sheet/womens-health-insurance-coverage-fact-sheet/>.

11. Schneider EC, Zaslavsky AM, Epstein AM. Racial disparities in the quality of care for enrollees in Medicare managed care. *JAMA* 2002;287:1288-1294.

12. Schulman KA, Berlin JA, Harless W, et al. The effect of race and sex on physicians' recommendations for cardiac catheterization. *N Engl J Med* 1999;340:618-626.

13. Women and Health 2009. Available at http://www.who.int/gender/women_health_report/full_report_20091104_en.pdf.

14. Tjaden P, Thoennes N. Prevalence, incidence, and consequences of violence against women: Findings from the National Violence Against Women Survey. Washington, DC: National Institute of Justice and Centers for Disease Control and Prevention, 2000.

15. Farley M. Prostitution is sexual violence. *Psychiatric Times* 2004;21:7-10.

16. Bernstein B, Kane R. Physicians' attitudes toward female patients. *Med Care* 1981;19:600-608.

17. Safran DG, Rogers WH, Tarlov AR, et al. Gender differences in medical treatment: The case of physician-prescribed activity restrictions. *Soc Sci Med* 1997;45:711-722.

18. Borkhoff CM, Hawker GA, Kreder HJ, et al. The effect of patients' sex on physicians' recommendations for total knee arthroplasty. *CMAJ* 2008;127:681-687.

19. Pauls RN, Kleeman SD, Segal JL, et al. Practice patterns of physician members of the American Urogynecologic Society regarding female sexual dysfunction: Results of a national survey. *Int Urogynecol J Pelvic Floor Dysfunct* 2005;16:460-467.

20. Finer LB, Zolna MR. Shifts in intended and unintended pregnancies in the United States, 2001–2008. *Am J Public Health* 2014;104(S1):S44-S48.
21. Sonfield A, Kost K. Public Costs from Unintended Pregnancies and the Role of Public Insurance Programs in Paying for Pregnancy and Infant Care: Estimates for 2008, New York: Guttmacher Institute, 2013. Available at <<http://www.guttmacher.org/pubs/public-costs-of-UP.pdf>>.
22. Sonfield A, Hasstedt K, Gold RB. *Moving Forward, Family Planning in the Era of Health Reform*. New York: Guttmacher Institute, 2014.
23. Dehlendorf C, Rodriguez MI, Levy K, et al. Disparities in family planning. *Am J Obstet Gynecol* 2010;202:214-220.
24. Finer LB, Zolna MR, Unintended pregnancy in the United States: Incidence and disparities, 2006. *Contraception* 2011;84:478-485.
25. Unintended Pregnancy Prevention. Center for Diseases Control and Prevention. February 12, 2013. Accessed September 3, 2014. Available at <http://www.cdc.gov/reproductivehealth/unintendedpregnancy/>.
26. Dehlendorf C, Park SY, Emeremni CA, et al. Racial/ethnic disparities in contraceptive use: Variation by age and women's reproductive experiences. *Am J Obstet Gynecol* 2014;210:526.e521-526.e529.
27. Secura GM, Allsworth JE, Madden T, et al. The Contraceptive CHOICE Project: Reducing barriers to long-acting reversible contraception. *Am J Obstet Gynecol* 2010;203:115.e111-115.e117.
28. Smith JD, Oakley D. Why do women miss oral contraceptive pills? An analysis of women's self-described reasons for missed pills. *J Midwifery Womens Health* 2005;50:380-385.
29. Ruetheling G. Contraceptive prescriptions at issue. *The New York Times*, April 4, 2005. Sect. 20.

30. Cates W Jr, Grimes DA, Schulz KF. The public health impact of legal abortion: 30 years later. *Perspect Sex Reprod Health* 2003;35:25-28.
31. More State Abortion Restrictions Were Enacted in 2011–2013 Than in the Entire Previous Decade. Guttmacher Institute. January 2014. Accessed September 4, 2014. Available at <http://www.guttmacher.org/statecenter/updates/2013/statetrends42013.html>.
32. Jones RK, Jerman J. Abortion incidence and service availability in the United States, 2011, *Perspect Sex Reprod Health* 2014;46:3-14.
33. Eastwood KL1, Kacmar JE, Steinauer J, Weitzen S, Boardman LA. Abortion training in United States obstetrics and gynecology residency programs. *Obstet Gynecol* 2006;108(2):303-308.
34. Lesnewski R, Prine L, Gold M. Abortion training as an integral part of residency training [letter]. *Fam Med* 2003;35:386-387.
35. Raine TR, Harper CC, Rocca CH, et al. Direct access to emergency contraception through pharmacies and effect on unintended pregnancy and STIs: A randomized controlled trial. *JAMA* 2005;293:54-62.
36. Colman S, Joyce T. Minors' behavioral responses to parental involvement laws: Delaying abortion until age 18. *Perspect Sex Reprod Health* 2009;41:119-126.
37. CDC. (2014). Infertility. Retrieved January 24, 2015. Available at <http://www.cdc.gov/nchs/fastats/infertility.htm>.
38. WHO-ICMART glossary. (2009). Revised glossary on Assisted Reproductive Terminology. Retrieved January 24, 2015. Available at http://www.who.int/reproductivehealth/publications/infertility/art_terminology2.pdf?ua=1.
39. CDC. 2006–2010 National Survey of Family Growth. Available at <http://www.cdc.gov/nchs/data/nhsr/nhsr067.pdf>. Accessed December 27, 2015.
40. Green JA, Robins JC, Scheiber M, Awadalla S, Thomas MA. Racial and economic demographics of couples seeking infertility treatment. *Am J Obstet Gynecol* 2001;184:1080-

1082.

41. CDC. (2014). STDs in Racial and Ethnic Minorities. Available at <http://www.cdc.gov/std/stats14/minorities.htm>. Accessed December 27, 2015.
42. ASRM Q06: Is In Vitro Fertilization Expensive? Retrieved January 24, 2015. Available at <http://www.asrm.org/detail.aspx?id=3023>.
43. SART CORS report. Retrieved January 24, 2015. Available at https://www.sartcorsonline.com/rptCSR_PublicMultYear.aspx?ClinicPKID=0.
44. Resolve: The National Infertility Association. Insurance coverage in your state. Retrieved January 24, 2015. Available at http://www.resolve.org/family-building-options/insurance_coverage/state-coverage.html#Ohio.
45. WHO gender policy: Integrating gender perspectives in the work of WHO. World Health Organization. Accessed September 4, 2014. Available at <http://www.who.int/gender/documents/policy/en/>.
46. Closing the Wage Gap is Crucial for Women of Color and Their Families. National Women's Law Center. November 2013. Accessed September 4, 2014. Available at http://www.nwlc.org/sites/default/files/pdfs/2013.11.13_closing_the_wage_gap_is_crucial_for_woc_and_their_families.pdf.
47. General Facts on Women and Job Based Health, Fact Sheet. The US Department of Labor. December 2013. Accessed September 4, 2014. Available at <http://www.dol.gov/ebsa/newsroom/fshlth5.html>.
48. Henderson, JT, Weisman, CS. Physician gender effects on preventive screening and counseling: an analysis of male and female patients' health care experiences. *Med Care* 2001;39(12):1281-1291.
49. Jolliff L, Leadley J, Coakley E, Solane RA. Women in U.S. Academic Medicine and Science: Statistics and Benchmarking Report 2011–2012. AAMC. 2012. Accessed September 4, 2014. Available at <https://members.aamc.org/eweb/upload/Women%20in%20U%20S%20%20Academic%20Med>

icine%20Statistics%20and%20Benchmarking%20Report%202011-20123.pdf.

50. Luck J, Andersen R, Wenzel S, et al. Providers of primary care to homeless women in Los Angeles County. *J Ambul Care Manage* 2002;25:53-67.

51. Siegel JE, Clancy CM. Community-based interventions: Taking on the cost and cost-effectiveness questions. *Health Serv Res* 2000;35:905-909.

52. Findley SE, Thomas G, Madera-Reese R, et al. A community-based strategy for improving asthma management and outcomes for preschoolers. *J Urban Health* 2011;88(Suppl 1):85-99.

53. Ickovics JR, Kershaw TS, Westdahl C, et al. Group prenatal care and preterm birth weight: Results from a matched cohort study at public clinics. *Obstet Gynecol* 2003;102:1051-1057.

54. Hatcher RA, Nelson AL, et al. *Managing contraception*. Tiger, GA: Bridging the Gap Foundation. 2012. Accessed September 4, 2014; Available at <https://www.managingcontraception.com/files/MC-2012.pdf>.

55. Dehlendorf C, Levy K, Kelley A, et al. Women's preferences for contraceptive counseling and decision making. *Contraception*, 2013;88(2):250-256.

56. Stewart FH, Harper CC, Ellertson CE, et al. Clinical breast and pelvic examination requirements for hormonal contraception: Current practice vs evidence. *JAMA* 2001;285:2232-2239.

57. Trussell J, Raymond E, Cleland K. Emergency Contraception: A Last Change to Prevent Unintended Pregnancy. August 2014. Accessed September 4, 2014. Available at <http://ec.princeton.edu/questions/ec-review.pdf>.

58. Prine L, Lesnewski R, Berley N, et al. Medical abortion in family practice: A case series. *J Am Board Fam Pract* 2003;16:290-295.

59. Schwarz EB, Luetkemeyer A, Foster DG, et al. Willing and able? Provision of medication for abortion by future internists. *Womens Health Issues* 2005;15:39-44.

60. Goldman MB, Occhiuto JS, Peterson LE, et al. Physician assistants as providers of surgically induced abortion services. *Am J Public Health* 2004;94:1352-1357.
61. *Burwell v. Hobby Lobby Stores, Inc.* 573 U.S. (2014).
62. Women's Preventive Services Guidelines. U.S. Dept. Health and Human Services. Accessed September 4, 2014. Available at <http://www.hrsa.gov/womensguidelines/>.
63. Statement of Policy: Legislative Interference with Patient Care, Medical Decisions, and the Patient-Physician Relationship. ACOG. May 2013. Accessed September 4, 2014. Available at <http://www.acog.org/~media/Statements%20of%20Policy/Public/2013LegislativeInterference.pdf?dmc=1&ts=20140905T0142141322>.
64. ACOG Statement on the Supreme Court Decision on *Hobby Lobby v. Burwell*. ACOG. June 30, 2014. Accessed September 4, 2014. Available at <http://www.acog.org/About-ACOG/News-Room/News-Releases/2014/ACOG-Statement-on-the-Supreme-Court->.
65. WHO Fact Sheet on Violence against Women. Accessed December 21, 2014. Available at <http://www.who.int/mediacentre/factsheets/fs239/en/>.

第 23 章 親密なパートナーからの暴力

RESOURCES

Websites:

<http://futureswithoutviolence.org>

<http://www.healthcaresaboutipv.org/>

<http://www.leapsf.org>

<http://www.cdc.gov/ViolencePrevention/index.html>

<http://raisingvoices.org/>

<http://www.breakthecycle.org/>

<http://www.loveisrespect.org/>

Videos:

<http://strive.lshtm.ac.uk/resources/sasa-video-prevent-violence-against-women-now-subtitled>

See <http://www.healthcaresaboutipv.org/> for multiple video scenarios on how to discuss IPV with adolescent and adult patients

<http://www.leapsf.org/html/training.shtml>

Books:

Mitchell C, Anglin D. (eds). *Intimate Partner Violence: A Health-Based Perspective*. New York: Oxford University Press, 2009.

Saakvitne KW, Pearlman LA. *Transforming the Pain: A Workbook on Vicarious Traumatization*. New York: WW Norton & Company, 1996.

Lieberman A, Van Horn P. *Don't Hit My Mommy: A Manual for Child-Parent Psychotherapy with Young Witnesses of Family Violence*. Washington, DC: Zero to Three Press, 2004.

REFERENCES

1. Garcia Moreno C, Pallitto C, Devries K, Stockle H, Watts C, Abrahams N. *Global and Regional Estimates of Violence Against Women: Prevalence and Health Effects of Intimate Partner Violence*. World Health Organization, 2013.
2. Black MC, Basile KC, Breiding MJ, et al. *The National Intimate Partner and Sexual*

Violence Survey (NISVS): 2010 Summary Report. National Center for Injury Prevention and Control, Centers for Disease Control and Prevention: Atlanta, GA, 2011.

3. Stockl H, Devries K, Rotstein A, Abrahams N, Campbell J, Watts C, Garcia Moreno C. The global prevalence of intimate partner homicide: A systematic review. *Lancet* 2013;382(9895):859-865.
4. Campbell JC, Glass N, Sharps PW, Laughon K, Bloom T. Intimate partner homicide: Review and implications of research and policy. *Trauma Violence Abuse* 2007;8(3):246-269.
5. Bauer HM, Rodríguez MA, Pérez-Stable EJ. Prevalence and determinants of intimate partner abuse among public hospital primary care patients. *J Gen Intern Med* 2000;15(11):811-817.
6. Max W, Rice, D. P., Finkelstein, E., et al. The economic toll of intimate partner violence against women in the United States. *Violence Vict* 2004;9(3):259-272.
7. Reed E, Raj A, Miller E, Silverman JG. Losing the “gender” in gender-based violence: The missteps of research on dating and intimate partner violence. *Violence Against Women* 2010;16(3):348-354.
8. Walters ML, Chen J, Breiding MJ. *The National Intimate Partner and Sexual Violence Survey (NISVS): 2010 Findings on Victimization by Sexual Orientation*. National Center for Injury Prevention and Control, Centers for Disease Control and Prevention: Atlanta, GA, 2013.
9. Ard K, Makadon H. Addressing intimate partner violence in lesbian, gay, bisexual, and transgender patients. *J Gen Intern Med* 2011;26(8):930-933.
10. Adverse Health Conditions and Health Risk Behaviors Associated with Intimate Partner Violence—United States, 2005. *MMWR Morb Mortal Wkly Rep* 2008;57(5):113-117.
11. Campbell JC. Health consequences of intimate partner violence. *Lancet* 2002;359(9314):1331-1336.
12. McLaughlin J, O’Carroll RE, O’Connor RC. Intimate partner abuse and suicidality: A

systematic review. *Clin Psychol Rev* 2012;32(8):677-689.

13. Decker MR, Miller E, Illangasekare S, et al. Understanding gender-based violence perpetration to create a safer future for women and girls. *Lancet Glob Health* 2013;1(4):e170–e171.

14. Fulu E, Jewkes R, Roselli T, et al. Prevalence of and factors associated with male perpetration of intimate partner violence: Findings from the UN Multi-country Cross-sectional Study on Men and Violence in Asia and the Pacific. *Lancet Glob Health* 2013;1(4):e187–e207.

15. Jewkes R. Gender inequities must be addressed in HIV prevention. *Science* 2010;329(5988):145-147.

16. Coker A, Sanderson M, Dong B. Partner violence during pregnancy and risk of adverse pregnancy outcomes. *Pediatr Perinat Epidemiol* 2004;18:260-269.

17. Buller AM, et al. Associations between intimate partner violence and health among men who have sex with men: A systematic review and meta-analysis. *PLoS Med* 2014;11(3):e1001609.

18. Hamby S, Finkelhor D, Turner H, Ormrod R. Children's exposure to intimate partner violence and other family violence. *Juvenile Justice Bulletin – NCJ 232272*. Washington, DC: U.S. Government Printing Office, 2011.

19. Hamby S, Finkelhor D, Turner H, Ormrod R. The overlap of witnessing partner violence with child maltreatment and other victimizations in a nationally representative survey of youth. *Child Abuse Negl* 2010;34(10):734-741.

20. Bair-Merritt MH, Crowne SS, Burrell L, et al. Impact of intimate partner violence on children's well-child care and medical home. *Pediatrics* 2008;121(3):e473–e480.

21. The Family Violence Prevention Fund, *Identifying and Responding to Domestic Violence: Consensus Recommendations for Child and Adolescent Health*. The Family Violence Prevention Fund: San Francisco, CA, 2002:1-77.

22. Felitti V, Anda RF, Nordenberg D, et al. Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. The Adverse Childhood Experiences (ACE) Study. *Am J Prev Med* 1998;14:245-258.
23. Raj A, Santana MC, La Marche A, et al. Perpetration of intimate partner violence associated with sexual risk behaviors among young adult men. *Am J Public Health* 2006;96(10):1873-1878.
24. Singh V, Tolman R, Walton M, Chermack S, Cunningham R. Characteristics of men who perpetrate intimate partner violence. *J Am Board Fam Med* 2014;27(5):661-668.
25. Heise L. *What works to prevent partner violence? An evidence overview*. STRIVE, London School of Hygiene and Tropical Medicine: London, 2011.
26. Ehrensaft M, Cohen P, Brown J, et al. Intergenerational transmission of partner violence: A 20-year prospective study. *J Consult Clin Psychol* 2003;71(4):741-753.
27. de Boinville M. *ASPE POLICY BRIEF: Screening for Domestic Violence in Health Care Settings*. US Department of Health and Human Services: Washington, DC, 2013.
28. The Family Violence Prevention Fund. *National Consensus Guidelines on Identifying and Responding to Domestic Violence Victimization in Health Care Settings*. The Family Violence Prevention Fund: San Francisco, CA, 2002:1-72.
29. Thackeray JD, Hibbard R, Dowd MD; Committee on Child Abuse and Neglect; Committee on Injury, Violence, and Poison Prevention. Intimate partner violence: The role of the pediatrician. *Pediatrics* 2010;125(5):1094-1100.
30. Joint Commission on Accreditation of Healthcare Organizations. *How to Recognize Abuse and Neglect*. Joint Commission Resources, 2002.
31. Nelson HD, Bougatsos C, Blazina I. Screening women for intimate partner violence: A systematic review to update the U.S. Preventive Services Task Force recommendation. *Ann Intern Med* 2012;156(11):796-808.
32. Futures Without Violence. *Resources for IPV Screening and Brief Counseling Coverage*

Guidelines in the Affordable Care Act. Accessed September 28, 2014. Available at <http://www.healthcaresaboutipv.org/aca-resources/>.

33. Feder G, Hutson M, Ramsay J, Taket AR. Women exposed to intimate partner violence: Expectations and experiences when they encounter health care professionals: A meta-analysis of qualitative studies. *Arch Intern Med* 2006;166(1):22-37.
34. Kimberg L. Addressing intimate partner violence with male patients: A review and introduction of pilot guidelines. *J Gen Intern Med* 2008;23(12):2071-2078.
35. Jaeger J, Spielman D, Cronholm PF, Applebaum S, Holmes WC. Screening male primary care patients for intimate partner violence perpetration. *J Gen Intern Med* 2008;23(8):1152-1156.
36. Gerlock AA, Grimesey JL, Pisciotta AK, Harel O. Original research: Documentation of screening for perpetration of intimate partner violence in male veterans with PTSD. *Am J Nurs* 2011;111(11):26–32; quiz 33-4.
37. Basile K, Hertz M, Back S. *Intimate Partner Violence and Sexual Violence Victimization Assessment Instruments for Use in Health Care Settings: Version 1*, National Center for Injury Prevention and Control, Editor. 2007, Centers for Disease Control and Prevention.
38. Rabin RF, Jennings JM, Campbell JC, Bair-Merritt MH. Intimate partner violence screening tools: A systematic review. *Am J Prev Med* 2009;36(5):439-445.
39. MacMillan HL, Wathen CN, Jamieson E, et al.; McMaster Violence Against Women Research Group. Approaches to screening for intimate partner violence in health care settings: A randomized trial. *JAMA* 2006;296(5):530-536.
40. Rhodes KV, Drum M, Anliker E, Frankel RM, Howes DS, Levinson W. Lowering the threshold for discussions of domestic violence: A randomized controlled trial of computer screening. *Arch Intern Med* 2006;166(10):1107-1114.
41. Humphreys J, Tsoh JY, Kohn MA, Gerbert B. Increasing discussions of intimate partner violence in prenatal care using Video Doctor plus Provider Cueing: A randomized, controlled

trial. *Womens Health Issues* 2011;21(2):136-144.

42. Rhodes KV, Lauderdale DS, He T, Howes DS, Levinson W. "Between me and the computer": Increased detection of intimate partner violence using a computer questionnaire. *Ann Emerg Med* 2002;40(5):476-484.

43. McCloskey L, Williams CM, Lichter E, Gerber M, Ganz ML, Sege R. Abused women disclose partner interference with health care: An unrecognized form of battering. *J Gen Intern Med* 2007;22(8):1067-1072.

44. Walker L. *The Battered Woman*. New York: Harper and Row, 1979.

45. Bent-Goodley TB. Health disparities and violence against women: Why and how cultural and societal influences matter. *Trauma Violence Abuse* 2007;8(2):90-104.

46. U.S. Citizenship and Immigration Services. *Information on the Legal Rights Available to Immigrant Victims of Domestic Violence in the United States and Facts about Immigrating on a Marriage-Based Visa Fact Sheet*. Accessed September 27, 2014. Available at <http://www.uscis.gov/news/fact-sheets/information-legal-rights-available-immigrant-victims-domestic-violence-united-states-and-facts-about-immigrating-marriage-based-visa-fact-sheet>.

47. Beynon C, Gutmanis IA, Tutty LM, Wathen CN, MacMillan HL. Why physicians and nurses ask (or don't) about partner violence: A qualitative analysis. *BMC Public Health* 2012;12(1):473.

48. Bair-Merritt MH, Lewis-O'Connor A, Goel S, et al. Primary care-based interventions for intimate partner violence: A systematic review. *Am J Prev Med* 2014;46(2):188-194.

49. Ramsay J, Carter Y, Davidson L, et al. Advocacy interventions to reduce or eliminate violence and promote the physical and psychosocial well-being of women who experience intimate partner abuse. *Cochrane Database Syst Rev* 2009;(3):CD005043.

50. Miller E, Decker MR, McCauley HL, et al. A family planning clinic partner violence intervention to reduce risk associated with reproductive coercion. *Contraception* 2011;83(3):274-280.

51. Babcock JC, Green CE, Robie C. Does batterers' treatment work? A meta-analytic review of domestic violence treatment. *Clin Psychol Rev* 2004;23(8):1023-1053.
52. Eckhardt C, Murphy C, Black D, Suhr L. Intervention programs for perpetrators of intimate partner violence: Conclusions from a clinical research perspective. *Public Health Rep* 2006;121:369-381.
53. Sheehan KA, Thakor S, Stewart DE. Turning points for perpetrators of intimate partner violence. *Trauma Violence Abuse* 2012;13(1):30-40.
54. Stover CS. Fathers for change: A new approach to working with fathers who perpetrate intimate partner violence. *J Am Acad Psychiatry Law* 2013;41(1):65-71.
55. Miller E, McCaw B, Humphreys BL, Mitchell C. Integrating intimate partner violence assessment and intervention into healthcare in the United States: A systems approach. *J Womens Health (Larchmt)* 2015;24(1):92-99.

第 24 章 アルコールやその他の薬物を使用している患者の治療方針

RESOURCES

Helping patients who drink too much: A clinician's guide, 2005 edition. National Institute on Alcohol Abuse and Alcoholism. National Institutes of Health. US Department of Health and Human Services. <http://www.niaaa.nih.gov/guide>.

NIDA Resource guide: Screening for Drug Use in Medical Settings.
<http://www.drugabuse.gov/publications/resource-guide-screening-drug-use-in-general-medical-settings/nida-quick-screen>.

National Drug and Alcohol Treatment Referral Routing Service. 1-800-662-HELP or <http://findtreatment.samhsa.gov>.

REFERENCES

1. Global Health Risks: Mortality and burden of disease attributable to selected major risks. 2009. WHO. Available at http://www.who.int/healthinfo/global_burden_disease/GlobalHealthRisks_report_full.pdf.
2. Substance Abuse and Mental Health Services Administration, *Results from the 2012 National Survey on Drug Use and Health: Summary of National Findings*, NSDUH Series H-46, HHS Publication No. (SMA) 13-4795. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2013.
3. Bouchery EE, Harwood HJ, Sacks JJ, Simon CJ, Brewer RD. Economic costs of excessive alcohol consumption in the U.S., 2006. *Am J Prev Med* 2011;41:516-524.
4. Khantzian EJ. The self-medication hypothesis of substance use disorders: A reconsideration and recent applications. *Harv Rev Psychiatry* 1997;4:231-244.
5. Volkow ND, Baler RD, Compton WM, Weiss SRB. Adverse health effects of marijuana use. *N Engl J Med* 2014;370:23.
6. Fiellin DA, Reid MC, O'Connor PG. Outpatient management of patients with alcohol problems. *Ann Intern Med* 2000;133:815-827.
7. Manwell LB, Flemming MF, Johnson K, Barry KL. Tobacco, alcohol, and drug use in a primary care sample: 90-day prevalence and associated factors. *J Addict Dis* 1998;17:67-81.
8. Gossop M, Marsden J, Stewart D. Dual dependence: assessment of dependence upon alcohol and illicit drugs, and the relationship of alcohol dependence among drug misusers to patterns of drinking, illicit drug use and health problems. *Addiction* 2002;97:169-178.
9. Gossop M, Stewart D, Treacy S, Marsden J. A prospective study of mortality among drug misusers during a 4-year period after seeking treatment. *Addiction* 2002;97:39-47.
10. Horgan CM, Strickler G, Skwara K, et al. *Substance abuse: The nation's number one problem key indicators: Update*. Waltham, MA: Schneider Institute for Health Policy, Heller Graduate School, Brandeis University, 2001.

11. Hser YI, Hoffman V, Grella CE, Anglin MD. A 33-year follow-up of narcotics addicts. *Arch Gen Psychiatry* 2001;58:503-508.
12. Rehm J, Gmel G, Sempos CT, Trevisan M. Alcohol-related morbidity and mortality. *Alcohol Res Health* 2003;27:39-51.
13. Arnsten JH, Demas PA, Grant RW, Gourevitch MN, Farzadegan H, Howard AA, Schoenbaum EE. Impact of active drug use on antiretroviral therapy adherence and viral suppression in HIV-infected drug users. *J Gen Intern Med* 2002;17:377-381.
14. Rivara FP, Mueller BA, Somes G, Mendoza CT, Rushforth NB, Kellermann AL. Alcohol and illicit drug abuse and the risk of violent death in the home. *JAMA* 1997;278:569-575.
15. Gilbert L, El-Bassel N, Rajah V, Foleno A, Fontdevila J, Frye V, Richman BL. The converging epidemics of mood-altering-drug use, HIV, HCV, and partner violence: A conundrum for methadone maintenance treatment. *Mt Sinai J Med* 2000;67:452-464.
16. Bierut LJ, Dinwiddie SH, Begleiter H, et al. Familial transmission of substance dependence: Alcohol, marijuana, cocaine, and habitual smoking: A report from the Collaborative Study on the Genetics of Alcoholism. *Arch Gen Psychiatry* 1998;55:982-988.
17. Cami J, Farre M. Drug addiction. *N Engl J Med* 2003;349:975-986.
18. Miller BA, Downs WR. Violent victimization among women with alcohol problems. *Recent Dev Alcohol* 1995;12:81-101.
19. Gentilello LM, Rivara FP, Donovan DM, et al. Alcohol interventions in a trauma center as a means of reducing the risk of injury recurrence. *Ann Surg* 1999;230:473-480; discussion 480-483.
20. Arrestee Drug Abuse Monitoring Annual Report. 2013. Office of National Drug Control Policy. Executive Office of the President. Washington, DC. January 2014. Available at https://www.whitehouse.gov/sites/default/files/ondcp/policy-and-research/adam_ii_2013_annual_report.pdf.
21. Carson AE and Sabol, C, Prisoners in 2011. Bulletin of U.S. Department of Justice

Office of Justice Programs, *Bureau of Justice Statistics* 2014. Available at <http://bjs.gov/content/pub/pdf/p11.pdf>.

22. Behind Bars II: Substance Abuse and America's Prison Population. The National Center on Addiction and Substance Abuse at Columbia University. February, 2010. Available at <http://www.casacolumbia.org/addiction-research/reports/substance-abuse-prison-system-2010>.

23. Brook DW, Brook JS, Zhang C, Cohen P, Whiteman M. Drug use and the risk of major depressive disorder, alcohol dependence, and substance use disorders. *Arch Gen Psychiatry* 2002;59:1039-1044.

24. Johnson ME, Fisher DG, Fenaughty A, Theno SA. Hepatitis C virus and depression in drug users. *Am J Gastroenterol* 1998;93(5):785-789.

25. Oyefeso A, Ghodse H, Clancy C, Corkery JM. Suicide among drug addicts in the UK. *Br J Psychiatry* 1999;175:277-282.

26. Roche AM, Richard GP. Doctors' willingness to intervene in patients' drug and alcohol problems. *Soc Sci Med* 1991;33:1053-1061.

27. Saitz R, Friedmann PD, Sullivan LM, Winter MR, Lloyd-Travaglini C, Moskowitz MA, Samet JH. Professional satisfaction experienced when caring for substance-abusing patients: Faculty and resident physician perspectives. *J Gen Intern Med* 2002;17:373-376.

28. Friedmann PD, McCullough D, Chin MH, Saitz R. Screening and intervention for alcohol problems. A national survey of primary care physicians and psychiatrists. *J Gen Intern Med* 2000;15:84-91.

29. Chitwood DD, Comerford M, McCoy HV. Satisfaction with access to health care among injection drug users, other drug users, and nonusers. *J Behav Health Serv Res* 2002;29:189-197.

30. Merrill JO, Rhodes LA, Deyo RA, Marlatt GA, Bradley KA. Mutual mistrust in the medical care of drug users: The keys to the "narc" cabinet. *J Gen Intern Med* 2002;17:327-333.

31. McLellan AT, Lewis DC, O'Brein CP, Kleber HD. Drug dependence, a chronic medical illness: Implications for treatment, insurance, and outcomes evaluation. *JAMA* 2000;284:1689-1695.
32. Samet JH, Rollnick S, Barnes H. Beyond CAGE. A brief clinical approach after detection of substance abuse. *Arch Int Med* 1996;156:2287-2293.
33. DiClemente CC, Velásquez MM. Motivational interviewing and the stages of change. In Miller WR, Rollnick S, eds. *Motivational Interviewing: Preparing People for Change*. New York: The Guilford Press, 2002:201-216.
34. Harm Reduction Coalition. Principles of Harm Reduction. Accessed at <http://harmreduction.org/about-us/principles-of-harm-reduction/> on August 27, 2014.
35. Vlahov D, Junge B. The role of needle exchange programs in HIV prevention. *Public Health Rept* 1998;113(Suppl 1):75-80.
36. Walley AY, Xuan Z, Hackman HH, Quinn E, Doe-Simkins M, Sorensen-Alawad A, Ruiz S, Ozonoff A. Opioid overdose rates and implementation of overdose education and nasal naloxone distribution in Massachusetts: Interrupted time series analysis. *BMJ* 2013;346:f174.
37. Moyer VA, Preventive Services Task Force. Screening and behavioral counseling interventions in primary care to reduce alcohol misuse: Recommendation statement. *Ann Intern Med* 2013;159:210-218.
38. Polen MR, Whitlock EP, Wisdom JP, Nygren P, Bougatsos C. Screening in primary care settings for illicit drug use: Staged Systematic Review for the United States Preventive Services Task Force. *US Preventive Services Task Force Evidence Syntheses* 2008. Agency for Healthcare Research and Quality. Report No. 08-05108-EF-1.
39. National Institute on Alcohol Abuse and Alcoholism. *Helping patients with alcohol problems: A health practitioner's guide*. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism, 2004.
40. Beich A, Thorsen T, Rollnick S. Screening in brief intervention trials targeting excessive

drinkers in general practice: Systematic review and meta-analysis. *BMJ* 2003;327(7414):536-542.

41. Saitz R, Palfai TR, Cheng DM, et al. Screening and brief intervention for drug use in primary care: the ASPIRE randomized clinical trial. *JAMA* 2014;311:502-513.

42. Roy-Byrne P, Bumgardner K, Krupski A, et al. Brief intervention for problem drug use in safety-net primary care settings: A randomized clinical trial. *JAMA* 2014;312:492-501.

43. Vasilaki EI, Hosier SG, Cox WM. The efficacy of motivational interviewing as a brief intervention for excessive drinking: A meta-analytic review. *Alcohol Alcohol* 2006;41:328-35.

44. Smedslund G, Berg RC, Hammerstrøm KT, et al. Motivational interviewing for substance abuse. *Cochrane Database Syst Rev* 2011;5.

45. Irvin JE, Bowers CA, Dunn ME, Wong MC. Efficacy of relapse prevention: a meta-analytic review. *J Consult Clin Psychol* 1999;67:563-570.

46. Maude-Griffin PM, Hohenstein JM, Humfleet GL, Reilly PM, Tusel DJ, Hall SM. Superior efficacy of cognitive-behavioral therapy for crack cocaine abusers: Main and matching effects. *J Consult Clin Psychol* 1998;66:832-837.

47. Matching alcoholism treatments to client heterogeneity: Project MATCH posttreatment drinking outcomes. *J Stud Alcohol* 1997;58:7-29.

48. Prendergast M, Podus D, Finney J, Greenwell L, Roll J. Contingency management for treatment of substance use disorders: A meta-analysis. *Addiction* 2006;101:1546-1560.

49. Lussier JP, Heil SH, Mongeon JA, Badger GJ, Higgins ST. A meta-analysis of voucher-based reinforcement therapy for substance use disorders. *Addiction* 2006;101:192-203.

50. Miller WR, Meyers RJ, Tonigan JS. Engaging the unmotivated in treatment for alcohol problems: A comparison of three strategies for intervention through family members. *J Consult Clin Psychol* 1999;67:688-697.

51. Wittouck C, Dekkers A, De Ruyver B, Vanderplasschen W, Vander Laenen F. The impact

of drug treatment courts on recovery: a systematic review. *Scientific World Journal* 2013:493679.

52. Brown RT. Systematic review of the impact of adult drug-treatment courts. *Transl Res* 2010:155:263-274.

53. National Consensus Development Panel on Effective Medical Treatment of Opiate Addiction. Effective medical treatment of opiate addiction. *JAMA* 1998;280:1936-1943.

54. Kosten TR, O'Connor PG. Management of drug and alcohol withdrawal. *N Engl J Med* 2003;348:1786-1795.

第 25 章 喫煙者

RESOURCES

Smoking cessation leadership site: <http://smokingcessationleadership.ucsf.edu>.

Smoking cessation leadership site provides information on research on tobacco use and cessation, information on tobacco use among persons with mental health and substance use disorders, resources for healthcare providers and smokers on smoking cessation, webinars, and other tools for smoking cessation.

<http://www.cdc.gov/tobacco/>

<http://www.ahrq.gov/>

Many hospitals have smoking cessation services available that enable referral of smokers as necessary. Many states have toll free quit lines (e.g., in California, 1-800-NO-BUTTS), and the national number (1-800-QUITNOW) forwards callers to services in their area.

Comprehensive information from patient aides to clinical recommendations to information on how to develop or fund comprehensive tobacco programs are available on the Centers for Disease Control and Prevention and the Agency for Health Care Research and Quality Web

sites.

Internet-based programs such as QuitNet can provide online chat rooms and can give smokers with access to a computer a sense of community with other smokers. If patients do not have their own computer, the public library is a smoke free environment in which they can access computers. <http://www.quitnet.com>.

The American Lung Association has significant information and an online program called “Seven Steps to a Smoke-Free Life” to which patients can be referred.

<http://www.lungusa.org/tobacco>.

REFERENCES

1. Schroeder SA. What to do with a patient who smokes. *JAMA* 2005;294(4):482-487.
2. Warner KE. The economics of tobacco: myths and realities. *Tob Control* 2000;9(1):78-89.
3. Centers for Disease Control and Prevention. Current Cigarette Smoking Among Adults – United States, 2005–2012. *MMWR Morb Mortal Wkly Rep* 2014;63(02):29-34.
4. US Department of Health Education and Welfare. Smoking and health: a report of the Surgeon General. Washington DC: US Department of Health, Education, and Welfare, and Public Health Service Office on Smoking and Health, 1979: DHEW publication no (PHS) 79-50066. 1979.
5. Caraballo RS, Yee SL, Gfroerer J, Mirza SA. Adult tobacco use among racial and ethnic groups living in the United States, 2002-2005. *Prev Chronic Dis* 2008;5(3):A78.
6. Ng M, Freeman MK, Fleming TD, Robinson M, Dwyer-Lindgren L, Thomson B, et al. Smoking prevalence and cigarette consumption in 187 countries, 1980–2012. *JAMA* 2014;311(2):183-192.
7. O'Connor RJ. Non-cigarette tobacco products: What have we learnt and where are we headed? *Tob Control* 2012;21(2):181-190.

8. Richardson A, Xiao H, Vallone DM. Primary and dual users of cigars and cigarettes: Profiles, tobacco use patterns and relevance to policy. *Nicotine Tob Res* 2012;14(8):927-932.
9. Dutra LM, Glantz SA. Electronic Cigarettes and Conventional Cigarette Use Among US Adolescents: A Cross-sectional Study. *JAMA Pediatr* 2014;168(7):610-617.
10. US Department of Health and Human Services. The Health Consequences of Smoking - 50 Years of Progress: A Report of the Surgeon General. Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention, Coordinating Center for Health Promotion, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health 2014.
11. Jha P, Ramasundarahettige C, Landsman V, et al. 21st-century hazards of smoking and benefits of cessation in the United States. *N Engl J Med* 2013;368(4):341-350.
12. Li MD. The genetics of nicotine dependence. *Curr Psychiatry Rep* 2006;8(2):158-164.
13. IARC. Evaluating the Effectiveness of Smoke-free Policies. WHO, 2009.
14. Mills AL, Messer K, Gilpin EA, Pierce JP. The effect of smoke-free homes on adult smoking behavior: A review. *Nicotine Tob Res* 2009;11(10):1131-1141.
15. Borland R, Chapman S, Owen N, Hill D. Effects of workplace smoking bans on cigarette consumption. *Am J Public Health* 1990;80(2):178-180.
16. Kauffman RM, Ferketich AK, Wewers ME. Tobacco policy in American prisons, 2007. *Tob Control* 2008;17(5):357-360.
17. El-Guebaly N, Cathcart J, Currie S, Brown D, Gloster S. Public health and therapeutic aspects of smoking bans in mental health and addiction settings. *Psychiatr Serv* 2002;53(12):1617-1622.
18. Department of Housing and Urban Development Office of Public and Indian Housing, Non-smoking policies in Public Housings, 2009 (memorandum). <http://www.hud.gov/offices/pih/publications/notices/09/pih2009-21.pdf>).

19. Federal Trade Commission. Smokeless Tobacco Report for 2011. Washington: Federal Trade Commission, 2013. 2013.
20. Federal Trade Commission. Cigarette report for 2011. Washington: Federal Trade Commission, 2013. 2013.
21. US Department of Health and Human Services. Preventing Tobacco Use Among Youth and Young Adults: A Report of the Surgeon General. Atlanta: US Department of Health and Human Services, Centers for Disease Control and Prevention, Coordinating Center for Health Promotion, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. 2012.
22. Pierce JP, Choi WS, Gilpin EA, Farkas AJ, Berry CC. Tobacco industry promotion of cigarettes and adolescent smoking. *JAMA* 1998;279(7):511-515.
23. Seidenberg AB, Caughey RW, Rees VW, Connolly GN. Storefront cigarette advertising differs by community demographic profile. *Am J Health Promot* 2010;24(6):e26-e31.
24. Toll BA, Ling PM. The Virginia Slims identity crisis: An inside look at tobacco industry marketing to women. *Tob Control* 2005;14(3):172-180.
25. Brown-Johnson CG, England LJ, Glantz SA, Ling PM. Tobacco industry marketing to low socioeconomic status women in the U.S.A. *Tob Control* 2014;23(e2):e139-e146.
26. Barbeau EM, Wolin KY, Naumova EN, Balbach E. Tobacco advertising in communities: associations with race and class. *Prev Med* 2005;40(1):16-22.
27. Widome R, Brock B, Noble P, Forster JL. The relationship of neighborhood demographic characteristics to point-of-sale tobacco advertising and marketing. *Ethn Health* 2013;18(2):136-151.
28. Apollonio DE, Malone RE. Marketing to the marginalised: tobacco industry targeting of the homeless and mentally ill. *Tob Control* 2005;14(6):409-15.
29. Ashley DL, Backinger CL, van Bemmelen DM, Neveleff DJ. Tobacco Regulatory Science: Research to Inform Regulatory Action at the Food and Drug Administration's Center for

Tobacco Products. *Nicotine Tob Res* 2014;16(8):1045-1049.

30. Fiore MC, Bailey WC, Cohen SJ, et al. Treating tobacco use and dependence: A quick reference guide for clinicians. Rockville, MD: US Department of Health and Human Services, October 2000.
31. Duffy SA, Kilbourne AM, Austin KL, Dalack GW, Woltmann EM, Waxmonsky J, et al. Risk of smoking and receipt of cessation services among veterans with mental disorders. *Psychiatr Serv* 2012;63(4):325-332.
32. Browning KK, Ferketich AK, Salsberry PJ, Wewers ME. Socioeconomic disparity in provider-delivered assistance to quit smoking. *Nicotine Tob Res* 2008;10(1):55-61.
33. Schroeder SA, Morris CD. Confronting a neglected epidemic: tobacco cessation for persons with mental illnesses and substance abuse problems. *Annu Rev Public Health* 2010;31:297-314.
34. Houston TK, Scarinci IC, Person SD, Greene PG. Patient smoking cessation advice by health care providers: The role of ethnicity, socioeconomic status, and health. *Am J Public Health* 2005;95(6):1056-1061.
35. Vogt F, Hall S, Marteau TM. General practitioners' and family physicians' negative beliefs and attitudes towards discussing smoking cessation with patients: A systematic review. *Addiction* 2005;100(10):1423-1431.
36. Kaplan CP, Perez-Stable EJ, Fuentes-Afflick E, Gildengorin V, Millstein S, Juarez-Reyes M. Smoking cessation counseling with young patients: the practices of family physicians and pediatricians. *Arch Pediatr Adolesc Med* 2004;158(1):83-90.
37. Stecker EC, Schroeder SA. Adding value to relative-value units. *N Engl J Med* 2013;369(23):2176-2179.
38. Glantz SA, Jamieson P. Attitudes toward secondhand smoke, smoking, and quitting among young people. *Pediatrics* 2000;106(6):E82.
39. Godtfredsen NS, Prescott E, Osler M. Effect of smoking reduction on lung cancer risk.

JAMA 2005;294(12):1505-1510.

40. Clinical Practice Guideline Treating Tobacco Use and Dependence 2008 Update Panel, Liaisons, and Staff. A clinical practice guideline for treating tobacco use and dependence: 2008 update. A U.S. Public Health Service report. *Am J Prev Med* 2008;35(2):158-176.

41. Rosengren A, Wilhelmsen L, Wedel H. Coronary heart disease, cancer and mortality in male middle-aged light smokers. *J Intern Med* 1992;231(4):357-362.

42. Pisinger C, Vestbo J, Borch-Johnsen K, Jorgensen T. Smoking reduction intervention in a large population-based study. The Inter99 study. *Prev Med* 2005;40(1):112-128.

43. Tonnesen P, Pisinger C, Hvidberg S, Wennike P, Bremann L, Westin A, et al. Effects of smoking cessation and reduction in asthmatics. *Nicotine Tob Res* 2005;7(1):139-148.

44. The FTC cigarette test method for determining tar nicotine and carbon monoxide yields of US cigarettes: Report of the NCI expert committee. Washington, DC: National Institutes of Health Publication, 1996.

45. Popova L, Ling PM. Alternative tobacco product use and smoking cessation: A national study. *Am J Public Health* 2013;103(5):923-930.

46. Zhu SH, Anderson CM, Tedeschi GJ, et al. Evidence of real-world effectiveness of a telephone quitline for smokers. *N Engl J Med* 2002;347(14):1087-1093.

47. Brennan TA, Schroeder SA. Ending sales of tobacco products in pharmacies. *JAMA* 2014;311(11):1105-1106.

48. Centers for Disease Control and Prevention. Effect of ending an antitobacco youth campaign on adolescent susceptibility to cigarette smoking: Minnesota, 2002-2003. *MMWR Morb Mortal Wkly Rep* 2004;53(14):301-304.

49. Centers for Disease Control and Prevention. State smoking restrictions for private-sector worksites, restaurants, and bars: United States, 1998 and 2004. *MMWR Morb Mortal Wkly Rep* 2005;54(2):649-653.

50. Schroeder SA. How clinicians can help smokers to quit. *JAMA* 2012;308(15):1586-1587.
51. Cahill K, Stead LF, Lancaster T. Nicotine receptor partial agonists for smoking cessation. *Cochrane Database Syst Rev* 2008(3):CD006103.
52. Stead LF, Perera R, Bullen C, Mant D, Lancaster T. Nicotine replacement therapy for smoking cessation. *Cochrane Database Syst Rev* 2008(1):CD000146.
53. Hughes JR, Stead LF, Lancaster T. Antidepressants for smoking cessation. *Cochrane Database Syst Rev* 2007(1):CD000031.

第 26 章 歯のケア : 忘れられたニード

RESOURCES

The American Dental Association. <http://www.ada.org>.

American Dental Hygienists' Association. <http://www.adha.org/oralhealth/>.

The Center to Address Disparities in Children's Oral Health. <http://www.ucsf.edu/cando/>.

First Smiles is a statewide initiative to address the "silent epidemic" of Early Childhood Caries affecting children ages 0–5. <http://www.first5oralhealth.org/>.

National Institute of Dental and Craniofacial Research. <http://www.nidcr.nih.gov/>.

The oral-systemic health connection. National Institute of Dental and Craniofacial Research, National Institutes of Health. Accessed June 1, 2006.

<http://www.nidcr.nih.gov/HealthInformation/DiseasesAndConditions/OralSystemicHealthConnection/OralSystemic.htm>.

<http://www.astdd.org/school-and-adolescent-oral-health-committee/>

<http://www2.aap.org/oralhealth/>

REFERENCES

1. Fisher-Owens SA, Gansky SA, Platt LJ, et al. Influences on children's oral health: A conceptual model. *Pediatrics* 2007;120:e510-e520.
2. US Department of Health and Human Services. Oral Health in America: A Report of the Surgeon General. Rockville, MD: National Institute of Dental and Craniofacial Research, National Institutes of Health; 2000. Available at <http://www.nidcr.nih.gov/DataStatistics/SurgeonGeneral/sgr/home.htm>.
3. Keyes PH. The infectious and transmissible nature of experimental dental caries. Findings and implications. *Arch Oral Biol* 1960;1:304-320.
4. Marcus M, Maida CA, Guzman-Becerra N, Belloso R, Fidell L. Policy Implications of Access to Dental Care for Immigrant Communities. Los Angeles, CA: California Policy Research Center, University of California and California Program on Access to Care; 2001. Available at <http://cpac.berkeley.edu/documents/dentalaccess.pdf>.
5. Vaiana M, Coulter I, eds. The Oral Health of California's children: Halting a Neglected Epidemic. Oakland, CA: Dental Health Foundation, 2000.
6. Bailit H, Beazoglou T, Demby N, McFarland J, Robinson P, Weaver R. Dental safety net: Current capacity and potential for expansion. *J Am Dent Assoc* 2006;137:807-815.
7. Cohn D. Hispanics Declared Largest Minority. *Washington Post*. June 19, 2003.
8. Disparities in Oral Health. [cited June 30, 2014]; Available at http://www.cdc.gov/OralHealth/oral_health_disparities/.
9. Ramos-Gomez FJ, Gansky SA, Featherstone JD, et al. Mother and youth access (MAYA) maternal chlorhexidine, counselling and paediatric fluoride varnish randomized clinical trial to prevent early childhood caries. *Int J Paediatr Dent* 2012;22:169-179.
10. Scannapieco FA, Bush RB, Paju S. Periodontal disease as a risk factor for adverse

pregnancy outcomes. A systematic review. *Ann Periodontol* 2003;8:70-78.

11. Scannapieco FA, Bush RB, Paju S. Associations between periodontal disease and risk for atherosclerosis, cardiovascular disease, and stroke. A systematic review. *Ann Periodontol* 2003;8:38-53.

12. Griffin SO, Barker LK, Griffin PM, Cleveland JL, Kohn W. Oral health needs among adults in the United States with chronic diseases. *J Am Dent Assoc* 2009;140:1266-1274.

13. Taylor GW, Manz MC, Borgnakke WS. Diabetes, periodontal diseases, dental caries, and tooth loss: A review of the literature. *Compend Contin Educ Dent* 2004;25:86-88, 90, 179-184, quiz 92.

14. Vastardis SA, Yukna RA, Fidel PL Jr., Leigh JE, Mercante DE. Periodontal disease in HIV-positive individuals: Association of periodontal indices with stages of HIV disease. *J Periodontol* 2003;74:1336-1341.

15. Kisely S, Quek LH, Pais J, Lalloo R, Johnson NW, Lawrence D. Advanced dental disease in people with severe mental illness: Systematic review and meta-analysis. *Br J Psychiatry* 2011;199:187-193.

16. Fine A, Kotelchuck M. Rethinking MCH: The Life Course Model as an Organizing Framework: U.S. Department of Health and Human Services, Health Resources and Services Administration, and Maternal and Child Health Bureau, 2010.

17. Contreras A, Herrera JA, Soto JE, Arce RM, Jaramillo A, Botero JE. Periodontitis is associated with preeclampsia in pregnant women. *J Periodontol* 2006;77:182-188.

18. Yeo BK, Lim LP, Paquette DW, Williams RC. Periodontal disease—The emergence of a risk for systemic conditions: Pre-term low birth weight. *Ann Acad Med Singapore* 2005;34:111-116.

19. Dasanayake AP. Poor periodontal health of the pregnant woman as a risk factor for low birth weight. *Ann Periodontol* 1998;3:206-212.

20. Boggess KA, Society for Maternal-Fetal Medicine Publications C. Maternal oral health

in pregnancy. *Obstet Gynecol* 2008;111:976-986.

21. Collins JG, Windley HW III, Arnold RR, Offenbacher S. Effects of a *Porphyromonas gingivalis* infection on inflammatory mediator response and pregnancy outcome in hamsters. *Infect Immun* 1994;62:4356-4361.

22. Oral Health Care During Pregnancy and Early Childhood: Practice Guidelines: New York State Department of Health; 2006. Available at <http://www.health.ny.gov/publications/0824.pdf>.

23. Offenbacher S, Katz V, Fertik G, et al. Periodontal infection as a possible risk factor for preterm low birth weight. *J Periodontol* 1996;67:1103-1113.

24. Han YW, Fardini Y, Chen C, et al. Term stillbirth caused by oral *Fusobacterium nucleatum*. *Obstet Gynecol* 2010;115:442-445.

25. Oral Health Care During Pregnancy and Through the Lifespan: American College of Obstetricians and Gynecologists, Committee on Health Care for Underserved Women, 2013. Available at <http://www.acog.org/~media/Committee%20Opinions/Committee%20on%20Health%20Care%20for%20Underserved%20Women/co569.pdf?dmc=1&ts=20130724T0816301062>.

26. Oral Health Care During Pregnancy: a National Consensus Statement. Washington, DC: National Maternal and Child Oral Health Resource Center, Georgetown University; 2012. Available at <http://www.mchoralhealth.org/PDFs/OralHealthPregnancyConsensus.pdf>.

27. California Dental Association Foundation, American College of Obstetricians and Gynecologists, District IX. Oral health during pregnancy and early childhood: Evidence-based guidelines for health professionals. *J Calif Dent Assoc* 2010;38:391-403, 5-40.

28. Shiboski CH, Gansky SA, Ramos-Gomez F, Ngo L, Isman R, Pollick HF. The association of early childhood caries and race/ethnicity among California preschool children. *J Public Health Dent* 2003;63:38-46.

29. Holt K, Barzel R. Oral health and learning: When children's oral health suffers, so does

their ability to learn. Washington, DC: National Maternal and Child Oral Health Resource Center; 2013. Available at <http://www.mchoralhealth.org/PDFs/learningfactsheet.pdf>.

30. ADA statement on early childhood caries. American Dental Association, 2004. Accessed June 18, 2014. Available at <http://www.ada.org/en/about-the-ada/ada-positions-policies-and-statements/statement-on-early-childhood-caries>.

31. American Academy of Pediatrics. Oral health risk assessment timing and establishment of the dental home. *Pediatrics* 2003;111:1113-1116.

32. Ramos-Gomez FJ. A model for community-based pediatric oral health: Implementation of an infant oral care program. *Int J Dent* 2014;2014:156821.

33. Ramos-Gomez F NM. Into the future: Keeping healthy teeth caries free: Pediatric CAMBRA protocols. *J Calif Dent Assoc* 2011;39:723-733.

34. Guideline on Adolescent Oral Health Care: American Academy of Pediatric Dentistry, Clinical Affairs Committee; 2010. Available at http://www.aapd.org/media/Policies_Guidelines/G_Adoleshealth.pdf.

35. Beltran-Aguilar ED, Barker LK, Canto MT, et al. Surveillance for dental caries, dental sealants, tooth retention, edentulism, and enamel fluorosis—United States, 1988–1994 and 1999–2002. *MMWR Surveil Summ* 2005;54:1-43.

36. Oral Health: Dental Disease Is a Chronic Problem Among Low-Income Populations: United States General Accounting Office; Health, Education, and Human Services Division; 2000. Available at <http://www.gao.gov/assets/240/230284.pdf>.

37. Casamassimo P, Fields H, McTigue D, Nowak A. *Pediatric Dentistry, Infancy through Adolescence*, 5th ed. St. Louis, MO: Elsevier Saunders, 2012.

38. Yu SM, Bellamy HA, Schwalberg RH, Drum MA. Factors associated with use of preventive dental and health services among U.S. adolescents. *J Adolesc Health* 2001;29:395-405.

39. Han E, Powell LM. Consumption patterns of sugar-sweetened beverages in the United

States. *J Acad Nutr Diet* 2013;113:43-53.

40. Majewski RF. Dental caries in adolescents associated with caffeinated carbonated beverages. *Pediatr Dent* 2001;23:198-203.

41. Cheng R, Yang H, Shao MY, Hu T, Zhou XD. Dental erosion and severe tooth decay related to soft drinks: A case report and literature review. *J Zhejiang Univ Sci B* 2009;10:395-399.

42. Freeman R, Sheiham A. Understanding decision-making processes for sugar consumption in adolescence. *Community Dent Oral Epidemiol* 1997;25:228-232.

43. Gift HC, Reisine ST, Larach DC. The social impact of dental problems and visits. *Am J Public Health* 1992;82:1663-1668.

44. Oral Health: Preventing Cavities, Gum Disease, Tooth Loss, and Oral Cancers: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Oral Health; 2011. Available at <http://www.cdc.gov/chronicdisease/resources/publications/aag/pdf/2011/oral-health-aag-pdf-508.pdf>.

45. Mellberg JR, Ripa LW. *Fluoride in Preventive Dentistry: Theory and Clinical Applications*. Chicago, IL: Quintessence, 1983.

46. Rajabiun S, Fox JE, McCluskey A, et al. Patient perspectives on improving oral health-care practices among people living with HIV/AIDS. *Public Health Rep* 2012;127(Suppl 2):73-81.

47. Oral Health Risk Assessment Tool. American Academy of Pediatrics. Available at <http://www2.aap.org/oralhealth/docs/riskassessmenttool.pdf>.

48. Ramos-Gomez FJ, Crystal YO, Domejean S, Featherstone JD. Minimal intervention dentistry: Part 3. Paediatric dental care—prevention and management protocols using caries risk assessment for infants and young children. *Br Dent J* 2012;213:501-508.

49. Ng MW, Ramos-Gomez F, Lieberman M, et al. Disease Management of Early Childhood

Caries: ECC Collaborative Project. *Int J Dent* 2014;2014:327801.

50. Dean HT. Epidemiological studies in the United States. In Moulton FR, ed. *Dental Caries and Fluorine*. Washington, DC: American Association for the Advancement of Science; 1946:5-31.

51. Weintraub JA, Ramos-Gomez F, Jue B, et al. Fluoride varnish efficacy in preventing early childhood caries. *J Dent Res* 2006;85:172-176.

52. Ahovuo-Saloranta A, Hiiri A, Nordblad A, Worthington H, Makela M. Pit and fissure sealants for preventing dental decay in the permanent teeth of children and adolescents. *Cochrane Database Syst Rev* 2004:CD001830.

53. Wright JT, Hanson N, Ristic H, Whall CW, Estrich CG, Zentz RR. Fluoride toothpaste efficacy and safety in children younger than 6 years: A systematic review. *J Am Dent Assoc* 2014;145:182-189.

54. American Dental Association Council on Scientific Affairs. Fluoride toothpaste use for young children. *J Am Dent Assoc* 2014;145:190-191.

55. Oral Health: Factors Contributing to Low Use of Dental Services by Low-Income Populations. Washington, DC: United States General Accounting Office; 2000. Report No.: GAO/HEHS-00-149. Available at <http://www.gao.gov/assets/240/230602.pdf>.

56. Office of the Surgeon General. National Call To Action To Promote Oral Health. Rockville, MD: National Institute of Dental and Craniofacial Research; 2003. Available at <http://www.gao.gov/assets/240/230602.pdf>.

57. Integration of Oral Health and Primary Care Practice Rockville, MD: U.S. Department of Health and Human Services Health Resources and Services Administration; 2014.

58. Improving Access to Oral Health Care for Vulnerable and Underserved Population. Washington, DC: Institute of Medicine and National Research Council; 2011. Report No.: 978-0-309-20946-5. Available at <http://www.hrsa.gov/publichealth/clinical/oralhealth/improvingaccess.pdf>.

59. Shortage Designation: Health Professional Shortage Areas & Medically Underserved Areas/Populations: U.S. Department of Health and Human Services, Health Resources and Services Administration; 2014. Available at <http://www.hrsa.gov/shortage/>.
60. Dental Crisis in America: The Need to Expand Access U.S. Senate Committee on Health, Education, Labor & Pensions; Subcommittee on Primary Health and Aging; 2012. Available at <http://www.sanders.senate.gov/imo/media/doc/DENTALCRISIS.REPORT.pdf>.
61. Section on Pediatric Dentistry and Oral Health, Keels MA, Hale KJ, et al. Preventive oral health intervention for pediatricians. *Pediatrics* 2008;122:1387-1394.
62. Summary of Recommendations for Clinical Preventive Services. Leawood, KS: American Academy of Family Physicians; 2014. Available at http://www.aafp.org/dam/AAFP/documents/patient_care/clinical_recommendations/cps-recommendations.pdf.
63. Hallas D, Shelley D. Role of pediatric nurse practitioners in oral health care. *Academic pediatrics* 2009;9:462-466.
64. Celebrating Our Wins: More State Medicaid Programs Pay for Children's Oral Health Prevention Services in Doctors' Offices American Academy of Pediatrics, Division of State Government Affairs; 2013. Available at <http://www2.aap.org/oralhealth/docs/CelebratingOurWins.pdf>.
65. Haber J, Spielman AI, Wolff M, Shelly D. Interprofessional Education Between Dentistry and Nursing: The NYU Experience. *J Calif Dent Assoc* 2014;42:44-51.
66. Valachovic RW. Integrating oral and overall health care—on the road to interprofessional education and practice: building a foundation for interprofessional education and practice. *J Calif Dent Assoc* 2014;42:25-27.
67. Formicola AJ, Andrieu SC, Buchanan JA, et al. Interprofessional education in U.S. and Canadian dental schools: An ADEA Team Study Group report. *J Dent Educ* 2012;76:1250-1268.
68. Breaking Down Barriers to Oral Health for All Americans: The Community Dental

Health Coordinator, A Statement from the American Dental Association: American Dental Association; 2012. Available at http://www.ada.org/~media/ADA/Advocacy/Files/ADA_Breaking_Down_Barriers-Community_Dental_Health_Coordinator.ashx.

69. Virtual Dental Home to Provide Care to Underserved Communities in California: California HealthCare Foundation, 2010.

70. Carr BR, Isong U, Weintraub JA. Identification and description of mobile dental programs—a brief communication. *J Public Health Dent* 2008;68:234-237.

71. Help Me Smile: Oral Health Risk Assessment Protocols, Training Modules, and Educational Materials for Use with Families of Young Children. Columbus, OH: Ohio Department of Health, Bureau of Oral Health Services; 2007. Available at <https://www.odh.ohio.gov/~media/ODH/ASSETS/Files/ohs/oral%20health/HMSselfstudy%20promoflier2%20rev4292014.pdf>.

72. Fossi M. Healthy Smiles: A Lay Health Worker Dental Outreach Program. 21st Annual Midwest Stream Farmworker Health Forum; 2011 November 10–12; Albuquerque, NM: National Center for Farmworker Health. Available at <http://www.ncfh.org/docs/SF2011/sessions/33.pdf>.

73. Community Health Workers Evidence-Based Models Toolbox: HRSA Office of Rural Health Policy: U.S. Department of Health and Human Services, Health Resources and Services Administration; 2011. Available at <http://www.hrsa.gov/ruralhealth/pdf/chwtoolkit.pdf>.

74. Smiles for Life: A National Oral Health Curriculum. Society of Teachers of Family Medicine Group on Oral Health. Available at <http://www.smilesforlifeoralhealth.org>.

第 27 章 障碍と障碍のある患者たち

RESOURCES

American Foundation for the Blind. <http://www.afb.org>.

Gallaudet University Technology Access Program. <http://tap.gallaudet.edu>.

Self Help for Hard of Hearing People. <http://www.shhh.org>.

National Federation of the Blind. <http://www.nfb.org>.

7-1-1 nationwide connects directly to the local TRS, which uses operators called “communications assistants” (CAs), to facilitate telephone calls for people who have difficulty hearing or speaking.

REFERENCES

1. Pope A, Tarlov A. *Disability in America: Toward a National Agenda for Prevention*. Washington, DC: National Academy Press, 1991.
2. *Towards a Common Language for Functioning, Disability and Health*. ICF. Geneva, Switzerland: World Health Organization, 2002.
3. Ustun TB, Chatterji S, Kostansjek N, Bickenbach J. WHO's ICF and functional status information in health records. *Health Care Financ Rev* 2003;24(3):77-88.
4. Goldzweig CL, Rowe S, Wenger NS, MacLean CH, Shekelle PG. Preventing and managing visual disability in primary care: Clinical applications. *JAMA* 2004;291(12):1497-502.
5. Bogardus ST Jr, Yueh B, Shekelle PG. Screening and management of adult hearing loss in primary care: Clinical applications. *JAMA* 2003;289(15):1986-1990.
6. *Disability evaluation under Social Security*. Washington, DC: Social Security Administration, 2003.
7. Wunderlich GS, et al. *The dynamics of disability: Measuring and monitoring disability*

for Social Security programs. Washington, DC: National Academies Press. National Research Council Committee to Review the Social Security Administration's Disability Decision Process Research, 2002.

8. Iezzoni LI. *When walking fails: Mobility problems of adults with chronic conditions*. Berkeley, CA: University of California Press, 2003.

9. Podsiadlo D, Richardson S. The timed "Up & Go": A test of basic functional mobility for frail elderly persons. *J Am Geriatr Soc* 1991;39(2):142-148.

10. *Guidelines for the use of assistive technology: Evaluation, referral, prescription*, 2nd ed. Chicago: American Medical Association, Department of Geriatric Health, 1996.

11. Kirchner C. Prevalence estimates for visual impairment: Cutting through the data jungle. *J Vis Impair Blind* 1999;93(4):253-259.

第 28 章 社会的に複雑さを抱えた患者に対する病院でのケア

RESOURCES

CIWA Symptom Triggered Scale example:

<http://www.aafp.org/afp/2004/0315/afp20040315p1443-f1.gif>.

Transitional Care Model (TCM): <http://www.transitionalcare.info/>.

Care Transitions Intervention (TCI): <http://www.caretransitions.org>.

Project BOOST: <http://www.hospitalmedicine.org/boost/>.

Project Re-Engineered Discharge (RED): <http://www.bu.edu/fammed/projectred/index.html>.

Chronic Care Model:

http://www.improvingchroniccare.org/index.php?p=The_Chronic_Care_Model&s=2.

REFERENCES

1. Pfuntner A, Wier LM, Steiner C. Costs for hospital stays in the United States, 2010: Statistical Brief #146. Healthcare Cost and Utilization Project (HCUP) Statistical Briefs [Internet]. Rockville (MD): Agency for Health Care Policy and Research (US); 2006-2013 January.
2. Pfuntner A, Wier LM, Elixhauser A. Overview of Hospital Stays in the United States, 2011: Statistical Brief #166. Healthcare Cost and Utilization Project (HCUP) Statistical Briefs [Internet]. Rockville (MD): Agency for Health Care Policy and Research (US); 2006-2013 November.
3. Hampers LC, McNulty JE. Professional interpreters and bilingual physicians in a pediatric emergency department: Effect on resource utilization. *Arch Pediatr Adolesc Med* 2002;156:1108-1113.
4. Carrasquillo O, Orav EJ, Brennan TA, Burstin HR. Impact of language barriers on patient satisfaction in an emergency department. *J Gen Intern Med* 1999;14:82-87.
5. Baker DW, Parker RM, Williams MV, Coates WC, Pitkin K. Use and effectiveness of interpreters in an emergency department. *JAMA* 1996;275:783-788.
6. Todd KH, Samaroo N, Hoffman JR. Ethnicity as a risk factor for inadequate emergency department analgesia. *JAMA* 1993;269:1537-1539.
7. Gentilello LM, Villaveces A, Ries RR, et al. Detection of acute alcohol intoxication and chronic alcohol dependence by trauma center staff. *J Trauma* 1999;47:1131-1135; discussion 1135-1139.
8. Stewart, M. Towards a global definition of patient-centered care. *BMJ* 2001;322(7284):444-445.
9. Johnson RL, Roter D, Powe NR, Cooper LA. Patient race/ethnicity and quality of patient-physician communication during medical visits. *Am J Public Health* 2004;94(12):2084-2090.
10. Vars F. Illusory consent: When an incapacitated patient agrees to treatment. *Oregon*

Law Rev 2008;87:353-398.

10a. Appelbaum PS, Grisso T. Assessing patients' capacities to consent to treatment. *N Engl J Med*. 1988;319:1635-1638.

10b. Miller SS, Marin DB. Assessing capacity. *Emerg Med Clin* 2000;18:233-242.

10c. Annas GJ, Densberger JE. Competence to refuse medical treatment: Autonomy versus paternalism. *Univ Toledo Law Rev*. 1984;15:561-562.

11. Competence. Merriam-Webster.com, 2014. Available at <http://www.merriam-webster.com>.

12. Pepper-Smith R, Harvey WR, Silberfeld M. Competency and practical judgment. *Theor Med* 1996;17:135-150.

13. Alfandre DJ. "I'm going home": Discharges against medical advice. *Mayo Clin Proc* 2009;84:255-260.

14. Jeremiah J, O'Sullivan P, Stein MD. Who leaves against medical advice? *J Gen Intern Med* 1995;10:403-405.

15. O'Hara D, Hart W, McDonald I. Leaving hospital against medical advice. *J Qual Clin Pract* 1996;16:157-164.

16. Hwang SW, Li J, Gupta R, Chien V, Martin RE. What happens to patients who leave hospital against medical advice? *CMAJ* 2003;168:417-420.

17. Fiscella K, Meldrum S, Barnett S. Hospital discharge against advice after myocardial infarction: Deaths and readmissions. *Am J Med* 2007;120:1047-1053.

18. Alfandre D, Schumann JH. What is wrong with discharges against medical advice (and how to fix them). *JAMA* 2013;310:2393-2394.

19. Annas GJ. The patient's right to safety—Improving the quality of care through litigation against hospitals. *N Engl J Med* 2006;354:2063-2066.

20. Chen JJ, Blanchard MA, Finn CT, Plunkett L, et al. A clinical pathway for guardianship at Dartmouth-Hitchcock Medical Center. *Jt Comm Qual Patient Saf* 2014;40:397.
21. Sessums LL, Zembrzuska H, Jackson JL. Does this patient have medical decision-making capacity? *JAMA* 2011;306(4):420-427.
22. Amato L, Minozzi S, Davoli M. Efficacy and safety of pharmacological interventions for the treatment of the alcohol withdrawal syndrome. *Cochrane Database Syst Rev* 2011:CD008537.
23. Bayard M, McIntyre J, Hill KR, et al. Alcohol withdrawal syndrome. *Am Fam Physician* 2004;69(6):1443-1450.
24. Sullivan JT, Sykora K, Schneiderman J, Naranjo CA, Sellers EM. Assessment of alcohol withdrawal: The revised clinical institute withdrawal assessment for alcohol scale (CIWA-Ar). *Br J Addict* 1989;84:1353-1357.
25. Srisurapanont M, Jarusuraisin N. Opioid antagonists for alcohol dependence. *Cochrane Database Syst Rev* 2005;25:CD001867.
26. Dreyer T. Care transitions: Best practices and evidence-based programs. *Home Healthc Nurse* 2014;32:309-316.
27. Forster AJ, Clark HD, Menard A, et al. Adverse events among medical patients after discharge from hospital. *CMAJ* 2004;170:345-349.
28. Kwan JL, Lo L, Sampson M, et al. Medication reconciliation during transitions of care as a patient safety strategy: A systematic review. *Ann Intern Med* 2013;158:397-403.
29. Shepperd S, Lannin NA, Clemson LM, McCluskey A, Cameron ID, Barras SL. Discharge planning from hospital to home. *Cochrane Database Syst Rev* 2013;1:CD000313.
- 29a. Kane RL. Finding the right level of posthospital care: We didn't realize there was any other option for him. *JAMA*. 2011;305(3):284-93.
- 29b. Doran KM, Ragins KT, Gross CP, Zerger S. Medical respite programs for homeless

patients: a systematic review. *J Health Care Poor Underserved*. 2013;24(2):499-524.

30. Kripalani S, LeFevre F, Phillips CO, Williams MV, Basaviah P, Baker DW. Deficits in communication and information transfer between hospital-based and primary care physicians: Implications for patient safety and continuity of care. *JAMA* 2007;297:831-841.

31. Jencks SF, Williams MV, Coleman EA. Rehospitalizations among patients in the Medicare fee-for-service program. *N Engl J Med* 2009;360:1418-1428.

32. Hansen LO, Young RS, Hinami K, Leung A, Williams MV. Interventions to reduce 30-day rehospitalization: A systematic review. *Ann Intern Med* 2011;155:520-528.

33. Englander H, Michaels L, Chan B, Kansagara D. The care transitions innovation (C-TraIn) for socioeconomically disadvantaged adults: Results of a cluster randomized controlled trial. *J Gen Intern Med* 2014;29:1460-1467.

34. Kansagara D, Englander H, Salanitro A, et al. Risk prediction models for hospital readmission: A systematic review. *JAMA* 2011;306:1688-1698.

35. Baillie CA, VanZandbergen C, Tait G, et al. The readmission risk flag: Using the electronic health record to automatically identify patients at risk for 30-day readmission. *J Hosp Med* 2013;8:689-695.

35a. Gardner R, Li Q, Baier RR, Butterfield K, Coleman EA, Gravenstein S. Is implementation of the care transitions intervention associated with cost avoidance after hospital discharge? *J Gen Intern Med*. 2014;29(6):878-84.

35b. Parry C, Min SJ, Chugh A, Chalmers S, Coleman EA. Further application of the care transitions intervention: results of a randomized controlled trial conducted in a fee-for-service setting. *Home Health Care Serv Q*. 2009;28:84-99.

35c. Coleman EA, Parry C, Chalmers S, Min SJ. The care transitions intervention: results of a randomized controlled trial. *Arch Intern Med*. 2006;166(17):1822-1828.

35d. Hansen LO, Greenwald JL, Budnitz T, et al. Project BOOST: Effectiveness of a multihospital effort to reduce rehospitalization. *J Hosp Med*. 2013;8:421-427.

35e. The 8Ps: Assessing Your Patient's Risk For Adverse Events After Discharge. Society of Hospital Medicine Website.

http://www.hospitalmedicine.org/ResourceRoomRedesign/RR_CareTransitions/PDFs/TARG ET.pdf. Accessed April 2014.

35f. Jack BW, Chetty VK, Anthony D, et al. A reengineered hospital discharge program to decrease rehospitalization: a randomized trial. *Ann Intern Med*. 2009 Feb 3;150(3):178-87.

35g. Naylor MD, Brooten DA, Campbell RL, Maislin G, McCauley KM, Schwartz JS. Transitional care of older adults hospitalized with heart failure: A randomized clinical trial. *J Am Geriatr Soc*. 2004;52(5):675-84.

35h. Naylor MD, Brooten DA, Campbell RL, et al. Comprehensive discharge planning and home follow-up of hospitalized elders: A randomized controlled trial. *JAMA*. 1999;281(7):613-620.

35i. Naylor MD, Brooten DA, Jones R, Lavizzo-Mourey R, Mezey M, Pauly M. Comprehensive discharge planning for the hospitalized elderly: A randomized clinical. *Ann Intern Med*. 1994;120(12):999-1006.

36. Weingard SN, Wilson RM, Gibberd RW, Harrison B. Epidemiology of medical error. *BMJ* 2000;320:774-777.

37. Scott SD, Hirschinger LE, Cox KR, et al. Caring for our own: Deploying a system wide second victim rapid response team. *Jt Comm J Qual Patient Saf* 2010;36:233-240.

38. Hu Y, Fix ML, Hevelone ND, et al. Physicians' needs in coping with emotional stressors: The case for peer support. *Arch Surg* 2012;147:212-217.

39. Penson RT, Schapira L, Mack S, Stanzler M, Lynch TJ Jr. Connection: Schwartz Center Rounds at Massachusetts General Hospital Cancer Center. *Oncologist* 2010;15:760-764.

40. Schwartz Center Rounds®. Schwartz Center Website.

<http://www.theschwartzcenter.org/supporting-caregivers/schwartz-center-rounds.aspx>. Accessed April 2014.

41. Lown BA, Manning CF. The Schwartz Center Rounds: Evaluation of an interdisciplinary approach to enhancing patient-centered communication, teamwork, and provider support. *Acad Med* 2010;85:1073-1081.
42. Goodrich J. Supporting hospital staff to provide compassionate care: Do Schwartz Center Rounds work in English hospitals? *J R Soc Med* 2012;105:117-122.
43. Saba GW. Preparing healthcare professionals for the 21st century: Lessons from Chiron's cave. *Fam Syst Health* 2000;18:353-364.
44. Bodenheimer T. Strategies to reduce costs and improve care for high-utilizing Medicaid patients: Reflections on pioneering programs. Policy Brief, Center for Health Care Strategies, Inc., 2013. Available at http://www.chcs.org/media/HighUtilizerReport_102413_Final3.pdf.
45. McCall N, Cromwell J, Urato C. Evaluation of the Extended Medicare Care Management for High Cost Beneficiaries (CMHCB) Demonstration: Massachusetts General Hospital. (RTI project no. 0209853.018.) Research Triangle Park, NC: Research Triangle Institute International, July 2013.
- 45a. Bodenheimer T, Wagner EH, and Grumbach K. Improving Primary Care for Patients with Chronic Illness. *JAMA*. 2002;288(14):1775-9.
46. Coleman K, Austin BT, Brach C. Evidence on the chronic care model in the new millennium. *Health Aff (Millwood)* 2009;28:75-85.
47. Shumway M, Boccillari A, O'Brien K, Okin RL. Cost-effectiveness of clinical case management for ED frequent users: Results of a randomized trial. *Am J Emerg Med* 2008;26:155-164.